

1064

Carter

CC



RECEIVED

JAN 11 2013

Dept. of Environmental Quality

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

BASELINE STORM WATER GENERAL PERMIT RE-COVERAGE FORM

FOR COVERAGE UNDER MISSISSIPPI'S REISSUED
BASELINE GENERAL PERMIT MSR00
GENERAL NPDES COVERAGE NO. MSR 11049

INSTRUCTIONS

The submittal of this form is required to receive coverage under the reissued Baseline General Permit. This form must be completed and returned to the address printed at the bottom of page 2 within 45 days of the date of the Letter of Instruction for Re-Coverage.

The signatory of this form must be the owner or operator who is the current coverage recipient (i.e., not the environmental consultant). The coverage recipient is responsible for permit compliance.

Re-submittal of the Storm Water Pollution Prevention Plan (SWPPP) is not required, even if amendments must be added to meet new permit conditions. However, amendments to the SWPPP must be submitted with the "Re-Coverage Form" if there has been a change in design, construction, operation, or maintenance of the facility, which may increase the discharge of pollutants to waters of the State or the SWPPP proves to be ineffective in controlling storm water pollutants.

If the facility is out of business or no longer a regulated facility, please request termination of coverage by completing the Request for Termination (RFT) Form found in the Baseline Forms Package. Facilities that continue to discharge wastewater without applicable permit coverage are in violation of state law.

Do not submit this form if submitting a "Request for Termination" (RFT).

Do not submit this form if submitting a "No Exposure Certification."

ALL FORM BLANKS MUST BE COMPLETED (enter "NA" if not applicable).

The Certificate of Coverage should be mailed to: owner/operator facility (please check one)

COVERAGE RECIPIENT INFORMATION

CONTACT NAME & POSITION: John Risher, EHS Manager

COMPANY NAME: Howard Industries

STREET OR P.O. BOX: P. O. Box 1588

CITY: Laurel STATE: Mississippi ZIP: 39441

PHONE NUMBER (601) 422-1919 EMAIL: jrisher@howard-ind.com

FACILITY INFORMATION

FACILITY NAME: Laurel Facility

CONTACT NAME & POSITION: John Risher, EHS Manager

CONTACT PHONE NUMBER (601) 422-1919 EMAIL: irisher@howard-ind.com

PRIMARY STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE & DESCRIPTION OF INDUSTRIAL ACTIVITY:

3 6 1 2 Power Distribution and Speciality Transformers

PHYSICAL SITE ADDRESS: STREET: 3225 Pendorf Road

CITY: Laurel COUNTY: Jones ZIP: 39441

PROVIDE THE COORDINATES OF THE PLANT ENTRANCE:

LATITUDE: +31 degrees 39 minutes 23.8 seconds LONGITUDE: -89 degrees 10 minutes 39.3 seconds

NEAREST NAMED RECEIVING STREAM FOR STORM WATER LEAVING THE SITE: Tallahoma Creek

IS RECEIVING STREAM ON MDEQ's 303(d) LIST? YES NO

HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? YES NO

STORM WATER POLLUTION PREVENTION PLAN (SWPPP)

1. IS A COPY OF THE SWPPP AT THE PERMITTED SITE? YES NO

2. IS THE SWPPP UP-TO-DATE AND EFFECTIVE IN CONTROLLING STORM WATER POLLUTANTS? YES NO
IF NO, PLEASE ATTACH REQUIRED SWPPP AMENDMENTS (see Instructions on front page).

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I understand when coverage is terminated the facility is no longer authorized to discharge storm water associated with industrial activity under this general permit. I understand that discharging pollutants in storm water associated with industrial activity to waters of the state without NPDES coverage is in violation of state law.

Jack Delk
Signature

1/6/2016
Date

Jack Delk
Printed Name

Vice President
Title

¹This form shall be signed according to ACT14, T-9 of the General Permit, as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official.

After signing please mail to: Chief, Environmental Permits Division,
MS Department of Environmental Quality, Office of Pollution Control
P.O. Box 2261
Jackson, Mississippi 39225



HOWARD INDUSTRIES, INC.

P. O. Box 1588, Laurel, MS 39441 Telephone: (601) 425-3151 Facsimile: (601) 422-1195

January 7, 2016

Certified Mail # 7007 2680 0002 3451 3860

Chief, Environmental Permits Division
MS Department of Environmental Quality, Office of Pollution Control
P.O. Box 2261
Jackson, Mississippi 39225

RECEIVED
JAN 11 2016
Dept. of Environmental Quality

Re: Howard Industries – Baseline Storm Water General Permit Re-coverage
MSR110049 – Laurel Facility
MSR001883 – Mendenhall Facility
MSR001860 – Sandersville Facility
MSR001766 – Ellisville Facility

Attached herein, please find the Baseline Storm Water General Permit Re-coverage Form for the Howard Industries Laurel, Mendenhall, Sandersville, and Ellisville locations.

Should you have any questions, please contact me at 601-422-1919.

Sincerely,

John Risher
EH&S Manager

