


AI #70326
Gnp2016001



BASELINE NOTICE OF INTENT (BNOI)
FOR COVERAGE UNDER THE BASELINE STORM WATER
GENERAL NPDES PERMIT MSR00 2292
(NUMBER TO BE ASSIGNED BY STATE)

INSTRUCTIONS

Applicant must be the owner or operator (i.e., legal entity that controls the facility's operation, or the plant/site manager, not the environmental consultant). The owner or operator that receives coverage is responsible for permit compliance. File at least 60 days prior to the commencement of the regulated industrial activity.

Submittals with this BNOI must include a Storm Water Pollution Prevention Plan (SWPPP) with the minimum components found in ACTs 5 and 6 of the Baseline Storm Water General Permit. In addition, a United States Geological Survey (USGS) quadrangle map (or a copy) showing site location and extending at least 1/2 mile beyond the site's property boundary is required. If a copy is submitted, provide the name of the quadrangle map that is found in the upper right hand corner. Maps can be obtained from the MDEQ, Office of Geology at 601-961-5523.

ALL FORM BLANKS MUST BE COMPLETED (enter "NA" if not applicable)

THE APPLICANT IS: OWNER OPERATOR (PLEASE CHECK ONE OR BOTH)

OWNER INFORMATION

Owner Contact Name: _____ Position: _____
Owner Company Name: _____
Owner Street (P.O. Box): _____
Owner City: _____ State: _____ Zip: _____
Owner Phone Number: (____) _____ Owner Email: _____

OPERATOR INFORMATION (if different than owner)

Operator Contact Name: Derek Hileman Position: Senior Project Manager
Operator Company Name: PG Technologies, LLC (PGT)
Operator Street (P.O. Box): 135 Technology Boulevard
Operator City: Ellisville State: MS Zip: 39437
Operator Phone Number: (317) 435-0497 Operator Email: derek.hileman@praxair.com

FACILITY INFORMATION

Facility Name: PG Technologies, LLC (PGT)

Nature of Business (Include 4-digit Standard Industrial Classification Code (SIC) and description):

SIC Code: 3497 Surface coating operations

Receiving Stream: Little Rocky Creek

Is receiving stream on MDEQ's 303(d) List? Yes No

Has a TMDL been established for the receiving stream segment? Yes No

Physical Site Address:

Street: 135 Technology Boulevard City: Ellisville

County: Jones Zip: 39437

Latitude: 31 degrees 34 minutes 40 seconds Longitude: 89 degrees 14 minutes 4 seconds

Method Used to Determine Lat & Long (GPS of plant entrance) or Map Interpolation): GPS of Plant Entrance

Attach a copy of any existing laboratory data for each storm water outfall. If multiple sampling has been performed, provide a summary for each parameter, including sampling dates and the minimum, average and maximum values.

Is this a SARA Title III, Section 313 facility utilizing water priority chemicals at threshold amounts? Yes No
If yes, please attach a list of water priority chemicals present at the facility.

*see Attachment B - Storm Water Pollution Prevention Plan

**DOCUMENTATION OF COMPLIANCE WITH OTHER
REGULATIONS/REQUIREMENTS**

Is this notice for a facility that will require other permits? Yes No

If yes, check which one(s): Air, Hazardous Waste, Pretreatment, Water State Operating,
 Individual NPDES, or list Other(s):

How will sanitary sewage be collected and treated? Sent to Ellisville POTW


Indicate any local storm water ordinance with which the facility must comply and submit any documentation of approval

Is treatment of storm water provided at any outfall? Yes No

If yes, please describe: _____

CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.



Signature* (Must be signed by operator when different than owner)

12/12/2016

Date Signed

Derek Hileman

Printed Name¹

General Manager of PGT

Title

¹This application shall be signed according to the General Permit, ACT 14, T-9, as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by principal executive officer, the mayor, or ranking elected official.

After signing please mail to: Chief, Environmental Permits Division
MS Department of Environmental Quality, Office of Pollution Control
P.O. Box 2261
Jackson, MS 39225