MISSISSIPPI ASBESTOS DEMOLITION/RENOVATION NOTIFICATION FORM (51)

Mail notification to: MDEQ Asbestos and Lead Branch, 515 E. Amite Street, Jackson, MS 39201

MDEQ Use Only: ☑Email ☐Mail ☐Hand Delivery	Postmark (mail only)	Date Received: 11.21.2022	AI Number

I. Type of Notification (O=Original R=Revised C=Canceled A= Annual): O = ORIGINAL

II. TYPE OF OPERATION (D=Demo O= Ordered Demo R=Renovation E=Emer. Renovation): D = DEMO

III. FACILITY DESCRIPTION (Include building name, number and floor or room number):

Bldg. Name: FORMER WOMACK AUTO SALES

Address: 5062 Hwy 80

City: MORTON | State: MS | Zip: 39117

Site Location: MAIN Building with shops And detached shop | Tel: 601+906-2775

Building Size: 17,500 SF | # of Floors: 1 | Age in Years: 30+

Present Use: NO USE | Prior Use: AUTOMOBILE DEALERSHIP

IV. FACILITY INFORMATION (Identify owner, asbestos removal contractor, and other operator)

OWNER NAME: City of Morton

Address: 97 W 1st AVE

City: MORTON | State: MS | Zip: 39117

Contact: TOMMY N. HARRELL | Tel: 601-906-2775

ASBESTOS REMOVAL CONTRACTOR: BELL ENVIRONMENTAL SERVICES, LLC

Address: P.O. BOX 133

City: DELTA City | State: MS | Zip: 39061

Contact: Jimmy Bell | Tel: 662-820-2124

Certification Number: ABC-00001292 | Expiration Date: 1/5/2023

OTHER OPERATOR: TOMMY HARRELL

Address: 2102 Airport Rd

City: Morton | State: MS | Zip: 39117

Contact: TOMMY HARRELL | Tel: 601-906-2775

V. WAS SITE INSPECTED TO DETERMINE PRESENCE OF ASBESTOS? (Yes/No): YES

WAS ASBESTOS PRESENT? (Yes/No): YES | Inspection Date: Oct., 25, 2022

Inspector: Charles Cook | Certification Number: ABI-00005120 | Expiration Date: 12/10/22

VI. SUSPECT MATERIALS SAMPLED AND PROCEDURES USED TO DETECT THE PRESENCE OF ASBESTOS MATERIAL:
SAMPLES OF FLOORING, TEXTURED CEILING AND ROOFING WERE COLLECTED AND SHIPPED TO EMSL FOR ANALYSIS VIA EPA METHOD 600/R-93/116

VII. QUANTITY OF RACM TO BE REMOVED: 2000 SF. OF ACM SHEET FLOORING AND 400 SF. OF TEXTURE CEILING

Pipes (LN FT): N/A | Surface Area (SQ FT): 2,400 SF. | Volume of Facility Components (CU FT): N/A

VIII. QUANTITY OF NONFRIABLE ASBESTOS NOT REMOVED: N/A

Category I: N/A | Category II:

IX. SCHEDULED DATES ASBESTOS REMOVAL (MM/DD/YY) Start: 11/26/22 | Complete: 11/28/22

X. SCHEDULED DATES DEMO/RENOVATION (MM/DD/YY) Start: 11/28/22 | Complete: 12/28/22

(52)

XI. DESCRIPTION OF PLANNED DEMOLITION OR RENOVATION WORK, AND METHOD(S) TO BE USED:
Wet Method, Neg-Air, Double Bag Razer Scrapers. Containment.

XII. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS OF ASBESTOS AT THE DEMOLITION OR RENOVATION SITE: Place 6 mil poly over windows and doors. Place Neg-Air, Signs, use Airless Sprayer to keep wet. Remove with razor scrapers to remove Linoleum Flooring, Bag/Tag, place into Lined Dumpsters. (Frame of Building will be Dismantle)

XIII. WASTE TRANSPORTER #1

Name: Bell Environmental Services, LLC		
Address: P.O. Box 133		
City: Delta City	State: MS	Zip: 39061
Contact Person: Jimmy Bell		Tel: 662-820-2124

WASTE TRANSPORTER #2 N/A

Name:		
Address:		
City:	State:	Zip:
Contact Person:		Tel:

XIV. WASTE DISPOSAL SITE

Name: BFI Little Dixie Landfill		
Address: 1716 N County Line Road		
City: Ridgeland	State: MS	Zip: 39157
Contact Person: Aleisha Clark		Tel: 800-967-2488

XV. IF DEMOLITION ORDERED BY A GOVERNMENT AGENCY, PLEASE IDENTIFY THE AGENCY BELOW: N/A

Name:	Title:
Authority:	
Date of Order (MM/DD/YY):	Date Ordered to Begin (MM/DD/YY):

XVI. FOR EMERGENCY RENOVATIONS: N/A

Date and Hour of Emergency (MM/DD/YY):

Description of the sudden unexpected event:

Explanation of how the event caused unsafe conditions or would cause equipment damage or an unreasonable financial burden:

XVII. DESCRIPTION OF PROCEDURES TO BE FOLLOWED IN THE EVENT THAT UNEXPECTED ASBESTOS IS FOUND OR PREVIOUSLY NONFRIABLE ASTESTOS MATERIAL BECOMES CRUMBLED, PULVERIZED, OR REDUCED TO POWDER:
Stop work, Remain under Containment. Contact owner and MDEQ. Await MDEQ Directions.

XVIII. I CERTIFY THAT AN INDIVIDUAL TRAINED IN THE PROVISIONS OF THIS REGULATION (40 CFR PART 61, SUBPART M) WILL BE ONSITE DURING THE DEMOLITION OR RENOVATION, AND EVIDENCE THAT THE REQUIRED TRAINING HAS BEEN ACCOMPLISHED BY THIS PERSON WILL BE AVAILABLE FOR INSPECTION DURING NORMAL BUSINESS HOURS.

Jimmy Bell — Type or Print Name
Jimmy Bell — (Signature of Owner/Operator)
11/16/22 — (Date)

XIX. I CERTIFY THAT THE ABOVE INFORMATION IS CORRECT:

Jimmy Bell — Type or Print Name
Jimmy Bell — (Signature of Owner/Operator)
11/16/22 — (Date)