Ali. 83962

THE APPLICANT IS:



# INDUSTRIAL STORMWATER NOTICE OF INTENT (ISNOI)

### FOR COVERAGE UNDER THE INDUSTRIAL STORMWATER GENERAL NPDES PERMIT MSR00 250 8

(NUMBER TO BE ASSIGNED BY STATE)

#### **INSTRUCTIONS**

Applicant must be the owner or operator (i.e., legal entity that controls the facility's operation, or the plant/site manager, not the environmental consultant). The owner or operator that receives coverage is responsible for permit compliance. File at least 60 days prior to the commencement of the regulated industrial activity.

Submittals with this ISNOI must include a Storm Water Pollution Prevention Plan (SWPPP) with the minimum components found in ACTs 5-8 of the Industrial Stormwater General Permit. In addition, a United States Geological Survey (USGS) quadrangle map (or a copy) showing site location and extending at least 1/2 mile beyond the site's property boundary is required. If a copy is submitted, provide the name of the quadrangle map that is found in the upper right hand corner. Maps can be obtained from the MDEQ, Office of Geology at 601-961-5523.

ALL FORM BLANKS MUST BE COMPLETED (enter "NA" if not applicable)

OWNER OPERATOR (PLEASE CHECK ONE OR BOTH)

OWNER INFORMATION		1
Owner Contact Name: Mark Hall	_Position:	Regional Env. Mgr.
Owner Company Name: Schnitzer Steel Industries		
Owner Street (P.O. Box): 299 SW Clay Street; Suite 350		- A**
	OR	_ <sub>Zip:</sub> 97201
Owner Phone Number: (2053594248 Owner Email: cmhall		

OPERATOR INFORMATION (if different than owner)				
	Operator Contact Name: Mark Hall	Position: Regional Env. Mgr.		
Operator Company Name: Schnitzer Recycling Services - Meridian				
Operator Street (P.O. Box): 1007 9th Street SW; P.O. Box 60				
	Operator City: Attalla	Zip: 35954		
	Operator Phone Number: 2053594248 MAYOperator Email: cmhall	1111		
	YAM III	023		

## DOCUMENTATION OF COMPLIANCE WITH OTHER REGULATIONS/REQUIREMENTS

Is this notice for a facility	that will require other permits?	☐ Yes	■ No		
If yes, check which one(s):  Individual NPDES, or I	☐ Air, ☐ Hazardous Waste, list Other(s):	☐ Pretreatment,	☐ Water State Operating,		
How will sanitary sewage	How will sanitary sewage be collected and treated? Porta Potty				
Indicate any local storm water ordinance with which the facility must comply and submit any documentation approval.					
Is treatment of storm water	er provided at any outfall?	□Yes	■ No		
accordance with a system desig submitted. Based on my inquir gathering the information, the	med to assure that qualified personing of the person or persons who main information submitted is to the best cant penalties for submitting false in	nts were prepared nel properly gather nage the system, or t of my knowledge a	those persons directly responsible for and belief, true, accurate and complete. I		
Mark Hall			3/31/2023		
	operator when different than owner	r) Ī	Date Signed		
Mark Hall		-	Regional Env. Mgr.		
Printed Name <sup>1</sup>		7	Γitle		
<sup>1</sup> This application shall be signed according to the General Permit, ACT 16, T-9, as follows: - For a corporation, by a responsible corporate officer.					
<ul> <li>For a partnership, by a ge</li> <li>For a sole proprietorship,</li> <li>For a municipal, state or o</li> </ul>		, t	mayor, or ranking elected official.		
After signing please mail to:	of Pollution Control				
	P.O. Box 2261 Jackson, MS 39225		MDEQ		

#### FACILITY INFORMATION

Facility Name: Schnitzer Recycling Services - Meridian					
Nature of Business (Include 4–digit Standard Industrial Classification Code (SIC) and description):  SIC Code: 5 0 9 3 Metal Recycling					
Receiving Stream: Sowashee Creek					
Is receiving stream on MDEQ's 303(d) List?	■ Yes □ No				
Has a TMDL been established for the receiving stream segment?	■ Yes □ No				
Physical Site Address:					
Street: 400 18th Ave. South	ridian				
County: Lauderdale z	<sub>ip:</sub> 39301				
Latitude: 32 degrees 21 minutes 33 seconds Longitude: 88 degree	es 41 minutes 26 seconds				
Method Used to Determine Lat & Long (GPS of plant entrance) or Map Interpolation):	S of plant entrance				
Attach a copy of any existing laboratory data for each storm water outfall. If multiple sampling has been performed, provide a summary for each parameter, including sampling dates and the minimum, average and maximum values. $\rm\ N/A$					
Is this a SARA Title III, Section 313 facility utilizing water priority chemicals at the If yes, please attach a list of water priority chemicals present at the facility.	reshold amounts?   Yes No				



April 12, 2023

Chief, Environmental Permits Division MS Department of Environmental Quality, Office of Pollution Control P.O. Box 2261 Jackson, MS 39225

Subject:

Notice of Intent and SWPPP

Schnitzer Recycling Services - Meridian 400 18<sup>th</sup> Ave. South, Meridian, MS, 39301

Dear Sir/Madam:

Enclosed please find an Industrial Stormwater Notice of Intent (ISNOI) for coverage under the Industrial Storm Water General Permit for Industrial Activities and the associated Storm Water Pollution Prevention Plan (SWPPP). Under the submitted ISNOI, Schnitzer Recycling Services is requesting two (2) storm water outfalls located at the Meridian facility be covered under the Industrial Storm Water General Permit for Industrial Activities.

If you have any questions or need further information, please contact me at <a href="mailto:cmhall@schn.com">cmhall@schn.com</a> or (205) 359-4248.

Sincerely,

Mark Hall Regional Environmental Manager

**Enclosures** 



MDEQ