




READY-MIX CONCRETE NOTICE OF INTENT

COVERAGE NO.: MSG11 0353

(Coverage number will be completed by MDEQ staff.)



Company Name: Franklin Ready Mix Facility Name: FRM #4

Contact Name and Position: Barry Tyson

Contact Area Code and Phone Number: (601) 384 5445 Contact Email: frm@ftcweb.net

Primary SIC Code: (3372) Primary NAICS Code (6-digit): (327320)

Physical Site Address - Street: Tyson Lane

city: Bude State: MS Zip: 39630 County: Franklin

Mailing Address - Street: 61 Wilson Lane SE

city: Bude State: MS Zip: 39630

Plant Maximum Production Rate: 80 cubic yards/hr
Maximum production rate must be based on the manufacturer's maximum rated plant capacity on an hourly basis.

Will you own or operate a rock crusher at the site? Yes No
If a third party will own/operate a rock crusher at your site, mark "No."

Rock Crusher Type / Rated Cumulative Capacity: Fixed: _____ tons/hr Portable: _____ tons/hr N/A

Will you operate stationary fuel burning equipment (e.g., engines, heaters, etc.) at the site? Yes* No
**If you marked "Yes" complete and submit the attached Fuel Burning Equipment Form & Compliance Plan.*

Will wastewater from the process be discharged directly from the site? Yes No

Describe any wastewater treatment or indicate "None": Sediment basins 5 locations
Plans and specifications for treatment must be attached.

Proposed discharge frequency: None Proposed discharge volume: NA gal/day

Provide the Latitude and Longitude of each wastewater outfall:
If no discharge, provide the coordinates of the plant entrance. Attach additional pages, if necessary.

Latitude: 31 deg 46 min 740 sec Longitude: -90 deg 85 min 215 sec

Nearest named receiving stream: Drainage creek un-named on USGS Ma

Is a SWPPP attached that meets the requirements of ACT5 of the RMCGP? Yes No

Is the SWPPP based on an Industry Generic SWPPP? Yes* No *(*Must be most recent version.)*

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations. I further certify that the project continues as described in the original notice of intent. Also, I certify that I understand when coverage is terminated I am no longer authorized to emit regulated air emissions and discharge wastewater or storm water associated with industrial activity under this general permit. I understand that discharging pollutants associated with industrial activity to waters of the state without NPDES coverage is in violation of state law.

Barry Tyson
Authorized Signature (shall be signed according to ACT6, T-9 of the GP)

4/17/24
Date Signed

Barry Tyson
Printed Name

President
Title



Michael Watson
SECRETARY OF STATE

Office of the Secretary of State
Jackson, Mississippi

Certificate of Good Standing

I, MICHAEL WATSON, Secretary of State of the State of Mississippi, and as such, the legal custodian of the records as required by the laws of Mississippi, to be filed in my office, do hereby certify:

That on the 10th day of February, 1970, the State of Mississippi issued a Charter/Certificate of Authority to:

FRANKLIN READY-MIX CONCRETE, INC.

That the state of incorporation is Mississippi.

That the period of duration is perpetual.

That according to the records of this office, Articles of Dissolution or a Certificate of Withdrawal have not been filed.

That according to the records of this office, a current Annual Report has been delivered to the Office of the Secretary of State.


I further certify that all fees, taxes and penalties owed to this state, as reflected in the records of the Secretary of State, have been paid and that the corporation is in existence or has authority to transact business in Mississippi.

That insofar as the records of this office are concerned, the said FRANKLIN READY-MIX CONCRETE, INC. is in good standing at this time.

Given under my hand and seal of office
the 17th day of April, 2024

Certificate Number: CN24187298

Verify this certificate online at <http://corp.sos.ms.gov/corpcnv/verifycertificate.aspx>



3485
3484
3483
27' 30"
3482
3481
42

HOMOCHITTO

NATIONAL FOREST

FRM #4

Bude (BM 202)

Franklin Sch

Sewage Disposal Pond

Athletic Field

HOMOCHITTO

ROAD

APPRIAN



Tyson - Parcel 1 - Legal Description

The bearings in this description are grid based on the Mississippi SPCS (West Zone)

A parcel of land located in parts of the Southwest 1/4 of Section 19, Township 6 North, Range 4 East, Franklin County, Mississippi and being described as follows: **COMMENCING** at a 1 inch iron pipe (N: 716138.15', E: 2137901.92') marking the Southeast corner of the Northwest 1/4 of the Southeast 1/4 of said Section 19, Township 6 North, Range 4 East, Franklin County, Mississippi; **THENCE** run South a distance of 296.34 feet to a point; **THENCE** run West a distance of 3151.50 feet to a 1/2 inch iron rebar (N: 715841.81', E: 2134750.43'), said rebar marking the **POINT OF BEGINNING** of this description.

THENCE run North 86 Degrees 54 Minutes 13 Seconds West a distance of 266.92 feet to a 1/2 inch iron rebar; **THENCE** run North 03 Degrees 05 Minutes 47 Seconds East a distance of 527.40 feet to a point, said point witnessed by a 1/2 inch iron rebar South 86 Degrees 54 Minutes 13 Seconds East a distance of 9.0 feet; **THENCE** run South 86 Degrees 54 Minutes 13 Seconds East a distance of 559.02 feet to a 1/2 inch iron rebar; **THENCE** run South 32 Degrees 04 Minutes 35 Seconds West a distance of 602.89 feet to the **POINT OF BEGINNING**. Subject to easements, restrictions, and other documents of record.


Containing 5.00 Acres

Also together with and subject to a proposed ingress/egress easement (width = 30'), said easement being described as follows: **COMMENCING** at a 1 inch iron pipe (N: 716138.15', E: 2137901.92') marking the Southeast corner of the Northwest 1/4 of the Southeast 1/4 of said Section 19, Township 6 North, Range 4 East, Franklin County, Mississippi; **THENCE** run South a distance of 296.34 feet to a point; **THENCE** run West a distance of 3151.50 feet to a 1/2 inch iron rebar (N: 715841.81', E: 2134750.43'), said rebar marking the **POINT OF BEGINNING** of this proposed ingress/egress easement description.

THENCE run along the East line of said proposed easement (width=30') North 32 Degrees 04 Minutes 35 Seconds East a distance of 53.95 feet to a 1/2 inch iron rebar in the center of a private gravel road, said rebar also being in the center of said proposed ingress/egress easement (width = 30'); **THENCE** run along the centerline of said proposed easement (width=30', 15' from center) and along the center of said private gravel road the following calls: North 88 Degrees 19 Minutes 39 Seconds East a distance of 197.71 feet to a point, North 86 Degrees 30 Minutes 22 Seconds East a distance of 125.20 feet to a point, South 88 Degrees 04 Minutes 27 Seconds East a distance of 118.31 feet to a point, South 87 Degrees 26 Minutes 36 Seconds East a distance of 113.86 feet to a point, North 86 Degrees 58 Minutes 01 Seconds East a distance of 130.99 feet to a point, North 83 Degrees 46 Minutes 10 Seconds East a distance of 111.45 feet to a point, North 78 Degrees 33 Minutes 56 Seconds East a distance of 126.57 feet to a point, North 74 Degrees 26 Minutes 36 Seconds East a distance of 103.54 feet to a point, North 69 Degrees 48 Minutes 13 Seconds East a distance of 96.09 feet to a point, North 68 Degrees 05 Minutes 10 Seconds East a distance of 122.66 feet to a point, North 74 Degrees 44 Minutes 54 Seconds East a distance of 79.37 feet to a point, North 80 Degrees 43 Minutes 32 Seconds East a distance of 75.83 feet to a point, North 87 Degrees 22 Minutes 53 Seconds East a distance of 108.28 feet to a point, North 88 Degrees 08 Minutes 44 Seconds East a distance of 468.51 feet to a point, North 88 Degrees 44 Minutes 45 Seconds East a distance of 325.99 feet to a point, North 88 Degrees 30 Minutes 12 Seconds East a distance of 697.26 feet to a point, South 87 Degrees 39 Minutes 49 Seconds East a distance of 143.60 feet to a nail, South 89 Degrees 19 Minutes 57 Seconds East a distance of 96.49 feet to a nail, and South 79 Degrees 18 Minutes 07 Seconds East a distance of 67.05 feet to a nail on the Western right-of-way line of Mississippi Highway Number 184 East, said nail marking the **POINT OF ENDING** of this proposed ingress/egress easement description. Subject to easements, restrictions, and other documents of record.

See Survey Plat by Hunter Newman Dated March 28, 2023.

NO CONTIGUOUS LAND OWNERS



Call Table for Proposed Easement

Course	Bearing	Distance
L1	N 32° 04' 13.5" E	53.95'
L2	N 88° 19' 59" E	197.71'
L3	N 88° 30' 22" E	125.20'
L4	S 89° 04' 27" E	119.31'
L5	S 87° 28' 36" E	113.86'
L6	N 86° 58' 01" E	130.99'
L7	N 83° 46' 10" E	111.46'
L8	N 78° 33' 56" E	126.57'
L9	N 74° 28' 36" E	103.54'
L10	N 69° 48' 13" E	96.09'
L11	N 69° 05' 10" E	122.66'
L12	N 74° 44' 54" E	79.37'
L13	N 80° 43' 32" E	75.83'
L14	N 87° 22' 53" E	108.28'
L15	N 88° 08' 44" E	468.51'
L16	N 88° 44' 45" E	325.99'
L17	N 88° 30' 12" E	697.26'
L18	S 87° 39' 49" E	143.60'
L19	S 89° 19' 57" E	96.49'
L20	S 79° 18' 07" E	67.05'

Tyson
 File: Franklin Ready Mixard
 Class: 9th Survey
 Date: March 28, 2023
 Reference Mark: 03 L11 Pg 428


Hunter Newman, P.S. #20251
 1813 Johnson Station Road
 P.O. Box 1384
 Summit, Mississippi 38666
 601.268.4015
 HunterNewman@aol.com

ATLAS
 LAND SURVEYING

LEGEND UNLESS OTHERWISE NOTED
 ○ Set: 1/2" Iron Rebar with Plastic Cap Stamped
 ⊕ Set: Steel "T" Post on Surveyed Line
 ⊙ Found: 1/2" Iron Rebar
 ⊕ Found: Nail
 ⊕ Found: Concrete Right-of-Way Monument
 ⊕ Found: Record Dred and/or Previous Survey Cuts

SCALE IN FEET
 0' 250' 500' 750'

MISSISSIPPI SURVEYING BOARD
 LICENSE NO. 18-021
 HUNTER NEWMAN




MISSISSIPPI SURVEYING BOARD
 CHAIRMAN: JAMES R. HARRIS
 COMMISSIONER: JAMES R. HARRIS
 SECRETARY: JAMES R. HARRIS
 CLERK: JAMES R. HARRIS
 REGISTERED PROFESSIONAL SURVEYOR
 LICENSE NO. 18-021

Surveyor Reference Plat:
 By: David Cochran
 Dated: 9-18-2020
 Record: Instrument #70380
 Highway Plans for Project
 No. 88-0015-1(41)

Surveyor's Note:
 L1 is along the East line of a Proposed Ingress/Egress Easement, width = 30'.
 L2 through L20 are along the center of a Proposed Ingress/Egress Easement, width = 30', 15' from center, following a private gravel road.

Franklin Ready mix Sight Map



→ Water Flow

- Settlement Ponds #1 - #6
- Retention Wall
- ... Edge of Concrete
- || Roads
- ⊘ Power supply

- ⊕ Administrative Room Recessed
- ⊞ Batch plant
- ☁ Stock piles
- ▭ Drainage Channel

SWPPP FOR FRANKLIN READY-MIX

SITE #4

STORM WATER POLLUTION PREVENTION PLAN FOR:

READY-MIX CONCRETE GENERAL PERMIT FOR FRANKLIN READY MIX #4 LOCATED AT
600 TYSON LANE IN BUDE MISSISSIPPI.

TO BE OPERATED BY FRANKLIN READY MIX IN BUDE MS 39630

SWPPP CONTACTS:

FACILITY OWNER AND OPERATOR:

BARRY TYSON 601-384-5445 601-384-7059

SECTION 1: GENERAL INFORMATION

1.1 SITE INFORMATION

1.2 STORM WATER POLLUTION PREVENTION TEAM

1.3 ACTIVITIES AT THE LOCATION

1.4 GENERAL LOCATION

1.5 SITE MAP

SECTION 2: POTENTIAL POLLUTANT SOURCES

2.1 INDUSTRIAL ACTIVITY AND ASSOCIATED POLLUTANTS

2.2 SPILLS AND LEAKS

2.3 NON-STORM WATERDISCHARGES DOCUMENTATION

SECTION 3: STORM WATER CONTROL MEASURES

3.1 MINIMIZE EXPOSURE

3.2 GOOD HOUSEKEEPING

3.3 MAINTENANCE

3.4 SPILL PREVENTION AND RESPONSE

3.5 EROSION AND SEDIMENT CONTROLS

3.6 MANAGEMENT OF RUNOFF

3.7 EMPLOYEE TRAINING

3.8 NON-STORM-WATER DISCHARGES

3.9 WASTE AND GARBAGE

3.10 DUST GENERATION

SECTION 4: SCHEDULES AND PROCEDURES FOR MONITORING

SECTION 5: INSPECTIONS

SECTION 6: SWPPP MODIFICATIONS AND ATTACHMENTS

SECTION 1: GENERAL INFORMATION

1.1 SITE INFORMATION

FRANKLIN READY MIX #4 IS LOCATED AT 600 TYSON LANE, BUDE MS 39630

1.2 STORM WATER POLLUTION PREVENTION TEAM

THE STORM WATER POLLUTION PREVENTION TEAM WILL CONSIST OF ALL PERSONNEL ASSIGNED TO WORK THIS LOCATION AND ALL MANAGEMENT PERSONNEL. TEAM MANAGER IS BARRY TYSON, PRESIDENT AND FACILITY MANAGER, TELEPHONE #601-384-7059.

THE TEAM WILL DISCUSS, REVIEW, AND IMPLEMENT A PLAN THAT ADDRESSES ALL POSSIBLE POLLUTION SOURCES AT THIS LOCATION AND DEVELOP CONTROL MEASURES AND ACTIONS THAT WILL BE USED TO PREVENT POLLUTION.

1.3 ACTIVITIES AT LOCATION

THE ACTIVITIES AT THIS LOCATION WILL BE A CONCRETE READY-MIX PLANT. ALL EQUIPMENT USED AT THIS PLANT WILL BE RE-FUELED AT OFF SITE LOCATIONS.

THE **IMPLEMENTATION SEQUENCE** WILL BEGIN ON FEBRUARY 1, 2024. ALL CONTROLS AND BMP'S WILL BE IMPLEMENTED TO MITIGATE EROSION AND ADVERSE IMPACTS TO THE SITE AREA AND RECEIVING STREAMS. THE CREATION OF THE CONTROL STRUCTURES WILL BE NEXT IN SEQUENCE AND WILL BE ACCOMPLISHED BY MAY 1, 2024. LAST IN THE SEQUENCE WILL BE PLANT ASSEMBLY WORK BEGINNING IMMEDIATELY AFTER CONTROL STRUCTURES ARE IN PLACE WITH FULL PLANT OPERATION BY JUNE 1, 2024.

1.4 GENERAL LOCATION

THIS OPERATION IS LOCATED IN SECTION 19, TOWNSHIP 6N, RANGE 4E IN FRANKLIN COUNTY MS. RECEIVING POTENTIAL STORM WATER RUNOFF WILL BE A DRAINAGE CREEK THAT IS UN-NAMED ON THE USGS MAP.

1.5 SITE MAP

SITE MAPS ARE ATTACHED TO THIS DOCUMENT

SECTION 2: POTENTIAL POLLUTANT SOURCES

2.1 INDUSTRIAL ACTIVITY AND ASSOCIATED POLLUTANTS

ACTIVITY AT THIS LOCATION WILL CONSIST OF THE STORING AND USAGE OF COMPONENTS IN THE MANUFACTURE OF READ-MIX CONCRETE. GRAVEL, SAND AND CEMENT WILL BE STORED ON SITE.

2.2 SPILLS AND LEAKS

THERE HAVE BEEN NO REPORTED SPILLS OR LEAKS AT THE LOCATION. THE POTENTIAL FOR A SPILL OR LEAK WILL BE FROM EQUIPMENT USED IN MATERIALS HAULING. THIS EVENT WILL BE MINIMIZED THROUGH THE USE OF BMP'S AND EMPLOYEE TRAINING. EMPLOYEES WILL BE TRAINED ON HOW TO PREVENT SPILLS AND LEAKS AND THE PROPER ACTIONS TO TAKE TO ADDRESS SPILL AND LEAK EVENTS THAT MAY OCCUR.

2.3 NON-STORM WATER DISCHARGES DOCUMENTATION

THERE WILL BE NO NON-STORM WATER DISCHARGES AT THIS SITE.

SECTION 3: STORM WATER CONTROL MEASURES

3.1 MINIMIZE EXPOSURE

THIS LOCATION WILL USE ALL BMP'S TO MINIMIZE POLLUTANT EXPOSURE TO THE AREA USING THE FOLLOWING PROCEDURES. THE PLACEMENT OF CONTROL MEASURES WILL INCLUDE SIX SEDIMENT BASINS AS DETAILED ON THE SITE MAP. FUTURE DETERMINATIONS WILL BE MADE ABOUT THE USE OF SILT FENCING AND WATTLES AT OUTFALLS TO IMPEDE SEDIMENT LOSS. ALL LOCATION SWILL BE SEEDED WITH NATIVE GRASSES.

3.2 GOOD HOUSEKEEPING

THE SHOP AREA WILL BE THE ONLY LOCATION TO BE USED FOR EQUIPMENT MAINTENANCE AND REPAIR. THE DESIGNATED EQUIPMENT WASH OFF AREA WILL BE THE ONLY AREA FOR CONCRETE SHUTE WASH OFF AND TRUCK WASH DOWN. THIS LOCATION WILL DRAIN INTO THE SEDIMENT BASINS. THERE IS A PROTECTED STORAGE AREA FOR ALL POTENTIAL TOXIC MATERIALS THAT WILL HAVE NOT ACCESS TO THE SEDIMENT BASIN AREAS. ALL VEHICLES USED TO TRANSPORT MINED MATERIAL TO PROCESSING SITE IN BUDE MS ARE LICENSED WITH THE MS DOT AND INCLUDE ALL SAFETY EQUIPMENT REQUIRED FOR OVER THE ROAD TRANSPORT ELIMINATING DIRT AND SEDIMENT OFF THE ROADWAYS.

3.3 MAINTENANCE

MAINTENANCE OF EQUIPMENT ON SITE WILL ONLY TAKE PLACE AS NEEDED AND WILL ONLY BE ROUTINE MAINTENANCE OF EQUIPMENT. THERE WILL BE ONLY LIGHT MAINTENANCE DONE AT THIS LOCATION. THE PERSONNEL AT THIS SITE WILL INSPECT ALL STORM WATER CONTROLS AS REQUIRED AND MAINTAIN ALL CONTROLS AS NEEDED TO PREVENT POLLUTION.

3.4 SPILL PREVENTION AND RESPONSE

DOCUMENTED TRAINING WILL BE ACCOMPLISHED FOR ALL EMPLOYEES ON PROPER PROCEDURES IN THE EVENT OF A SPILL. THAT TRAINING WILL DIRECT THE EMPLOYEES TO CONTAIN THE SPILL WITH EQUIPMENT AND MATERIALS ON SITE AND TO CONTACT MANAGEMENT OFFICIALS IMMEDIATELY.

3.5 EROSION AND SEDIMENT CONTROLS

ALL CONTROLS AT THIS SITE WILL BE AVAILABLE AS NEEDED TO MINIMIZE EROSION AND SEDIMENT LOSS. THE EROSION CONTROL SITE PLAN WILL CONSIST OF SIX SEDIMENT BASINS WITH PERMANENT SEEDING OF NATIVE GRASSES FOR BASIN STABILIZATION. SEDIMENT WILL BE MONITORED AND MITIGATED FROM BASIN CONTROL STRUCTURES WHEN IT HAS REACHED 1/3 TO 1/2 HEIGHT OF THE CONTROL. AN EROSION CONTROL PLAN MAP HAS BEEN INCLUDED WITH THIS SWPPP SHOWING CONTROL PLACEMENT. RUNOFF WILL BE INSPECTED, CONTROLS PLACED, AND BMP'S UTILIZED AS NEEDED TO MINIMIZE THE IMPACT OF STORM WATER RUNOFF. WE ANTICIPATE NO RUNOFF TO THE UN-NAMED DRAINAGE CREEK.

3.7 EMPLOYEE TRAINING

EMPLOYEES WILL BE TRAINED ON SITE ANNUALLY ON THE PROPER PLACEMENT OF THE CONTROLS USED AND HOW TO INSPECT AND MAINTAIN THE CONTROLS TO AVOID POLLUTION AT THIS SITE.

3.8 NON-STORM WATER DISCHARGES

THERE WILL BE NO NON-STORM WATER DISCHARGES AT THIS SITE. NO MATERIAL PROCESSING WILL TAKE PLACE AT THIS SITE.

3.9 WASTE AND GARBAGE

THIS LOCATION WILL HAVE PROPER CONTAINERS FOR WASTE AND GARBAGE. THESE CONTAINERS WILL BE MONITORED WEEKLY.

3.10 DUST GENERATION

ALL DUST FROM TRUCK TRAFFIC ON HAUL ROADS WILL BE SPRAYED AS NEEDED WITH WATER TRUCK TO CONTROL DUST.

SECTION 4: SCHEDULES AND PROCEDURES FOR MONITORING

SITE SUPERVISOR WILL MONITOR AND SET A SCHEDULE TO INSPECT ALL ASPECTS OF THE SWPPP THAT ARE IMPLEMENTED AND CHANGE AS NEEDED. ALL CHANGES MADE WILL BE ATTACHED TO ORIGINAL SWPPP.

SECTION 5: INSPECTIONS

WEEKLY INSPECTIONS BY SUPERVISOR WILL BE CONDUCTED AND DOCUMENTED TO INSURE ADHERENCE TO THE SWPPP. ENTIRE PROJECT MONTHLY INSPECTIONS WILL BE AUGMENTED BY INSPECTIONS FOLLOWING ANY RAINFALL EVENTS EQUAL TO OR GREATER THAN A 2-YEAR / 24 HOUR STORM EVENT. ALL ASPECTS OF THE OPERATION WILL BE REVIEWED INCLUDING SEDIMENT EROSION ISSUES, ANY SILT FENCING AND WATTLE USAGE CONDITION, DRAINAGE SWALES AND ALL SEDIMENT CONTROLS BEING UTILIZED. ALL INSPECTIONS WILL BE DOCUMENTED AS REQUIRED.

SECTION 6: SWPPP MODIFICATIONS AND ATTACHMENTS

SUPERVISOR WILL MAKE MODIFICATIO S AS NEEDED TO SWPPP TO PREVENT POLUTION FROM TAKING PLACE AT THIS MINE SITE. EMPLOYEES AT THIS SITE WILL BE RE-TRAINRD AS NEEDED ON SWPPP MODIFICATIONS AND THEIR DUTIES ACCORDINGLY.

SUMMARY

THE CONTROL MEASURES IN PLACE WILL BE USED TO MINIMIZE THE IMPACT OF STORM WATER RUNOFF ON THE ENVIRONMENT. THE SUPERVISORS AND EMPLOYEES AT THIS SITE WILL USE AND ADAPT ALL BMP'S TO PROTECT THE ENVIRONMENT.

STORM WATER POLLUTION PREVENTION PLAN

THIS RECORD OF TRAINING IS PART OF THE SWPPP FOR:

FRANKLIN READY-MIX #4 SITE

FRANKLIN COUNTY MS

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____
11. _____
12. _____

THIS CERTIFIES THAT THE ABOVE NAMED PERSONNEL HAVE HAD TRAINING IN STORM WATER POLLUTION PREVENTION CONTROLS AND THE PROCEDURES TO BE FOLLOWED FOR POLLUTION PREVENTION AND PROPER PROCEDURE IN IMPLEMENTING THE SWPPP FOR THIS LOCATION.

DATE: _____ TRAINING CONDUCTED BY: _____

TITLE: _____