## MISSISSIPPI ASBESTOS DEMOLITION/RENOVATION NOTIFICATION FORM Mail notification to: MDEQ Asbestos and Lead Branch, 515 E. Amite Street, Jackson, MS 39201

MDEQ Use Only: Po □Email □Mail Mand Delivery	ostmark (mail only)  Date Re				
I. Type of Notification (0=Original R=Revised C=0	Canceled A= Annual): Orio				
II. TYPE OF OPERATION (D=Demo O= Ordered Demo R=Renovation E=Emer. Renovation): Demo					
III. FACILITY DESCRIPTION (Include building nam	e, number and floor or room number):				
Bldg, Name:					
Address: 792 Commer					
city: Jackson	State: M 5	Zip:			
Site Location: Some as about	ove .	Tel:			
Building Size: 3500 sq. ft	# of Floors:	Age in Years:			
Present Use: Vacant	Prior Use:				
IV. FACILITY INFORMATION (Identify owner, asb	estos removal contractor, and other operate	or)			
OWNER NAME: James Mi	les				
Address: 204 Toileson	PI				
city: Brandon	State:	zip: 39042			
Contact: James Miles		Tel: 601 540-1139			
ASBESTOS REMOVAL CONTRACTOR: Bes	tway Abateme	nt			
Address: PO-Box 88	1	8 8			
city: Edwards	State: MS	zip: 3906.6			
contact: Aaron Liee		Tel: 601) 383-3237			
Certification Number: ABC-0000 2	124 Expirati	on Date: 912912024			
OTHER OPERATOR: Hall Ena	ineering LLC				
Address: 406 North bd	y Dr.	70110			
city: Madison	State:	zip: 39110			
Contact: Marcus Hall "Tel: 601)540-5109					
V. WAS SITE INSPECTED TO DETERMINE PRE		25			
WAS ASBESTOS PRESENT? (Yes/No):		ion Date: 5/30/2024			
Inspector: AARON LEE	CEDURES USED TO DETECT THE PRES	1853 Expiration Date: 115 2025 SENCE OF ASBESTOS MATERIAL:			
Roof flashing, ceiling tile, floor tile, drywall EPA 6001R-93/116 Polarized Light					
EPA GOBID-GO LIV Pararized Light					
1111 000/K-43//16 101011210 2019					
VII. QUANTITY OF RACM TO BE REMOVED:	1250	8			
Pipes (LN FT):	2 - 2	Volume of Facility Components (CU FT):			
VIII. QUANTITY OF NONFRIABLE ASBESTOS N	IOT REMOVED:				
Category I:	Category II:	1 louis			
IX. SCHEDULED DATES ASBESTOS REMOVAL (MM/DD/YY) Start: 6/24/2024 Complete: 6/27/2024					
X. SCHEDULED DATES DEMO/RENOVATION (MM/DD/YY) Start: (0/27/2654 Complete: 120/20/20/20/20/20/20/20/20/20/20/20/20/2					
		JUN 10 2024			

Dept. of Environmental Quality

XI. DESCRIPTION OF PLANNED DEMOLITION OR RENOVATION WORK, AND METHOD(S) TO BE USED:  TRACK HOLT HOLD STEVS				
1	ING CONTROLS TO BE USED	ach ine	NS OF ASBESTOS AT THE	
XIII. WASTE TRANSPORTER #1				
Name: Bestway Abatemen	.+			
Address: 1.0. Box 88	1 44	6011	,	
city: Edwards	State: N/5	zip: 3906	00 2027	
Contact Person: Aaron Lee	E	Tel: 60113	83-3237	
WASTE TRANSPORTER #2				
Name:				
Address:	T			
City:	State:	Zip:		
Contact Person:		Tel:		
XIV. WASTE DISPOSAL SITE				
Name: Wittle Vixie Wance	1511		17	
Address: 1716 N County Lin	ne Kd.			
city: Ridgeland	State: M.S	Zip: 3915	7	
Contact Person:	* *	Tel: 601)9	82-9488	
XV. IF DEMOLITION ORDERED BY A GOVERNMENT AGE	NCY, PLEASE IDENTIFY THE	AGENCY BELOW:		
	Title:		4	
Name:				
Authority:	Date Ordered	to Begin (MM/DD/YY):		
Date of Order (MM/DD/YY):	TDate Greene			
XVI. FOR EMERGENCY RENOVATIONS:				
Date and Hour of Emergency (MM/DD/YY):  Description of the sudden unexpected event:			3	
Description of the education and person	199	<i>1</i> 4-		
Explanation of how the event caused unsafe conditions or wo	uld cause equipment damage of	or an unreasonable financ	ial burden:	
Explanation of now the event caused unsale conditions of wo	and oddes equipment			
XVII. DESCRIPTION OF PROCEDURES TO BE FOLLOWER	O IN THE EVENT THAT UNEX	PECTED ASBESTOS IS	FOUND OR PREVIOUSLY	
NONFRIABLE ASTESTOS MATERIAL BECOMES CRUMB	LED, PULVERIZED, OR REDU	JOED TO TOMBER.		
Stop and call M			(6	
XVIII. I CERTIFY THAT AN INDIVIDUAL TRAINED IN THE I ONSITE DURING THE DEMOLITION OR RENOVATION, AI THIS PERSON WILL BE AVAILABLE FOR INSPECTION D	AD CAIDCIACE LUVI HIERVE.	CONTED THE WITHOUT	1, SUBPART M) WILL BE BEEN ACCOMPLISHED BY	
Aaron Lee Type or Print Name	(Signature of Owner/Operator)	ee_	(Date)	
XIX I CERTIFY THAT THE ABOVE INFORMATION IS COR	uguen	Lee	4/11/2024	
Type or Print Name	(Signature of Owner/Operator)	*5	(Date)	

# OrderID: 252402850

### EMSL Chain of Custody - One Chain EMSL Order Number / Lab Use Only

EMSL Analytical, Inc. 200 Route 130 North Cinnaminson, NJ 08077

PHONE:	(80
EMAIL:	Cm

00) 220-3675 Waterb@Basl.com 2850 EMSL ANALYTICAL, INC.
TESTING LASS - PRODUCTS - TRAVAING
Additional Pages of the Chain of Custody are only necessary if needed for additional sample informati

	Special Instructions and/or f	Regulatory Requirements (Sample Spec	offications, Pr	possising Methods, Links of Del	B.U.U., 610.)	
Sampia Number	Sample Location / Description			/olume, Area or Homogene	ous Area	Date / Time Sampled (Air Monitoring Only)
C 167	Roof Flashing					
C108	Office Are	a/Ceiting Til	e			
0109	Office Area	-1-1-	_			
CIID	Office Avea	1 Drywall		₫? 		
CIII	Office Area	/ Floor Tile	-			
				-		
			-			
						2
						(Ref.
						a
			Samala Co	ndition Upon Receipt:		3
Method of Shipment:		Date/Time:	Received b	1 1	lo	ataTinge/ 1 and 22
Relinquished by:	11.2		Received b	1124 1118		ates Time / D3:03 pm
Relinquished by:		Date/Time:	Warshard D		1	es activition.

AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.) reflect Document - COC-17 One Chain EMSL R5 27 EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their antirety. Submission of samples to EMSL Analytical, inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer. Paned ned PD



#### **EMSL Analytical, Inc.**

18369 Petroleum Drive Baton Rouge, LA 70809

Tel/Fax: (225) 755-1920 / (225) 755-1989

http://www.EMSL.com / batonrougelab@emsl.com

Attention: Aaron Lee

Bestway Abatement

222 Vicksburg Road

PO Box 88

Edwards, MS 39066

Project: Marcus Hall

EMSL Order: 252402850

Customer ID: BEST66

Customer PO: Project ID:

Phone: (601) 383-3237

Fax: (601) 630-4241

Received Date: 06/03/2024 3:03 PM

Analysis Date: 06/04/2024

**Collected Date:** 

### Test Report: Asbestos Analysis of Bulk Materials via AHERA Method 40CFR 763 Subpart E Appendix E supplemented with EPA 600/R-93/116 using Polarized Light Microscopy

Sample		Non-Asbestos			<u>Asbestos</u>	
	Description	Appearance	% Fibrous	% Non-Fibrous	% Type	
C107 252402850-0001	Roof - Flashing	Black Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected	
C108	Office Area - Ceiling Tile	Tan/White Non-Fibrous Homogeneous	20% Cellulose 10% Glass	70% Non-fibrous (Other)	None Detected	
C109 252402850-0003	Office Area - Floor Tile	Tan/Black Non-Fibrous Homogeneous	•	100% Non-fibrous (Other)	None Detected	
C110 252402850-0004	Office Area - Drywall	White Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected	
C111-Floor Tile	Office Area - Floor Tile	Tan Non-Fibrous Homogeneous		98% Non-fibrous (Other)	2% Chrysotile	
C111-Mastic	Office Area - Floor Tile	Black Non-Fibrous Homogeneous		96% Non-fibrous (Other)	4% Chrysotile	

A contraction	434 64	-	١.
Analy	/SU	S	

Ericka Harris (6)

Martiana Beach, Laboratory Manager or Other Approved Signatory

Martino Beach

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. The above analyses were performed in general compliance with Appendix E to Subpart E of 40 CFR (previously EPA 600/M4-82-020 "Interim Method") but augmented with procedures outlined in the 1993 ("final") version of the method. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST or any agency of the federal government. Non-friable organically bound materials present a problem matrix and therefore EMSL recommends gravimetric reduction prior to analysis. Unless requested by the client, building materials manufactured with multiple layers (i.e., linoleum, wallboard, etc.) are reported as a single sample. Estimation of uncertainty is available on request.

Samples analyzed by EMSL Analytical, Inc. Baton Rouge, LA NVLAP Lab Code 200375-0, LELAP 01950, TX 300238

Initial report from: 06/06/2024 13:02:03