

MISSISSIPPI ASBESTOS DEMOLITION/RENOVATION NOTIFICATION FORM

Mail notification to: MDEQ Asbestos and Lead Branch, 515 E. Amite Street, Jackson, MS 39201

MDEQ Use Only: <input checked="" type="checkbox"/> Email <input type="checkbox"/> Mail <input type="checkbox"/> Hand Delivery		Postmark (mail only)	Date Received 4/23/2025	AI Number 1113
I. Type of Notification (O=Original R=Revised C=Canceled A= Annual): R				
II. TYPE OF OPERATION (D=Demo O= Ordered Demo R=Renovation E=Emer. Renovation): R				
III. FACILITY DESCRIPTION (Include building name, number and floor or room number):				
Bldg. Name: Entergy Gerald Andrus Plant				
Address: 200 MP & L Road				
City: Greenville		State: MS	Zip: 38702	
Site Location: Valve - MO #424A (1st floor - south of condenser water boxes)			Tel: 662-379-2900	
Building Size: N/A		# of Floors: 11	Age in Years: 50	
Present Use: Electric Power Plant		Prior Use: Electric Power Plant		
IV. FACILITY INFORMATION (Identify owner, asbestos removal contractor, and other operator)				
OWNER NAME: Entergy Mississippi, LLC				
Address: P.O. Box 1640				
City: Jackson		State: MS	Zip: 39215	
Contact: Tasha Hill			Tel: 501-258-8977	
ASBESTOS REMOVAL CONTRACTOR: Apache Industrial Services, Inc.				
Address: 250 Assay Street Suite 500				
City: Houston		State: TX	Zip: 77044	
Contact: Stanley E. Smith			Tel: 409-718-5217	
Certification Number: ABC-00012143			Expiration Date: 1/31/2026	
OTHER OPERATOR: N/A				
Address:				
City:		State:	Zip:	
Contact:			Tel:	
V. WAS SITE INSPECTED TO DETERMINE PRESENCE OF ASBESTOS? (Yes/No): Yes				
WAS ASBESTOS PRESENT? (Yes/No): Yes			Inspection Date: 3/27/2025	
Inspector: Justin Stuart		Certification Number: ABC-0009502	Expiration Date: 5/31/2025	
VI. SUSPECT MATERIALS SAMPLED AND PROCEDURES USED TO DETECT THE PRESENCE OF ASBESTOS MATERIAL:				
Brown Pipe Insulation analyzed by Snyder Environmental resulting in 5% Chrysotile detection with a good composite homogeneity. Please refer to attached Snyder Environmental Analytical Report.				
VII. QUANTITY OF RACM TO BE REMOVED:				
Pipes (LN FT): 15	Surface Area (SQ FT): 25		Volume of Facility Components (CU FT): 9	
VIII. QUANTITY OF NONFRIABLE ASBESTOS NOT REMOVED:				
Category I: NA		Category II: NA		
IX. SCHEDULED DATES ASBESTOS REMOVAL (MM/DD/YY) Start: 5/8/2025			Complete: 5/11/2025	
X. SCHEDULED DATES DEMO/RENOVATION (MM/DD/YY) Start: 5/8/2025			Complete: 5/11/2025	

XI. DESCRIPTION OF PLANNED DEMOLITION OR RENOVATION WORK, AND METHOD(S) TO BE USED:		
Presumed asbestos. Survey will be conducted prior to abatement work. The detailed results of the survey, along with work details and detailed work methods, will be provided on a corresponding notification form at least 10 days prior to beginning work.		
XII. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS OF ASBESTOS AT THE DEMOLITION OR RENOVATION SITE:		
The following procedures will be used while removing asbestos; wet method, double bagging and glove bagging.		
XIII. WASTE TRANSPORTER #1		
Name: Republic Services		
Address: 52 Landfill Road		
City: Leland	State: MS	Zip: 38756
Contact Person: Mike Raley	Tel: 601-613-8671	
WASTE TRANSPORTER #2 NA		
Name:		
Address:		
City:	State:	Zip:
Contact Person:	Tel:	
XIV. WASTE DISPOSAL SITE		
Name: Republic Services - Big River Landfill		
Address: 52 Landfill Road		
City: Leland	State: MS	Zip: 38756
Contact Person: Mike Raley	Tel: 601-982-9488	
XV. IF DEMOLITION ORDERED BY A GOVERNMENT AGENCY, PLEASE IDENTIFY THE AGENCY BELOW:		
Name: NA	Title: NA	
Authority: NA		
Date of Order (MM/DD/YY): NA	Date Ordered to Begin (MM/DD/YY): NA	
XVI. FOR EMERGENCY RENOVATIONS:		
Date and Hour of Emergency (MM/DD/YY): NA		
Description of the sudden unexpected event:		
NA		
Explanation of how the event caused unsafe conditions or would cause equipment damage or an unreasonable financial burden:		
NA		
XVII. DESCRIPTION OF PROCEDURES TO BE FOLLOWED IN THE EVENT THAT UNEXPECTED ASBESTOS IS FOUND OR PREVIOUSLY NONFRIABLE ASBESTOS MATERIAL BECOMES CRUMBLER, PULVERIZED, OR REDUCED TO POWDER:		
Bring operations into compliance with the regulations and determine if project needs to be suspended with communications with MDEQ.		
XVIII. I CERTIFY THAT AN INDIVIDUAL TRAINED IN THE PROVISIONS OF THIS REGULATION (40 CFR PART 61, SUBPART M) WILL BE ONSITE DURING THE DEMOLITION OR RENOVATION, AND EVIDENCE THAT THE REQUIRED TRAINING HAS BEEN ACCOMPLISHED BY THIS PERSON WILL BE AVAILABLE FOR INSPECTION DURING NORMAL BUSINESS HOURS.		
Norberto Aguilar	<div style="border: 1px solid black; padding: 2px; display: inline-block;"> Digitally signed by Norberto Aguilar Date: 2025.04.23 10:00:38 -05'00' </div>	4/23/2025
Type or Print Name	(Signature of Owner/Operator)	(Date)
XIX. I CERTIFY THAT THE ABOVE INFORMATION IS CORRECT:		
Beau Griffin	<div style="border: 1px solid black; padding: 2px; display: inline-block;"> Digitally signed by Beau Griffin DN: cn=Beau Griffin, o=Cambridge Environmental Services, ou=Cambridge Services, email=beu@cambridgeenv.com, Date: 2025.04.23 10:11:01 -05'00' </div>	4/23/2025
Type or Print Name	(Signature of Owner/Operator)	(Date)



**Walk-In Sample Analysis Report
Pipe Insulation
Gerald Andrus Entergy Plant
109 S. 6th Street
Greenville, MS**

Prepared for:
Apache Industrial Services
Attn: Mr. Norberto Aguilar

Mr. Aguilar -

On 16 April 2025 you submitted one (1) sample of brown insulation to Snyder Environmental, Inc. for analysis. The sample was collected from the Gerald Andrus Entergy Plant (valve 424A) located at 109 S. 6th Street in Greenville, MS. Snyder Environmental submitted both samples to Eurofins Built Environmental Testing in Houston, TX for analysis. The table below summarizes the homogenous areas sampled and the analytical results:

Sample #	Description	Location	Asbestos Content	Condition
109-01-01	Brown Pipe Insulation	Valve 424A	5% <i>Chrysotile</i>	Good

ND = No Asbestos Detected

The suspect Homogenous material was found to contain regulated amounts of asbestos.

NOTICE: *The submission of samples by the customer does not constitute a complete and thorough Asbestos Inspection as defined by EPA and/or MDEQ. A full and complete inspection may be required by the entity with jurisdiction over the area where the property is located to obtain a permit for any renovation or demolition that may or may not occur in the future. A full and complete Asbestos Inspection is defined by MDEQ as involving a site visit, assessment, sample collection, and report by an MDEQ licensed Asbestos inspector employed by an MDEQ licensed and certified Asbestos Abatement Firm.*

Should you have any questions regarding the information presented above, please feel free to contact me at (501) 801-2776 or e-mail jstuart@snyderenvironmental.com.

Appendix A – Laboratory Analytical Results

This Report Prepared by:

Justin Stuart

Justin Stuart
Inspection Coordinator
AR Certified Inspector #015878
Snyder Environmental

MS certification number ABC-0009502
MS Contractors LS # 23265-SC

Apache Representative: Norberto Aguilar

Signature: *Norberto Aguilar-Carreón*

Appendix A:
Laboratory Analytical Report

DATE _____

Client: Snyder Environmental
C/O: Mr. Justin Dixon, Bachelors Degree
Environmental Science, Justin Stuart
Re: LITP002238; Gerald Andrus Entergy Plant (pipe
insulation)

Eurofins Built Environment Testing Central, LLC
5200 Mitchelldale St., Ste. E15, Houston, TX 77092
713-290-0221 www.eurofinsus.com/Built

Date of Sampling: 03-27-2025

Date of Receipt: 04-17-2025

Date of Report: 04-18-2025

ASBESTOS PLM REPORT

Total Samples Submitted: 1

Total Samples Analyzed: 1

Total Samples with Layer Asbestos Content > 1%: 1

Location: 109-01-01

Lab ID-Version†: 20091372-1

Sample Layers	Asbestos Content
Brown Pipe Insulation	5% Chrysotile
Sample Composite Homogeneity: Good	

The test report shall not be reproduced except in full, without written approval of the laboratory. The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. The Company reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified.

All components not quantified as asbestos content and non-asbestos content are considered to be non-fibrous matrix components. Matrix components may include, but are not limited to, gypsum, paint, silicate minerals, vinyl, binder, calcium carbonate, tar, and foam.

Inhomogeneous samples are separated into homogeneous subsamples and analyzed individually. ND means no fibers were detected. When detected, the minimum detection and reporting limit is less than 1% unless point counting is performed. Floor tile samples may contain large amounts of interference material and it is recommended that the sample be analyzed by gravimetric point count analysis to lower the detection limit and to aid in asbestos identification.

† A "Version" indicated by "-x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

Client: Snyder Environmental
C/O: Mr. Justin Dixon, Bachelors Degree
Environmental Science, Justin Stuart
Re: LITP002238; Gerald Andrus Entergy Plant (pipe
insulation)

Eurofins Built Environment Testing Central, LLC
5200 Mitchelldale St., Ste. E15, Houston, TX 77092
713-290-0221 www.eurofinsus.com/Built

Date of Sampling: 03-27-2025

Date of Receipt: 04-17-2025

Date of Report: 04-18-2025

ASBESTOS PLM REPORT

PROJECT ANALYST AND SIGNATORY REPORT

Project Analyst



Analyst: Isiah Scott

The test report shall not be reproduced except in full, without written approval of the laboratory. The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. The Company reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified.

‡ A "Version" indicated by "-x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".