



State of Mississippi

TATE REEVES
Governor

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

CHRIS WELLS, EXECUTIVE DIRECTOR

March 17, 2026

Mr. Robert Mandal, Jr.
F & M Ventures, LLC
2101 Ward Lane
Biloxi, MS 39531

Dear Mr. Mandal:

Re: F & M Ventures, LLC
Mandal Development
Harrison County
COE No. SAM-2025-00111-MJF
WQC No. WQC2025079

Pursuant to Section 401 of the Federal Water Pollution Control Act (33 U. S. C. 1251, 1341), the Mississippi Department of Environmental Quality (MDEQ) issues this Certification, after public notice and opportunity for public hearing, to F & M Ventures, LLC, an applicant for a Federal License or permit to conduct the following activity:

F & M Ventures, LLC, Mandal Development: Project to construct a commercial development comprised of an approximately 84,000 square foot building with office, retail and warehouse space, a smaller building approximately 4,000 square feet, and associated parking and drainage features. The larger building will house a furniture store, or other retail tenants, while the smaller building will house a gym. The project area is located to the south of Interstate-10, east of Arceneaux Road, and west of Reece Drive, in 8 Section, 7S Township, 9W Range; at Latitude 30.447406 and Longitude - 88.909667; in D'Iberville, Harrison County, Mississippi. The proposed work will impact 1,034 linear feet of stream, 1.15 acres of pine savannah wetlands and 7.33 acres of bottomland hardwood wetlands. The applicant will purchase in-kind mitigation credits from approved mitigation banks handling this service area. [SAM-2025-00111-MJF; WQC2025079].

OFFICE OF POLLUTION CONTROL
POST OFFICE BOX 2261 • JACKSON, MISSISSIPPI 39225-2261 • TEL: (601) 961-5171 • FAX: (601) 354-6612 •
www.mdeq.ms.gov
Facebook: @mdeq.ms • Twitter: @MDEQ • Instagram:
@MDEQ AN EQUAL OPPORTUNITY EMPLOYER

MDEQ certifies that the above-described activity will be in compliance with the applicable provisions of Sections 301, 302, 303, 306, and 307 of the Federal Water Pollution Control Act and Section 49-17-29 of the Mississippi Code of 1972, if the applicant complies with the following conditions:

1. The development shall connect to an MDEQ approved wastewater collection and treatment system. All wastewater, including process wastewater, shall be properly treated and disposed in accordance with 11 Mississippi Administrative code Part 6, Chapter 1. (Statement G) (11 Miss. Admin. Code Pt. 6, R. 1.1.1.B)
2. All fill material and excavation areas shall have side slopes of 3:1 (horizontal:vertical) or flatter and shall be immediately seeded, stabilized and maintained. (Statement B) (11 Miss. Admin. Code Pt. 6, R. 1.1.1.B.)
3. Appropriate best management practices (BMPs) shall be properly installed and maintained to prevent the movement of sediment off-site and into adjacent drainage areas. Special care shall be taken prior to and during construction to prevent the movement of sediment into adjacent avoided wetland areas. In the event of any BMP failure, corrective actions shall be taken immediately. (Statement F) (11 Miss. Admin. Code Pt. 6, R. 1.1.1.B.)
4. Coverage under a Large Stormwater Construction General NPDES Permit shall be obtained prior to the start of construction activities. No construction activities shall begin until such approvals are obtained. (Statement F) (11 Miss. Admin. Code Pt. 6, R. 1.1.1.B)
5. The final post-construction stormwater management plan submitted by Neel-Schafer, Inc., dated September 15, 2025, shall be implemented concurrent with project construction and maintained as proposed. (Statement F) (11 Miss. Admin. Code Pt. 6, R.1.3.4.A (9))
6. Mitigation for the impacts of 1.15 acre of pine savannah wetlands, 7.33 acre of bottomland hardwood wetlands, and 1,034 linear feet of stream shall be provided by the purchase of mitigation credits from an approved mitigation bank. The number of credits must be in accordance with banking prospectus and be based upon that required for impacting 1.15 acre of pine savannah wetlands, 7.33 acre of bottomland hardwood wetlands, and 1,034 linear feet of stream. Written verification of credit purchase must be provided to MDEQ prior to the commencement of any work in the wetland or stream areas. (Statement E) (11 Miss. Admin. Code Pt. 6, R 1.3.4 A (2))
7. Turbidity outside the limits of a 750-foot mixing zone shall not exceed the ambient turbidity by more than 50 Nephelometric Turbidity Units. (Statement A) (11 Miss. Admin. Code Pt. 6, R.2.2.A.(3))

8. No sewage, oil, refuse, or other pollutants shall be discharged into the watercourse. (Statement A) (11 Miss. Admin. Code Pt. 6, R. 2.2.A.(3))

As part of the Scope of Review for Application Decisions, 11 Mississippi Administrative Code Part 6, Rule 1.3.4(B), the above conditions are necessary for MDEQ to ensure that appropriate measures will be taken to eliminate unreasonable degradation and irreparable harm to waters of the State, such that the activity will not meet the criteria for denial:

- (A) The proposed activity permanently alters the aquatic ecosystem such that water quality criteria are violated and/or it no longer supports its existing or classified uses. An example is the channelization of streams.
- (B) There is a feasible alternative to the activity which reduces adverse consequences on water quality and classified or existing uses of waters of the State.
- (C) The proposed activity adversely impacts waters containing State or federally recognized threatened or endangered species.
- (D) The proposed activity adversely impacts a special or unique aquatic habitat, such as National or State Wild and Scenic Rivers and/or State Outstanding Resource Waters.
- (E) The proposed activity in conjunction with other activities may result in adverse cumulative impacts.
- (F) Nonpoint source/storm water management practices necessary to protect water quality have not been proposed.
- (G) Denial of wastewater permits and/or approvals by the State with regard to the proposed activities.
- (H) The proposed activity results in significant environmental impacts which may adversely impact water quality.

MDEQ also certifies that there are no limitations under Section 302 nor standards under Sections 306 and 307 of the Federal Water Pollution Control Act which are applicable to the applicant's above-described activity.

This certification is valid for the project as proposed. Any deviations without proper modifications and/or approvals may result in a violation of the 401 Water Quality Certification. If you have any questions, please contact Carrie Barefoot.

Sincerely,



Becky Simonson
Chief, Environmental Permits Division

cc: Maryellen Farmer, U.S. Army Corps of Engineers, Mobile District
Lisa Morrison, Neel-Schaffer, Inc.
Willa Brantley, Department of Marine Resources