



READY-MIX CONCRETE RECOVERY FORM

CURRENT COVERAGE NO.: MSG11 0251

(Coverage number is located at the bottom left corner of your previous Certificate of Coverage)



Company Name: Oldcastle APG South, Inc. **Facility Name:** Gulfport

Contact Name and Position: Kiersten McCormick, EHS&S

Contact Area Code and Phone Number: (850) 520 - 3284 **Contact Email:** Kiersten.Mccormick@oldcastle.com

Primary SIC Code: (3271) **Primary NAICS Code (6-digit):** (327331)

Physical Site Address - Street: 10043 Southpark Drive

City: Gulfport **State:** MS **Zip:** 39503 **County:** Harrison

Mailing Address - Street: 10043 Southpark Drive

City: Gulfport **State:** MS **Zip:** 39503

Plant Maximum Production Rate: 20 cubic yards/hr
(Maximum production rate must be based on the manufacturer's maximum rated plant capacity on an hourly basis. If this number exceeds 150 cubic yards per hour, the facility will be considered a Synthetic Minor (SM) operating source. SM sources must publish a notice in the local newspaper and provide proof of publication with this form.)

Will you own or operate a rock crusher at the site? ☐ Yes ☒ No
If a third party will own/operate a rock crusher at your site, mark "No." The third party is responsible for obtaining any necessary air permits to operate the rock crusher.

Rock Crusher Type / Rated Cumulative Capacity: ☐ Fixed: _____ tons/hr ☐ Portable: _____ tons/hr ☒ N/A

Will you operate stationary fuel burning equipment (e.g., engines, heaters, etc.) at the site? ☒ Yes* ☐ No
**If you marked "Yes" complete and submit the attached Fuel Burning Equipment Form & Compliance Plan.*

Nearest Named Waterbody Which Storm Water Leaving the Site Will Enter: Bayou Bernard

Is a Copy of the SWPPP at the Permitted Site? ☒ YES ☐ NO **SWPPP Date:** July 17th, 2026

If the SWPPP is Based on the Industry Generic SWPPP, is it the Most Recent Copy? ☒ YES ☐ NO

Does the SWPPP Meet the Requirements Listed in ACT 5 of the RMCGP? ☒ YES ☐ NO*
**If No then Please Attach an Amended SWPPP.*

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

I further certify that the project continues as described in the original notice of intent. Also, I certify that I understand when coverage is terminated I am no longer authorized to emit regulated air emissions and discharge wastewater or storm water associated with industrial activity under this general permit. I understand that discharging pollutants associated with industrial activity to waters of the state without NPDES coverage is in violation of state law.

Patrick Miller

Authorized Signature (shall be signed according to ACT 6, T-13 of the GP)

Pat Miller

Printed Name

8-17-26

Date Signed

Regional Manager

Title

(if different contact than above, please provide title, mailing address, phone number, and email)

Submit signed form online at www.mdeq.ms.gov/rmcgp
 or a hard copy to Water II Branch Manager, EPD, MDEQ, PO Box 2261, Jackson, MS 39225

Last Revised: 08/10/2026

FUEL BURNING EQUIPMENT FORM & COMPLIANCE PLAN

CURRENT COVERAGE NO.: MSG11 0251

(Coverage number is located at the bottom left corner of your previous Certificate of Coverage)

FUEL BURNING EQUIPMENT LIST

List all stationary fuel burning equipment used at the facility. **Do not include** mobile fuel burning equipment (e.g., trucks or forklifts, welding equipment), portable engines that are moved about the site (e.g., pressure washers, welders), or portable engines that will not remain on the site more than 12 months (e.g., temporary generators).

Equipment Description	Emergency Use Only? (Yes/No) ¹	Fuel Type	Max. Heat Input/ Power Output	Manufacturer	Manufactured Date or Model Year
<i>Example only:</i>					
Engine for Generac generator	No	Diesel	578 hp	Perkins	2009
Heater for brick drying	No	Natural gas	6 MMBtu/hr	Sigma Thermal	2010
Steam Boiler for Brick Drying	No	Natural Gas	1.2 MMBtu/hr	Hurst	2006

¹ Engines qualifying as "emergency" must meet the requirements of Condition L-6 in ACT 3 of the General Permit.

COMPLIANCE PLAN

As required by ACT 3, Condition L-7(3) of the General Permit, complete this section if you will have one or more **non-emergency** stationary internal combustion engines at your site.

Equipment Description (should match description from table above)	Applicable federal standard ¹		Emission Standards ² (List all that apply)	Monitoring Requirements ² (List any testing, continuous monitoring and recordkeeping required)
	40 CFR 60, Subpart IIII	40 CFR 63, Subpart ZZZZ		
Example: Engine for Generac generator	☐	☒	CO ≤ 49 ppmvd @15 % O ₂	Conduct CO performance test every 8,760 hrs or 3 yrs whichever comes first; maintain oxidation catalyst so pressure does not change by more than 2" water and catalyst inlet temp. is between 450 – 1,350 °F
	☐	☐		
	☐	☐		
	☒	☐		

¹ Only mark one. If subject to 40 CFR 60, Subpart IIII, then you have no requirements under 40 CFR 63, Subpart ZZZZ per 40 CFR 63.6590(c)(1).



User Actions

- View Filed Documents
- Opt-in or Opt-out of Email updates
- Print Business Details

Name History

Name	Name Type
Oldcastle APG South, Inc.	Legal
Oldcastle Coastal	Fictitious Name

Business Information

Business Type:	Profit Corporation
Business ID:	1156544
Status:	Good Standing
Effective Date:	09/07/2018
State of Incorporation:	NC
Principal Office Address:	333 N. Greene Street, Suite 500 Greensboro, NC 27401

Registered Agent

Name
CORPORATION SERVICE COMPANY
109 Executive Drive, Suite 3
Madison, MS 39110

Officers & Directors

Name	Title
Sile Morrissey 400 Perimeter Center Terrace, Suite 1000 Atlanta, GA 30346	President
Peyton Butler 333 N. Greene Street, Suite 500 Greensboro, NC 27401	Secretary, Treasurer
David M. Toolan 900 Ashwood Pkwy, Suite 600 Atlanta, GA 30338	Assistant Secretary
Nathan Creech 900 Ashwood Pkwy, Suite 600 Atlanta, GA 30338	Director
Aylwyn Bryan 900 Ashwood Pkwy, Suite 600 Atlanta, GA 30338	Director

- Home
- Business Search
- Business Filings
- Commercial

Business Search

Our office has received reports of both fraudulent business filings and that diligence is crucial when filing with our office and searching for

Business NameBusiness IDOfficer NameRegistered Agent

Search Criteria

☒ Starting With☐ All Words☐ Any Words☐ Sounds Like☐

Business Name: Oldcastle

Search Type: Business Name
Search Date: 08/19/2026 01:15
Criteria: Oldcastle

Business Name Search Results

Business Name	Business ID
Oldcastle APG Northeast, Inc.	1384696
Oldcastle APG South, Inc.	1156544
Oldcastle APG West, Inc.	1384822
Oldcastle APG, Inc.	941146
Oldcastle APG, Inc.	1465196
Oldcastle BuildingEnvelope, Inc.	713515
Oldcastle Coastal DBA	1156544
Oldcastle Coastal, Inc.	922455
Oldcastle FRD DBA	851658
Oldcastle Glass Engineered Products, Inc.	915182

Foreign Corporation	Good Standing	02/23/2004	Details
Foreign Corporation	Withdrawn	07/03/2007	Details

IT'S ALL ABOUT BUSINESS, Y'ALL!

| YALLBUSINESS.SOS.MS.GOV



Michael Watson
SECRETARY OF STATE

Services & Resources

- Employment
- Fees & Forms Directory
- Online Services Directory

Help Information

- Disclaimer
- How do I...?
- Links
- Public Records Request



Follow Up Questions for NOI Renewal (Gulfport, MS)

08/19/2026

1. Title, mailing address, physical address, phone number, and email address for Patrick Miller.

Regional VP/GM Coastal M&H
4630 Woodland Corp Blvd
Tampa, FL 33614
(860) 824-7733
pat.miller@oldcastle.com

2. Below are the current contacts we have for your facility, please notify us of anyone one should be removed or provide any additions to your contacts.

Person	Relationship	Phone/Email	Start	End
Craig, Thomas	is DMR recipient for	(850) 401-4047	02/08/2019	08/19/2026
Henry, Craig	Is Application Signatory for	(813) 367-9780	04/16/2021	08/19/2026
Henry, Craig	Is Contact For	(813) 367-9780	04/16/2021	08/19/2026
Henry, Craig	is DMR recipient for	(813) 367-9780	04/16/2021	08/19/2026
Henry, Craig	Is General Permit Contact For	(813) 367-9780	04/16/2021	08/19/2026
Henry, Craig	Is Water Permit Contact For	(813) 367-9780	04/16/2021	08/19/2026
Long, Michael	is DMR recipient for	(850) 434-7727	02/08/2019	08/19/2026
Packett, Paul	is DMR recipient for	(941) 812-1713	02/08/2019	08/19/2026
Miller, Patrick	Is Application Signatory for	(860) 824-7733	08/19/2026	
McCormick, Kiersten	Is Contact For	(850) 520-3284	08/19/2026	
McCormick, Kiersten	is DMR recipient for	(850) 520-3284	08/19/2026	
McCormick, Kiersten	Is General Permit Contact For	(850) 520-3284	08/19/2026	
McCormick, Kiersten	Is Water Permit Contact For	(850) 520-3284	08/19/2026	
Brisco, Sunny	is DMR recipient for	(585) 451-4835	08/19/2026	
Sheehan, William (Drew)	is DMR recipient for	(850) 419-3687	08/19/2026	