



STATE OF MISSISSIPPI
TATE REEVES
GOVERNOR
MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

July 17, 2024

Mr. Jimmy Lane
Little Bluff, LLC
3909 Hwy 57
Ocean Springs, MS 39564
228-219-6300
jrl@laneonstinc.com

Dear Mr. Lane:

Re: Landon Road Subdivision
Harrison County
COE No. SAM-2023-00077-MJF
WQC No. WQC2023045

Pursuant to Section 401 of the Federal Water Pollution Control Act (33 U. S. C. 1251, 1341), the Office of Pollution Control (OPC) issues this Certification, after public notice and opportunity for public hearing, to Little Bluff, LLC, an applicant for a Federal License or permit to conduct the following activity:

Little Bluff, LLC, Landon Road Subdivision: Project to fill 3.76 acres of wetland associated with the construction of a residential subdivision south of Landon Road in Gulfport, Harrison County, Mississippi. The total project site is approximately 40 acres in size of which 27.45 acres have been identified as wetlands. Impacts include permanent filling 3.76 acres of pine savannah wetlands, temporary impacts to 0.70 acres wetlands for the installation of utility lines, and the placement of a culvert along 60-linear feet of stream. The applicant proposes to provide in-kind compensatory mitigation through a mitigation bank [SAM-2023-00077-MJF, WQC2023045].

The Office of Pollution Control certifies that the above-described activity will be in compliance with the applicable provisions of Sections 301, 302, 303, 306, and 307 of the Federal Water Pollution Control Act and Section 49-17-29 of the Mississippi Code of 1972, if the applicant complies with the following conditions:

1. The development shall connect to an Office of Pollution Control approved wastewater collection and treatment system. (Statement G) (11 Miss. Admin. Code Pt. 6, R. 1.1.1.B)
2. For construction projects five (5) acres or greater of total ground disturbances including clearing, grading, excavating, or other construction activities shall follow the conditions and limitations of the Large Construction General Permit. No construction activities shall begin until the necessary approvals and/or permits have been obtained. Construction activities include a disturbance to the land that results in the change in topography, existing soil cover (both vegetative and nonvegetative), or the existing topography that may result in accelerated stormwater runoff, leading to soil erosion and movement of sediment into surface waters or drainage systems. (Statement F) (11 Miss. Admin. Code Pt. 6, R. 1.1.1.B)
3. Appropriate best management practices (BMPs) shall be properly installed and maintained to prevent the movement of sediment off-site and into adjacent drainage areas. Special care shall be taken prior to and during construction to prevent the movement of sediment into adjacent avoided wetland areas. In the event of any BMP failure, corrective actions shall be taken immediately. (Statement F) (11 Miss. Admin. Code Pt. 6, R. 1.1.1.B.)
4. All fill material and excavation areas shall have side slopes of 3:1 (horizontal:vertical) or flatter and shall be immediately seeded, stabilized and maintained. (Statement F) (11 Miss. Admin. Code Pt. 6, R. 1.1.1.B.)
5. The final post-construction Stormwater Management Plan submitted by the applicant shall be implemented concurrent with project construction and maintained as proposed. For sedimentation basins that are to be converted to be utilized as a part of the post-construction stormwater management plan, basin volumes shall be checked, and excess sediment removed from the basins prior to termination of Large Construction Stormwater General Permit. (Statement F) (11 Miss. Admin. Code Pt. 6, R. 1.1.1.B.)
6. Mitigation for the impacts of filling 3.76 acres of pine savannah wetlands out of the 27.45 acres of wetlands on the site shall be provided by the purchase of mitigation credits from an approved mitigation bank. The number of credits must be in accordance with banking prospectus and be based upon that required for impacting the waters on the site. Written verification of credit purchase must be provided to the Office of Pollution Control prior to the commencement of any work in the wetland or stream areas. (Statement A) (11 Miss. Admin. Code Pt. 6, R 1.3.4 A (2))

7. Turbidity outside the limits of a 750-foot mixing zone shall not exceed the ambient turbidity by more than 50 Nephelometric Turbidity Units. (Statement A) (11 Miss. Admin. Code Pt. 6, R.2.2.A.(3))
8. No sewage, oil, refuse, or other pollutants shall be discharged into the watercourse. (Statement A) (11 Miss. Admin. Code Pt. 6, R. 2.2.A.(3))

As part of the Scope of Review for Application Decisions, 11 Mississippi Administrative Code Part 6, Rule 1.3.4(B), the above conditions are necessary for the Department to ensure that appropriate measures will be taken to eliminate unreasonable degradation and irreparable harm to waters of the State, such that the activity will not meet the criteria for denial:

- (A) The proposed activity permanently alters the aquatic ecosystem such that water quality criteria are violated and/or it no longer supports its existing or classified uses. An example is the channelization of streams.
- (B) There is a feasible alternative to the activity which reduces adverse consequences on water quality and classified or existing uses of waters of the State.
- (C) The proposed activity adversely impacts waters containing State or federally recognized threatened or endangered species.
- (D) The proposed activity adversely impacts a special or unique aquatic habitat, such as National or State Wild and Scenic Rivers and/or State Outstanding Resource Waters.
- (E) The proposed activity in conjunction with other activities may result in adverse cumulative impacts.
- (F) Nonpoint source/storm water management practices necessary to protect water quality have not been proposed.
- (G) Denial of wastewater permits and/or approvals by the State with regard to the proposed activities.
- (H) The proposed activity results in significant environmental impacts which may adversely impact water quality.

The Office of Pollution Control also certifies that there are no limitations under Section 302 nor standards under Sections 306 and 307 of the Federal Water Pollution Control Act which are applicable to the applicant's above-described activity.

This certification is valid for the project as proposed. Any deviations without proper modifications and/or approvals may result in a violation of the 401 Water Quality Certification. If you have any questions, please contact Carrie Barefoot.

Sincerely,



Becky Simonson
Environmental Permits Division

BS: mb

cc: Maryellen J. Farmer, U.S. Army Corps of Engineers, Mobile District
Willa Brantley, Mississippi Department of Marine Resources
Jamie Becker, Environmental Protection Agency
Billy Culpepper, Culpepper and Associates