





LARGE CONSTRUCTION GENERAL PERMIT

FOR LAND DISTURBING ACTIVIES OF FIVE (5) OR MORE ACRES

RE-COVERAGE FORM

FOR COVERAGE UNDER MISSISSIPPI'S REISSUED LARGE CONSTRUCTION STORM WATER GENERAL PERMIT MSR10 GENERAL NPDES COVERAGE NO. MSR10 6 9 1 0

INSTRUCTIONS

The submittal of this form is required to receive coverage under the reissued Large Construction General Permit. This form must be completed and returned to the address printed at the bottom of the back page of this form within 30 days of the date of the Letter of Instruction for Re-Coverage.

The signatory of this form must be the owner or operator (prime contractor) who is the current coverage recipient (rather than the project manager or environmental consultant).

Amendments to the Storm Water Pollution Prevention Plan (SWPPP) are required to be attached if the plan is not current or is ineffective in controlling storm water pollutants. SWPPP amendments with the sole intent of incorporating new permit conditions do not need to be submitted to MDEQ for review and/or approval.

If the project is complete and final stabilization has been achieved, please request termination of coverage by completing the Request for Termination (RFT) Form found in the Large Construction Forms Package. Projects that continue to discharge storm water associated with construction activity without applicable permit coverage are in violation of state law.

Do not submit this form if submitting a Request for Termination (RFT) Form.

ALL INFORMATION REQUESTS MUST BE ANSWERED (Answer "NA" if not applicable).

COVERAC	GE RECIPIENT INFORMATI	ION
CONTACT NAME & POSITION: C. Rick Berry		
COMPANY LEGAL NAME: Mississippi Power		
STREET OR P.O. BOX: 10406 Lorraine Road		<u> </u>
	STATE: MS	ZIP: 39503
PHONE NUMBER: (228) 897-6420	E-MAIL: crberry@southernco.com	

	FACILITY SITE INFORMA			
FACILITY SITE NAME: Mississippi Pe	ower Company, Plant Jack Wa	tson - Pond & Lanc	dfill Closures	
CONTACT NAME & POSITION: Jake W	/hite, Environmental Engineer			
CONTACT PHONE NUMBER: (228	₎ 897-6405			
FACILITY PHYSICAL SITE ADDRESS (II		(EST NAMED ROAD):		
STREET: 10406 Lorraine Road				
CITY: Gulfport	COUNTY: Harrison		zip: 39	503
PROVIDE THE COORDINATES OF THE	PROJECT ENTRANCE OR START PO	DINT:		
LATITUDE: 30 degrees 26 minutes 1	8.3 seconds LONGITUDE: 89	degrees 1 minute	es 41.8 seconds	
LAT & LONG DATA SOURCE (GPS (Pleas	e GPS Project Entrance/Start Point) or Ma	ap Interpolation): GPS		
TOTAL ACREAGE DISTURBED: ~ 132	ESTIMATED CONSTRUC	TION PROJECT END	DATE: 2018-10 YYYY-M)-30 /IM-DD
STORM W	ATER POLLUTION PREVENT	TION PLAN (SWPP	P)	
THE GENERAL PERMIT REQUIRES THE WATER POLLUTANTS. ACCORDINGLY RECOVERAGE.	E SWPPP TO BE ONSITE, UP-TO-DAT	TE AND EFFECTIVE IN	N CONTROLLIN	G STORM ECEIVE
1. IS A COPY OF THE SWPPP AT THE	PERMITTED SITE OR LOCALLY AV	'AILABLE?	YES	□ NO
2. DOES SWPPP CONTAIN AN UP-TO-D POLLUTANT SOURCES AND IDENT			✓ YES	□ NO
3. IF A SEDIMENT BASIN IS A PROJECT STRUCTURE THAT DISCHARGES OF (ACT5, T-6 (A))?			YES or N.A	NO
4. DOES SWPPP PROHIBIT THE DISCH	HARGES LISTED IN ACT2, T-3 (3) OF	THE PERMIT?	YES	□ NO
5. DOES THE SWPPP REQUIRE VEGET WHEN A DISTURBED AREA WILL E DAYS AS REQUIRED BY THE PREV	BE LEFT FOR 14 DAYS (ACT5, T-4 (1)		YES	□NO
I certify under penalty of law that this docume system designed to assure that qualified perso person or persons who manage the system, or the best of my knowledge and belief, true, accinformation, including the possibility of fines at I further certify that the project continues as terminated I am no longer authorized to dischard discharging pollutants associated with collaw.	nnel properly gathered and evaluated the those persons directly responsible for gaurate and complete. I am aware that the and imprisonment for knowing violation described in the original notice of intentarge storm water associated with constructions.	ne information submitted athering the information ere are significant penalt as. Also, I certify that I un ruction activity under thi	d. Based on my inc the information of ties for submitting aderstand when co is general permit.	quiry of the submitted is, to false verage is I understand
I am aware of the significant changes in the re has been modified to incorporate these change			rtify the SWPPP f	or this project
Signature	gnature Date Signed			
C. Rick Berry		Land & Water Programs Manager		
Printed Name ¹		Title		
This application for re-coverage shall be signed acc For a corporation, by a responsible corporate For a partnership, by a general partner. For a sole proprietorship, by the proprietor.		, as follows:		

- For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official.

After signing please mail to:

Chief, Environmental Permits Division, MS Department of Environmental Quality, Office of Pollution Control P.O. Box 2261 Jackson, Mississippi 39225

Revised: 12/06/16



PO Box 4079 Gultport, MS 39502-4079

2002 West Beach Boulevard Gulfport, MS 30501

Certified Mail No: 7016 0910 0000 2741 9326

RECEIVED MAR 1 3 2017

March 10, 2017

Dept. of Environmental Quality

Chief, Environmental Permits Division Mississippi Department of Environmental Quality Office of Pollution Control P.O. Box 2261 Jackson, MS 39225

RE: Mississippi Power Company, Plant Jack Watson

Large Construction Storm Water Permit No. MSR106910

Agency Interest No. 927 Permit Re-coverage

Dear Chief:

Mississippi Power is pleased to provide the requested re-coverage form for the construction project at Plant Watson. This project includes closure of the facility Ash Pond, Ash Landfill, Coal Pile, and conversion of the Coal Pile Runoff Pond. Re-coverage of this permit will further the project initially permitted on June 3, 2015. Additionally, an email chain has been printed and attached to show the incorporation of permit changes into the site SWPPP. Currently, the changes are incorporated by the email chain and attachments being added to the Plan. A full Plan amendment will be incorporated if any physical changes to the site or site conditions occur such that an increased potential for storm water contamination is present.

If you have any questions or need additional information regarding this request, please contact me at (228) 897-6420.

Sincerely,

C. Rick Berry

Land & Water Programs Manager

Mississippi Power Company, Environmental Affairs

White, Jake

From:

White, Jake

Sent:

Thursday, January 26, 2017 1:46 PM

To:

Bunch, Ryan

Subject:

Large Construction General Permit

Attachments:

COMPARISON OF LARGE CONSTRUCTION GENERAL PERMIT ISSUED ON JANUARY

17.pdf; LARGE CONSTRUCTION GENERAL PERMIT_2017.pdf

Environmental Affairs is currently processing recoverage forms for the Large Construction Storm Water General Permit, re-issued in January 2017. I have attached a copy of the new permit to be placed with your SWPPP. In addition, I have attached a table cataloging changes to the new permit. Of particular note, the permit no longer allows discharge of uncontaminated excavation dewatering but allows discharge of excavation dewatering if treated by BMPs. Additionally, natural buffers maintained around surface waters have been amended to mean that 50-foot natural buffers around waters of the US must be maintained, unless additional sediment and erosion controls are in place to achieve a sediment load reduction.

Lastly, and likely most applicable, any deficiencies observed during inspections must be corrected within 24 hours and any temporary or permanent cessation of land disturbing activities that will not resume for 14 or more days must incorporate vegetative practices immediately rather than after 7 days as allowed for in the old permit.

Once the recoverage is submitted and the new permits have been issued, I will send you a copy of the submitted recoverage form and your new certificate of coverage. Let me know if you have any questions.

Thanks,

James J. (Jake) White, P.E.

Mississippi Power Company | Environmental Affairs Office: (228) 897-6405 | Radio: 15*3317

Cell: (228) 236-8999

Radio: 15*3317 Fax: (228) 897-6390

Post Office Box 4079 | Gulfport,MS | 39502-4079

COMPARISON OF LARGE CONSTRUCTION GENERAL PERMIT ISSUED ON JANUARY 17, 2017 WITH PERMIT EXPIRED ON DECEMBER 31, 2015

ACT 2:T-2(2) Allowable Non-Storm Water Discharges – Uncontaminated excavation dewatering has been removed. ACT 2:T-2(3) Prohibited Non-Storm Water Discharges – Added dewatering activities, including discharges from dewatering of trenches and excavations unless managed by BMPs. Beginning December 21, 2020, applicants must submit the LCNOI electronically as required by 40 CFR 127.16. ACT 5:T-3(6) Revised provision of natural buffers around surface waters to provision of 50-foot vith additional erosion and sediment controls which will achieve an equivalent sediment load reduction. ACT 5:T-3(12) Added "Minimize the discharge of pollutants from equipment and vehicle washing, wheel wash water, concrete wash water, and other wash waters. Wash water must be treated in a sediment basin or alternative control that provides equivalent or better treatment prior to discharge". ACT 5:T-4(1) Added stipulations for if you are not able to meet vegetation timelines(14/7 days) including immediately initiating non-vegetative stabilization measures, seeding, fertilizing and mulching as soon as possible, and documentation of the reasons why it was delayed and the schedule you will follow to complete stabilization. ACT 5:T-10 Added "The owner or operator shall provide a description of procedures for (A) Sweeping or removal of sediment and other debris that has been tracked from the site or deposited from the site onto streets and other paved surfaces; (B) Removal of sediment or other pollutants that have accumulated in or near any sediment control measures, storm water conveyance channels, storm drain inlets, or water course conveyance within the construction site, and (C) Removal of accumulated sediment that has been traped by sediment control measures at the site, in accordance with applicable maintenance requirements covered under this permit. The owner or operator shall also provide a description of the procedures for handling and disposing of wastes generated at the site, including, but not limited to, clearing and demoli		
discharges from dewatering of trenches and excavations unless managed by BMPs. Beginning December 21, 2020, applicants must submit the LCNOI electronically as required by 40 CFR 127.16. ACT 5:T-3(6) Revised provision of natural buffers around surface waters to provision of 50-foot natural buffer around waters of the US, or natural buffers less than 50-foot with additional erosion and sediment controls which will achieve an equivalent sediment load reduction. ACT 5:T-3(12) Added "Minimize the discharge of pollutants from equipment and vehicle washing, wheel wash water, concrete wash water, and other wash waters. Wash water must be treated in a sediment basin or alternative control that provides equivalent or better treatment prior to discharge". ACT 5:T-4(1) Added stipulations for if you are not able to meet vegetation timelines(14/7 days) including immediately initiating non-vegetative stabilization measures, seeding, fertilizing and mulching as soon as possible, and documentation of the reasons why it was delayed and the schedule you will follow to complete stabilization. ACT 5:T-10 Added "The owner or operator shall provide a description of procedures for (A) Sweeping or removal of sediment and other debris that has been tracked from the site or deposited from the site onto streets and other paved surfaces; (B) Removal of sediment or other pollutants that have accumulated in or near any sediment control measures, storm water conveyance channels, storm drain inlets, or water course conveyance within the construction site, and (C) Removal of accumulated sediment that has been trapped by sediment control measures at the site, in accordance with applicable maintenance requirements covered under this permit. The owner or operator shall also provide a description of the procedures for handling and disposing of wastes generated at the site, including, but not limited to, clearing and demolition debris, sediment removed from the site, construction and domestic waste, hazardous or toxic waste, and sanitary w	ACT 2:T-2(2)	Allowable Non-Storm Water Discharges – Uncontaminated excavation dewatering has been removed.
ACT 5:T-3(a) Beginning December 21, 2020, applicants must submit the LCNOI electronically as required by 40 CFR 127.16. Revised provision of natural buffers around surface waters to provision of 50-foot natural buffer around waters of the US, or natural buffers less than 50-foot with additional erosion and sediment controls which will achieve an equivalent sediment load reduction. ACT 5:T-3(12) Added "Minimize the discharge of pollutants from equipment and vehicle washing, wheel wash water, concrete wash water, and other wash waters. Wash water must be treated in a sediment basin or alternative control that provides equivalent or better treatment prior to discharge". ACT 5:T-4(1) Added stipulations for if you are not able to meet vegetation timelines(14/7 days) including immediately initiating non-vegetative stabilization measures, seeding, fertilizing and mulching as soon as possible, and documentation of the reasons why it was delayed and the schedule you will follow to complete stabilization. ACT 5:T-10 Added "The owner or operator shall provide a description of procedures for (A) Sweeping or removal of sediment and other debris that has been tracked from the site or deposited from the site onto streets and other paved surfaces; (B) Removal of sediment or other pollutants that have accumulated in or near any sediment control measures, storm water conveyance channels, storm drain inlets, or water course conveyance within the construction site, and (C) Removal of accumulated sediment that has been trapped by sediment control measures at the site, in accordance with applicable maintenance requirements covered under this permit. The owner or operator shall also provide a description of the procedures for handling and disposing of wastes generated at the site, including, but not limited to, clearing and demolition debris, sediment removed from the site, construction and domestic waste, hazardous or toxic waste, and sanitary waste. ACT 5:T-15 Added: "Any poorly functioning erosion controls or sediment c	ACT 2:T-2(3)	
natural buffer around waters of the US, or natural buffers less than 50-foot with additional erosion and sediment controls which will achieve an equivalent sediment load reduction. ACT 5:T-3(12) ACT 5:T-3(12) ACT 5:T-3(12) ACT 5:T-3(12) ACT 5:T-3(12) ACT 5:T-3(12) ACT 5:T-4(1) ACT 5:T-5(1) ACT 5:T-5(1) ACT 5:T-10 ACT 6:S-1(2) ACT 6:S-1(2) ACT 6:S-1(2) ACT 6:S-1(2) ACT 6:S-1(2) ACT 6:S-1(2) ACT 6:T-1(2) ACT	ACT 3:S-1(1)	Beginning December 21, 2020, applicants must submit the LCNOI electronically as
wheel wash water, concrete wash water, and other wash waters. Wash water must be treated in a sediment basin or alternative control that provides equivalent or better treatment prior to discharge". ACT 5:T-4(1) Added stipulations for if you are not able to meet vegetation timelines(14/7 days) including immediately initiating non-vegetative stabilization measures, seeding, fertilizing and mulching as soon as possible, and documentation of the reasons why it was delayed and the schedule you will follow to complete stabilization. ACT 5:T-10 Added "The owner or operator shall provide a description of procedures for (A) Sweeping or removal of sediment and other debris that has been tracked from the site or deposited from the site onto streets and other paved surfaces; (B) Removal of sediment or other pollutants that have accumulated in or near any sediment control measures, storm water conveyance channels, storm drain inlets, or water course conveyance within the construction site, and (C) Removal of accumulated sediment that has been trapped by sediment control measures at the site, in accordance with applicable maintenance requirements covered under this permit. The owner or operator shall also provide a description of the procedures for handling and disposing of wastes generated at the site, including, but not limited to, clearing and demolition debris, sediment removed from the site, construction and domestic waste, hazardous or toxic waste, and sanitary waste. ACT 5:T-15 Added: "Any poorly functioning erosion controls or sediment controls, non-compliant discharges, or any other deficiencies observed during the inspections required under this permit shall be corrected as soon as possible, but not to exceed 24 hours of the inspection unless prevented by unsafe weather conditions as documented on the inspection form. In the event of an unanticipated breach of a sediment basin/pond temporary containment measures shall be taken within 24 hours after the inspection; however, if permanent corrective measures cann	ACT 5:T-3(6)	natural buffer around waters of the US, or natural buffers less than 50-foot with additional erosion and sediment controls which will achieve an equivalent sediment
including immediately initiating non-vegetative stabilization measures, seeding, fertilizing and mulching as soon as possible, and documentation of the reasons why it was delayed and the schedule you will follow to complete stabilization. ACT 5:T-10 Added "The owner or operator shall provide a description of procedures for (A) Sweeping or removal of sediment and other debris that has been tracked from the site or deposited from the site onto streets and other paved surfaces; (B) Removal of sediment or other pollutants that have accumulated in or near any sediment control measures, storm water conveyance channels, storm drain inlets, or water course conveyance within the construction site, and (C) Removal of accumulated sediment that has been trapped by sediment control measures at the site, in accordance with applicable maintenance requirements covered under this permit. The owner or operator shall also provide a description of the procedures for handling and disposing of wastes generated at the site, including, but not limited to, clearing and demolition debris, sediment removed from the site, construction and domestic waste, hazardous or toxic waste, and sanitary waste. ACT 5:T-15 Added: "Any poorly functioning erosion controls or sediment controls, non-compliant discharges, or any other deficiencies observed during the inspections required under this permit shall be corrected as soon as possible, but not to exceed 24 hours of the inspection unless prevented by unsafe weather conditions as documented on the inspection form. In the event of an unanticipated breach of a sediment basin/pond temporary containment measures shall be taken within 24 hours after the inspection. Permanent corrective measures shall be implemented within five (5) days of the inspection; however, if permanent corrective measures cannot be implemented within the timeframes provided herein, the owner or operator shall contact MDEQ." ACT 6:S-1(2) Added: "Install structural practices as described in ACT 5, T-6 in accordance with the	ACT 5:T-3(12)	wheel wash water, concrete wash water, and other wash waters. Wash water must be treated in a sediment basin or alternative control that provides equivalent or better
Sweeping or removal of sediment and other debris that has been tracked from the site or deposited from the site onto streets and other paved surfaces; (B) Removal of sediment or other pollutants that have accumulated in or near any sediment control measures, storm water conveyance channels, storm drain inlets, or water course conveyance within the construction site, and (C) Removal of accumulated sediment that has been trapped by sediment control measures at the site, in accordance with applicable maintenance requirements covered under this permit. The owner or operator shall also provide a description of the procedures for handling and disposing of wastes generated at the site, including, but not limited to, clearing and demolition debris, sediment removed from the site, construction and domestic waste, hazardous or toxic waste, and sanitary waste. ACT 5:T-15 Added: "Any poorly functioning erosion controls or sediment controls, non-compliant discharges, or any other deficiencies observed during the inspections required under this permit shall be corrected as soon as possible, but not to exceed 24 hours of the inspection unless prevented by unsafe weather conditions as documented on the inspection form. In the event of an unanticipated breach of a sediment basin/pond temporary containment measures shall be taken within 24 hours after the inspection. Permanent corrective measures cannot be implemented within the timeframes provided herein, the owner or operator shall contact MDEQ." ACT 6:S-1(2) Added: "Install structural practices as described in ACT 5, T-6 in accordance with the site-specific SWPPP". ACT 9:T All turbidity monitoring through storm water sampling have been removed from the	ACT 5:T-4(1)	including immediately initiating non-vegetative stabilization measures, seeding, fertilizing and mulching as soon as possible, and documentation of the reasons why it
and disposing of wastes generated at the site, including, but not limited to, clearing and demolition debris, sediment removed from the site, construction and domestic waste, hazardous or toxic waste, and sanitary waste. ACT 5:T-15 Added: "Any poorly functioning erosion controls or sediment controls, non-compliant discharges, or any other deficiencies observed during the inspections required under this permit shall be corrected as soon as possible, but not to exceed 24 hours of the inspection unless prevented by unsafe weather conditions as documented on the inspection form. In the event of an unanticipated breach of a sediment basin/pond temporary containment measures shall be taken within 24 hours after the inspection. Permanent corrective measures shall be implemented within five (5) days of the inspection; however, if permanent corrective measures cannot be implemented within the timeframes provided herein, the owner or operator shall contact MDEQ." ACT 6:S-1(2) Added: "Install structural practices as described in ACT 5, T-6 in accordance with the site-specific SWPPP". ACT 9:T All turbidity monitoring through storm water sampling have been removed from the	ACT 5:T-10	Sweeping or removal of sediment and other debris that has been tracked from the site or deposited from the site onto streets and other paved surfaces; (B) Removal of sediment or other pollutants that have accumulated in or near any sediment control measures, storm water conveyance channels, storm drain inlets, or water course conveyance within the construction site, and (C) Removal of accumulated sediment that has been trapped by sediment control measures at the site, in accordance with
discharges, or any other deficiencies observed during the inspections required under this permit shall be corrected as soon as possible, but not to exceed 24 hours of the inspection unless prevented by unsafe weather conditions as documented on the inspection form. In the event of an unanticipated breach of a sediment basin/pond temporary containment measures shall be taken within 24 hours after the inspection. Permanent corrective measures shall be implemented within five (5) days of the inspection; however, if permanent corrective measures cannot be implemented within the timeframes provided herein, the owner or operator shall contact MDEQ." ACT 6:S-1(2) Added: "Install structural practices as described in ACT 5, T-6 in accordance with the site-specific SWPPP". ACT 9:T All turbidity monitoring through storm water sampling have been removed from the		and disposing of wastes generated at the site, including, but not limited to, clearing and demolition debris, sediment removed from the site, construction and domestic waste,
containment measures shall be taken within 24 hours after the inspection. Permanent corrective measures shall be implemented within five (5) days of the inspection; however, if permanent corrective measures cannot be implemented within the timeframes provided herein, the owner or operator shall contact MDEQ." ACT 6:S-1(2) Added: "Install structural practices as described in ACT 5, T-6 in accordance with the site-specific SWPPP". ACT 9:T All turbidity monitoring through storm water sampling have been removed from the	ACT 5:T-15	discharges, or any other deficiencies observed during the inspections required under this permit shall be corrected as soon as possible, but not to exceed 24 hours of the inspection unless prevented by unsafe weather conditions as documented on the
ACT 6:S-1(2) Added: "Install structural practices as described in ACT 5, T-6 in accordance with the site-specific SWPPP". ACT 9:T All turbidity monitoring through storm water sampling have been removed from the		containment measures shall be taken within 24 hours after the inspection. Permanent corrective measures shall be implemented within five (5) days of the inspection; however, if permanent corrective measures cannot be implemented within the
	ACT 6:S-1(2)	Added: "Install structural practices as described in ACT 5, T-6 in accordance with the site-specific SWPPP".
	ACT 9:T	

White, Jake

From:

White, Jake

Sent:

Thursday, January 26, 2017 1:53 PM

Subject:

Construction Permit

I failed to mention in the last email, but print out that email and place it on top of the cover page of the SWPPP. One question in the recoverage form is if we include in the SWPPP that vegetative practices have to be implemented immediately if land disturbing activities cease for 14 days. Since the SWPPP still contains the narrative of 7 days, and to avoid amending the plan for this one narrative, please just include the email and that will cover us until an amendment is made.

Thanks,

James J. (Jake) White, P.E.

Mississippi Power Company Environmental Affairs Office: (228) 897-6405 Radio: 15*3317

Cell: (228) 236-8999

Fax: (228) 897-6390

Post Office Box 4079 Gulfport, MS | 39502-4079