
-AI# 6387 Gn P20170001





BASELINE NOTICE OF INTENT (BNOT)

FOR COVERAGE UNDER THE BASELINE STORM WATER GENERAL NPDES PERMIT MSR00 2 327

(NUMBER TO BE ASSIGNED BY STATE)

INSTRUCTIONS

Applicant must be the owner or operator (i.e., legal entity that controls the facility's operation, or the plant/site manager, not the environmental consultant). The owner or operator that receives coverage is responsible for permit compliance. File at least 60 days prior to the commencement of the regulated industrial activity.

Submittals with this BNOI must include a Storm Water Pollution Prevention Plan (SWPPP) with the minimum components found in ACTs 5 and 6 of the Baseline Storm Water General Permit. In addition, a United States Geological Survey (USGS) quadrangle map (or a copy) showing site location and extending at least 1/2 mile beyond the site's property boundary is required. If a copy is submitted, provide the name of the quadrangle map that is found in the upper right hand corner. Maps can be obtained from the MDEQ, Office of Geology at 601-961-5523.

ALL FORM BLANKS MUST BE COMPLETED (enter "NA" if not applicable)

✓ OWNER	☐ OPERATOR (PLEASE CHECK ONE OR BOTH
OWNER	RINFORMATION
Applewhite	Position: Landfill Manager
y Disposal LLC	
Office Box 696	
	State: MS Zip: 39553
818-5393	Owner Email: rapplewhite@wasteprousa.com
ATOR INFORM	MATION (if different than owner)
	Position: NA
	State: NA Zip: NA
) NA	2117. 1171
	OWNER Applewhite Ey Disposal LLC t Office Box 696 818-5393

FACILITY INFORMATION

Facility Name: Talley Disposal	
Nature of Business (Include 4-digit Standard Industrial Classification Code (SIC) and description)
SIC Code: 4 9 5 3 Class I Rubbish Disposal Facility	, priorij.
Receiving Stream: Unnamed tributary of Little Bluff Creek	
Is receiving stream on MDEQ's 303(d) List?	☐ Yes ☑ No
Has a TMDL been established for the receiving stream segment?	☐ Yes ☑ No
Physical Site Address:	
Street: 13229 Seaman Road City: Vancleave	e
	39563
Zip:	
Latitude: 30 degrees 31 minutes 42 seconds Longitude: 88 degrees 4	minutes 12 seconds
County: Jackson Zip: Latitude: 30 degrees 31 minutes 42 seconds Longitude: 88 degrees 4 Method Used to Determine Lat & Long (GPS of plant entrance) or Map Interpolation): Map Interpolation	minutes 12 seconds terpolation

DOCUMENTATION OF COMPLIANCE WITH OTHER REGULATIONS/REQUIREMENTS

Is this notice for a facility t	hat will require other permits?	✓ Yes □ No
☐ Individual NPDES, or lis	☐ Air, ☐ Hazardous Waste, ☐ Pr st Other(s):	retreatment, Water State Operating,
Class I Solid Waste Rubbi	ish Certificate of Coverage R1-076	
How will sanitary sewage be	collected and treated? Portable toi	ilet with service discharge to POTW
Indicate any local storm wat approval.	er ordinance with which the facility	must comply and submit any documentation of
NA		
Is treatment of starring		
Is treatment of storm water p		✓ Yes □ No
If yes, please describe: Se	diment in stormwater is allowed to	settle out in sedimentation basins prior to
discharge	and the same wear to	settle out in sedimentation basins prior to
discharge at outfalls 001	and 002.	
gathering the information, the information	the person or persons who manage the rmation submitted is to the best of my k	prepared under my direction or supervision in erly gathered and evaluated the information system, or those persons directly responsible for mowledge and belief, true, accurate and complete. I
mpressiment for knowing violation	18.	and the possibility of fine and
10		
7/11/2000		10/1/-
ignature Must be signed by opera	ator when different than owner)	Date Signed
Jeil Wood		
rinted Name ¹		Director of Operations
his application -t. III		Title
For a corporation, by a respons	ording to the General Permit, ACT 14, T	T-9, as follows:
For a partnership, by a general	nartner	
FUT a sole proprietorship by th	0 mmonui-4-	
or a municipal, state or other	public facility, by principal executive of	ficer, the mayor, or ranking elected official.
4	ief, Environmental Permits Division	
MS	Department of Environmental Quality	Office of Pollection
PC	D. Box 2261	