


REV

MISSISSIPPI ASBESTOS DEMOLITION/RENOVATION NOTIFICATION FORM

Mail notification to: MDEQ Asbestos and Lead Branch, 515 E. Amite Street, Jackson, MS 39201

MDEQ Use Only: <input checked="" type="checkbox"/> Email <input type="checkbox"/> Mail <input type="checkbox"/> Hand Delivery		Postmark (mail only)	Date Received 02-05-2024	AI Number
I. Type of Notification (O=Original R=Revised C=Canceled A= Annual): R				
II. TYPE OF OPERATION (D=Demo O= Ordered Demo R=Renovation E=Emer. Renovation): R				
III. FACILITY DESCRIPTION (Include building name, number and floor or room number): AGAPE FELLOWSHIP CHURCH				
Bldg. Name: AGAPE FELLOWSHIP CHURCH				
Address: 4240 CARTER CIRCLE				
City: JACKSON		State: MS	Zip: 39209	
Site Location: Main Church roofs (Flat)			Tel: 601 594-8384	
Building Size: 25,000SF +/-		# of Floors: 2	Age in Years: 50 +	
Present Use: CHURCH		Prior Use: CHURCH		
IV. FACILITY INFORMATION (Identify owner, asbestos removal contractor, and other operator)				
OWNER NAME: AGAPE				
Address: 4240 CARTER CIRCLE				
City: JACKSON		State: MS	Zip: 39209	
Contact: SAM BOYD			Tel: 601 594-8384	
ASBESTOS REMOVAL CONTRACTOR: EMP				
Address: PO BOX 9361				
City: JACKSON		State: MS	Zip: 39286	
Contact: ALFRED MARTIN			Tel: 601 922-1919	
Certification Number: ABC 1568			Expiration Date: 3/16/24	
OTHER OPERATOR:				
Address:				
City:		State:	Zip:	
Contact:			Tel:	
V. WAS SITE INSPECTED TO DETERMINE PRESENCE OF ASBESTOS? (Yes/No): YES				
WAS ASBESTOS PRESENT? (Yes/No): YES			Inspection Date: 2/1/24	
Inspector: Dr. Alfred Martin		Certification Number: ABI 1570	Expiration Date: 3/16/24	
VI. SUSPECT MATERIALS SAMPLED AND PROCEDURES USED TO DETECT THE PRESENCE OF ASBESTOS MATERIAL:				
PLM				
Core roof				
Shingles and felt				
Flashing around penetrations and perimeter				
VII. QUANTITY OF RACM TO BE REMOVED:				
Pipes (LN FT):	Surface Area (SQ FT):		Volume of Facility Components (CU FT):	
VIII. QUANTITY OF NONFRIABLE ASBESTOS NOT REMOVED:				
Category I: Less than 160sf of flashing mastic (Flat roof)			Category II:	
IX. SCHEDULED DATES ASBESTOS REMOVAL (MM/DD/YY) Start: 2/2/24			Complete: 2/2/24	
X. SCHEDULED DATES DEMO/RENOVATION (MM/DD/YY) Start: Ongoing			Complete: Unsure	

XI. DESCRIPTION OF PLANNED DEMOLITION OR RENOVATION WORK, AND METHOD(S) TO BE USED:		
Roof replacement		
XII. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS OF ASBESTOS AT THE DEMOLITION OR RENOVATION SITE:		
Wet removal of mastic flashing. Properly bag. Dispose at MDEQ certified landfill		
XIII. WASTE TRANSPORTER #1		
Name: EMP		
Address: PO BOX 9361		
City: JACKSON	State: MS	Zip: 39286
Contact Person: ALFRED MARTIN	Tel: 601 922-1919	
WASTE TRANSPORTER #2		
Name:		
Address:		
City:	State:	Zip:
Contact Person:	Tel:	
XIV. WASTE DISPOSAL SITE		
Name: Little Dixie		
Address: 1716 County Line Road		
City: Ridgeland	State: MS	Zip: 39157
Contact Person: Howard Peterson	Tel: 601982-9488	
XV. IF DEMOLITION ORDERED BY A GOVERNMENT AGENCY, PLEASE IDENTIFY THE AGENCY BELOW:		
Name:	Title:	
Authority:		
Date of Order (MM/DD/YY):	Date Ordered to Begin (MM/DD/YY):	
XVI. FOR EMERGENCY RENOVATIONS:		
Date and Hour of Emergency (MM/DD/YY):		
Description of the sudden unexpected event:		
Explanation of how the event caused unsafe conditions or would cause equipment damage or an unreasonable financial burden:		
XVII. DESCRIPTION OF PROCEDURES TO BE FOLLOWED IN THE EVENT THAT UNEXPECTED ASBESTOS IS FOUND OR PREVIOUSLY NONFRIABLE ASBESTOS MATERIAL BECOMES CRUMBLED, PULVERIZED, OR REDUCED TO POWDER:		
STOP WORK AND SAMPLE. AWAIT LAB RESULTS		
XVIII. I CERTIFY THAT AN INDIVIDUAL TRAINED IN THE PROVISIONS OF THIS REGULATION (40 CFR PART 61, SUBPART M) WILL BE ONSITE DURING THE DEMOLITION OR RENOVATION, AND EVIDENCE THAT THE REQUIRED TRAINING HAS BEEN ACCOMPLISHED BY THIS PERSON WILL BE AVAILABLE FOR INSPECTION DURING NORMAL BUSINESS HOURS.		
ALFRED MARTIN, PHD		2/5/24
Type or Print Name	(Signature of Owner/Operator)	(Date)
XIX. I CERTIFY THAT THE ABOVE INFORMATION IS CORRECT.		
ALFRED MARTIN, PHD.		2/5/24
Type or Print Name	(Signature of Owner/Operator)	(Date)



Environmental Management Plus, Inc.

February 2, 2024

Ms. Wilma Boyd
Agape Fellowship Church
4240 Carter Circle
Jackson, MS 39209

RE: Asbestos Inspection Roof Results;

Dear Ms. Boyd:

On January 31, 2024, Environmental Management Plus, Inc., a MDEQ certified asbestos inspection company conducted a roof asbestos inspection at the above referenced property. Please see the inspection results below:

ASBESTOS SURVEY:

Agape Fellowship Church and Fellowship Building
4240 Carter Circle
Jackson, MS 39209

Sample #	Description	Results
01	Felt under Shingles; Pitched Roof	NAD
02	Shingles; Pitched Roof	NAD
03A	Core - Layer 1; Flat Roof	NAD
03B	Core- Layer 2; Flat Roof	NAD
03C	Core- Layer 3; Flat Roof	NAD
03D	Core-Layer 4; Flat Roof	NAD
04	Mastic Flashing on Penetrations; Flat Roof	NAD
05	Mastic Flashing on Perimeter Parapet (SE End); Flat Roof	YES
	FAMILY LIFE CENTER	
06A	Core - Layer 1; Flat Roof	NAD
06B	Core- Layer 2; Flat Roof	NAD
06C	Core- Layer 3; Flat Roof	NAD
06D	Core-Layer 4; Flat Roof	NAD
07	Mastic Flashing on Penetrations	NAD

NOTES:

1. NAD -No Asbestos Detected, Lab Analysis included

Mailing Address: P.O. Box 9361 | Jackson, MS 39286-9361

Office Address: 6520 Dogwood View Parkway; Suite B | Jackson, MS 39213-9361

Office: (601) 922-1919 **Email:** info@envmgntplus.com



www.envmgntplus.com

PAGE -2-

Agape Fellowship Church

As you will note, asbestos containing materials (ACM) were detected on the southeast end of the parapet wall of the flat section of the roof. Therefore, asbestos response actions may be required. If your upcoming work will disturb the ACM, then you must first abate the materials. EMP can assist you with this.

The survey was conducted by MDEQ Certified Asbestos Inspector Alfred Martin, Ph.D. #ABI-1570 expiration 3/17/24. If there are any questions, please do not hesitate to give me a call at (601) 922-1919 or alfred@envmntplus.com.

Sincerely,

A handwritten signature in blue ink that reads "Alfred Martin, Ph.D.".

Alfred Martin, Ph.D.
Senior Project Manager

ATTACHMENT A: LABORATORY ANALYSIS



Environmental Hazards Services, L.L.C.
7469 Whitepine Rd
Richmond, VA 23237
Telephone: 800.347.4010

Asbestos Bulk Analysis Report

Client: Environmental Management Plus
P.O. Box 9361
Jackson, MS 39286-9361

Report Number: 24-02-00040

Received Date: 02/01/2024
Analyzed Date: 02/01/2024
Reported Date: 02/01/2024

Project/Test Address: Agape Church; Carter, St; Jackson, MS

Client Number:
25-1757

Fax Number:
601-922-1979

Laboratory Results

Lab Sample Number	Client Sample Number	Layer Type	Lab Gross Description	Asbestos	Other Materials
24-02-00040-001	01		Black Tar-Like Fibrous; Homogeneous	NAD	55% Cellulose 45% Non-Fibrous
24-02-00040-002	02		Gray/Green Aggregate; Black Tar-Like; Black Tar-Like Fibrous; Inhomogeneous	NAD	5% Cellulose 15% Fibrous Glass 80% Non-Fibrous
24-02-00040-003A	03	Other *	Gray Aggregate; Black Tar-Like; Black Tar-Like Fibrous; Inhomogeneous	NAD	5% Cellulose 10% Fibrous Glass 15% Synthetic 70% Non-Fibrous
*Roofing I					
24-02-00040-003B	03	Other *	Gray/Green Aggregate; Black Tar-Like; Black Tar-Like Fibrous; Inhomogeneous	NAD	5% Cellulose 15% Synthetic 80% Non-Fibrous
*Roofing II					

Environmental Hazards Services, L.L.C

Client Number: 25-1757

Report Number: 24-02-00040

Project/Test Address: Agape Church; Carter, St; Jackson, MS

Lab Sample Number	Client Sample Number	Layer Type	Lab Gross Description	Asbestos	Other Materials
24-02-00040-003C	03	Other *	Black Brittle Tar-Like; Black Tar-Like Fibrous; Inhomogeneous	NAD	5% Cellulose 15% Fibrous Glass 80% Non-Fibrous
*Roofing III					
24-02-00040-003D	03	Other *	Gray Aggregate; Black Brittle Tar-Like; Black Tar- Like Fibrous; Brown Fibrous; Inhomogeneous	NAD	35% Cellulose 5% Fibrous Glass 60% Non-Fibrous
*Roofing IV					
24-02-00040-004	04		White Pliable; Black Tar- Like; Inhomogeneous	NAD	15% Cellulose 85% Non-Fibrous
24-02-00040-005	05		Dark Gray-Black Pliable; Black Tar-Like; Inhomogeneous	3% Chrysotile	15% Cellulose 82% Non-Fibrous
Total Asbestos: 3%					
Unable to cleanly separate materials					
24-02-00040-006A	06	Other *	Gray-Brown Aggregate; Black Tar-Like; Black Tar- Like Fibrous; Inhomogeneous	NAD	5% Cellulose 15% Synthetic 80% Non-Fibrous
*Roofing I					
24-02-00040-006B	06	Other *	Gray/Green Aggregate; Black Tar-Like; Black Tar- Like Fibrous; Inhomogeneous	NAD	5% Cellulose 15% Fibrous Glass 80% Non-Fibrous
*Roofing II					
24-02-00040-006C	06	Other *	Gray Aggregate; Black Brittle Tar-Like; Black Tar- Like Fibrous; Brown Fibrous; Inhomogeneous	NAD	45% Cellulose 5% Fibrous Glass 50% Non-Fibrous
*Roofing III					

Environmental Hazards Services, L.L.C

Client Number: 25-1757

Report Number: 24-02-00040

Project/Test Address: Agape Church; Carter, St; Jackson, MS

Lab Sample Number	Client Sample Number	Layer Type	Lab Gross Description	Asbestos	Other Materials
24-02-00040-007	07		White Pliable; Black Tar-Like; Inhomogeneous	NAD	15% Cellulose 85% Non-Fibrous

QC Sample: 100-M12014-2


QC Blank: SRM 1866 Fiberglass

Reporting Limit: 1% Asbestos

Method: EPA Method 600/R-93/116, EPA Method 600/M4-82-020

Analyst: Meredith Outlaw

Reviewed By Authorized Signatory:



Tasha Eaddy
QA/QC Clerk

These results are based on a comparative visual estimate. The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Each distinct component in an inhomogeneous sample was analyzed separately and reported as a composite. Results represent the analysis of samples submitted by the client. Sample location, description, area, volume, etc., was provided by the client. This report cannot be used by the client to claim product endorsement by NVLAP or any agency of the U.S. Government. This report shall not be reproduced except in full, without the written consent of the Environmental Hazards Service, L.L.C. California Certification #2319 NY ELAP #11714 NVLAP #101882-0 VELAP 460172. All information concerning sampling location, date, and time can be found on Chain-of-Custody. Environmental Hazards Services, L.L.C. does not perform any sample collection.

Environmental Hazards Services, L.L.C. recommends reanalysis by point count (for more accurate quantification) or Transmission Electron Microscopy (TEM), (for enhanced detection capabilities) for materials regulated by EPA NESHAP (National Emission Standards for Hazardous Air Pollutants) and found to contain less than ten percent (<10%) asbestos by polarized light microscopy (PLM). Both services are available for an additional fee.

400 Point Count Analysis, where noted, performed per EPA Method 600/R-93/116 with a Reporting Limit of 0.25%.

* All California samples analyzed by Polarized Light Microscopy, EPA Method 600/M4-82-020, Dec. 1982.

LEGEND: NAD = no asbestos detected

ENVIRONMENTAL HAZARDS SERVICES, LLC

Asbestos Chain of Custody Form

Page ____ of ____

Company Name				EMP				Account #				25-1757			
Company Address				6520 Dogwood View Parkway Ste B				City/State/Zip				Jackson, MS 39213			
Phone				601 922-1919				Email				alfred@envmntplus.com			
Project Name/Test Address				Agape Church				Cable St.				Jackson, MS			
PO Number								Collected By							
Turn-Around Time				<input type="radio"/> 5 Day <input type="radio"/> 3 Day <input type="radio"/> 2 Day <input type="radio"/> 1 Day <input checked="" type="radio"/> Same Day / Weekend - Must Call Ahead											
<input type="checkbox"/> PLM New York Protocol				<input type="checkbox"/> PLM New Jersey Protocol				<input type="checkbox"/> PLM South Carolina Protocol							

LAB NUMBER	Client Sample ID	Homogeneous Area	Positive Stop	Collection Date & Time	BULK			AIR					COMMENTS	
					PLM	Point Count 400	Point Count 1000	TEM Bulk	PCM	TEM AHERA	NIOSH 7402	Time In Total Minutes		Flow Rate In L/Min
1	01 - Jett			1/31/24	X									main
2	02 - Shingles			1/31/24	X									main
3	03 - Core		X	1/31/24	X									main Flat-Basil
4	04 - Flashing			1/31/24	X									main Penetrations
5	05 - masher			1/31/24	X									main Perimeter
6	06 - Core			1/31/24	X									Family Life
7	07 - Flashing			1/31/24	X									Family Life - Penetrations
8														
9														
10														
11														
12														
13														
14														
15														

Released By:	DM	Date:	1/31/24	Time:	4pm
Signature:	DM				

LAB USE ONLY - BELOW THIS LINE


Received By: DBauer

Signature: [Signature]

Date: 2.1.24 Time: 1046 ☐ AM ☐ PM

☐ Portal Contact Added

24-02-00040



Due Date: MO
02/01/2024
(Thursday)
AE

51

7PLM

ATTACHMENT B: MDEQ CERTIFICATION

State of Mississippi

*Department of Environmental Quality
Office of Pollution Control*

Certificate of Licensure

In accordance with the Asbestos Abatement Accreditation and Certification Act.
Enacted as 1989 Mississippi Law, Chapter 505

Be it known that

Alfred L Martin Ph.D.

Having submitted acceptable evidence of qualifications and
training and other appropriate information, is hereby granted this

*Asbestos Inspector
Certification*



Chief, Asbestos & Lead Branch

*Certificate No.: ABI-00001570
Expiration Date: Mar 17th, 2024
Training Expires on Mar 17th, 2024*

40703 LIC20230004

