

MISSISSIPPI ASBESTOS DEMOLITION/RENOVATION NOTIFICATION FORM

Mail notification to: MDEQ Asbestos and Lead Branch, 515 E. Amite Street, Jackson, MS 39201

MDEQ Use Only: <input checked="" type="checkbox"/> Email <input type="checkbox"/> Mail <input type="checkbox"/> Hand Delivery	Postmark (mail only) 01/06/2025	Date Received 01/06/2025	AI Number
I. Type of Notification (O=Original R=Revised C=Canceled A= Annual): O			
II. TYPE OF OPERATION (D=Demo O= Ordered Demo R=Renovation E=Emer. Renovation): D			
III. FACILITY DESCRIPTION (Include building name, number and floor or room number): Bldg. Name: Residential House Address: 6762 HARRY S TRUMAN DRIVE City: JACKSON State: MS Zip: 39213 Site Location: Same as above Tel: _____ Building Size: 1,343 # of Floors: 1 Age in Years: 54 Present Use: N/A Prior Use: N/A			
IV. FACILITY INFORMATION (Identify owner, asbestos removal contractor, and other operator)			
OWNER NAME: WEATHERSBY MELINDA Address: 6762 HARRY S TRUMAN DRIVE City: JACKSON State: MS Zip: 39213 Contact: City of Jackson Tel: 601-960-1054 or 601-960-1066			
ASBESTOS REMOVAL CONTRACTOR: Dennis Love ENTERPRISES, LLC Address: 6341 Ashley DR. City: JACKSON State: MS Zip: 39211 Contact: Dennis Love Tel: 601-940-6884 Certification Number: ABC-0001930 Expiration Date: 8-15-25			
OTHER OPERATOR: Fair Seasons Enterprise Address: 5822 Canton Park Dr. City: JACKSON State: MS Zip: 39211 Contact: Robert Love Tel: 601-331-2828			
V. WAS SITE INSPECTED TO DETERMINE PRESENCE OF ASBESTOS? (Yes/No): YES			
WAS ASBESTOS PRESENT? (Yes/No): YES Inspection Date: 04/24/2004 2024			
Inspector: Robert Brunson Certification Number: ABI-00008315 Expiration Date: 10/27/2025 10/27/2024			
VI. SUSPECT MATERIALS SAMPLED AND PROCEDURES USED TO DETECT THE PRESENCE OF ASBESTOS MATERIAL: EPA 600/R-93-116 BULK POLARIZED LIGHT MICROSCOPY (EMSL) MORTAR, SIDING, SIDING FELT, SHINGLE, FELT, INSULATION (HOMO), SHEETROCK (HOMO), BURN DEBRIS(HALLWAY), BURN DEBRIS (BEDROOM), FLOOR TILE (HOMO TO KITCHEN 6x 10)			
VII. QUANTITY OF RACM TO BE REMOVED: 0			
Pipes (LN FT): 0 Surface Area (SQ FT): _____ Volume of Facility Components (CU FT): 1350			
VIII. QUANTITY OF NONFRIABLE ASBESTOS NOT REMOVED: 0			
Category I: _____ Category II: _____			
IX. SCHEDULED DATES ASBESTOS REMOVAL (MM/DD/YY) Start: 1-18-25 Complete: 1-21-25			
X. SCHEDULED DATES DEMO/RENOVATION (MM/DD/YY) Start: 1-23-25 Complete: 1-29-25			

XI. DESCRIPTION OF PLANNED DEMOLITION OR RENOVATION WORK, AND METHOD(S) TO BE USED:

Demolish and Remove Remaining Dilapidated House, TRASH, Debris
Cut GRASS + weeds if Needed.

XII. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS OF ASBESTOS AT THE DEMOLITION OR RENOVATION SITE:

Wet Method + Remove Intact

XIII. WASTE TRANSPORTER #1

Name: Robert love

Address: 5922 Canton Park Dr

City: JACKSON

State: MS.

Zip: 39211

Contact Person: Robert love

Tel: 601-331-2828

WASTE TRANSPORTER #2

Name: () ()

Address:

City:

State:

Zip:

Contact Person:

Tel:

XIV. WASTE DISPOSAL SITE

Name: Little Dixie Landfill

Address: 1716 E. Countyline Rd

City: JACKSON

State: MS.

Zip: 39157

Contact Person: SAMANTHA

Tel: 601-982-9488

XV. IF DEMOLITION ORDERED BY A GOVERNMENT AGENCY, PLEASE IDENTIFY THE AGENCY BELOW:

Name: SAMANTHA GRAVES

Title: MANAGER

Authority: City of Jackson

Date of Order (MM/DD/YY): 4/5/2024

Date Ordered to Begin (MM/DD/YY):

XVI. FOR EMERGENCY RENOVATIONS: NA

Date and Hour of Emergency (MM/DD/YY): NA

Description of the sudden unexpected event:

NA

Explanation of how the event caused unsafe conditions or would cause equipment damage or an unreasonable financial burden:

NA

XVII. DESCRIPTION OF PROCEDURES TO BE FOLLOWED IN THE EVENT THAT UNEXPECTED ASBESTOS IS FOUND OR PREVIOUSLY NONFRIABLE ASBESTOS MATERIAL BECOMES CRUMBLLED, PULVERIZED, OR REDUCED TO POWDER:

CONTAIN + Seal off, WORK Area, Wet Materials, Utilize Negative
AIR, chela Filtered Equipment As Necessary Asbestos BAGS

XVIII. I CERTIFY THAT AN INDIVIDUAL TRAINED IN THE PROVISIONS OF THIS REGULATION (40 CFR PART 61, SUBPART M) WILL BE ONSITE DURING THE DEMOLITION OR RENOVATION, AND EVIDENCE THAT THE REQUIRED TRAINING HAS BEEN ACCOMPLISHED BY THIS PERSON WILL BE AVAILABLE FOR INSPECTION DURING NORMAL BUSINESS HOURS.

Dennis love

Type or Print Name

Dennis love

(Signature of Owner/Operator)

1-4-2025

(Date)

XIX. I CERTIFY THAT THE ABOVE INFORMATION IS CORRECT:

Robert love

Type or Print Name

Robert love

(Signature of Owner/Operator)

1-6-2025

(Date)



24041816



Environmental Analytical Services, LLC

13201 Northwest Freeway, Suite 520
Houston, Texas 77040
(713) 343-4017 Fax (713) 934-9942
www.easlabs.com, arthur@easlabs.com
facebook.com/easlabs

* Job ID 24041816

CHAIN OF CUSTODY



Bulk Sample Data

Client Name / Address: CITY OF JACKSON 200 S PRESIDENT ST JACKSON, MS 39201	Project Name: 6762 HARRY S. TRUMAN DRIVE	City of Jackson
Quantity / Analysis Requested: 10	Project Number: CE-23-1299	EAS PO Number: (if applicable)

Turnaround Time: 2 Hour 8 Hour 24 Hour
 2 Day 3 Day 5 Day (Routine) Other: (Specify) _____

(Note: All turnaround times are based on the date / time the sample is received by the laboratory)

Contact: ROBERT BRUNSON Phone: 601-960-1054
E-mail: rbrunson@jacksonms.gov / lgrant@city.jackson.ms.us

Special Instructions:

#	Location	Sample Description (or see attached description)
1	EXTERIOR FRONT WALL BRICK	MORTAR
2	EXTERIOR WALL	SIDING
3	EXTERIOR WALL	SIDING FELT
4	ROOFING	SHINGLE
5	ROOFING	FELT
6	HALLWAY CEILING 4' X 8'	INSULATION (HOMO)
7	HALLWAY CEILING 4' X 8'	SHEETROCK (HOMO)
8	HALLWAY	BURN DEBRIS
9	REAR BEDROOM	BURN DEBRIS
10	LAUNDRY ROOM 8' X 8'	FLOOR TILE (HOMO TO KITCHEN 6X10)
STRUCTURE APPROXIMATELY 45X30		

Relinquished By: <i>Robert Brunson</i> Date/Time: <i>4/12/24</i>	Accepted By: <i>CR</i> Date/Time: <i>4-18-24 2920</i>
---	--



**Environmental
Analytical
Services, LLC**

13201 Northwest Freeway, Suite 520
Houston, Texas 77040
phone 713-343-4017 | fax 713-934-9942
www.easlabs.com | facebook.com/easlabs | info@easlabs.com

**Test: EPA 600/R-93/116
Polarized Light Microscopy**

Client Information:

City of Jackson
200 S President St
Jackson, MS 39201
Phone: 601-960-1054
E-Mail: rbrunson@city.jackson.ms.us

Project:

6762 Harry S. Truman Drive

CE-23-1299

EAS Job: 24041816

Attn: Robert Brunson

Date Analyzed: 04/24/2024 05:15 PM

Date Received: 04/18/2024 09:20 AM

TAT Requested: 3 Days

Microscope: Olympus-CH-40

Sample # Lab ID #	Layer	Sample Description	Asbestos Detected (Yes/No)	Asbestos Mineral Percent	Non-Asbestos Fibers	Non-Fibrous Material
1 24041816.01	A	Brown/Gray Granular Mortar Homogeneous	NO	None Detected		Sand / Aggregates 80% Binders 20%
2 24041816.02	A	Gray Fibrous/Granular Transite Siding Non-Homogeneous	YES	Chrysotile 40%		Other Non-Fibrous 60%
3 24041816.03	A	Black Fibrous/Tar Felt Paper Non-Homogeneous	NO	None Detected	Cellulose 60%	Adhesive 40%
4 24041816.04	A	Black Fibrous/Granular/Tar Roofing Shingle Non-Homogeneous	NO	None Detected	Cellulose 20% Fiberglass 20%	Asphaltic Matrix 60%
5 24041816.05	A	Black Fibrous/Tar Felt Paper Non-Homogeneous	NO	None Detected	Cellulose 60%	Adhesive 40%

NVLAP Lab Code: 200784-0

TDSHS License No. 300373

LDEQ LELAP Certificate No: 04161, Agency Interest No. 149571

Notes:

Some samples (floor tiles, surfacing, etc.) may contain fibers too small to be detectable by PLM. TEM Chatfield analysis of bulk material is recommended in this case. All asbestos percentages are based on calibrated visual estimates traceable to NIST standards for regulated asbestos types. Analysts' percentages fall within a range of acceptable percentages, depending on the actual concentration of asbestos. This test report relates only to the items tested. This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government. This report may not be reproduced except in full without permission from Environmental Analytical Services.

These results are submitted pursuant to EAS' current terms of sale, including the company's standard warranty and limitation of liability provisions and no responsibility or liability is assumed for the manner in which the results are used or interpreted. Unless notified in writing to return the samples covered by this report, EAS will store the samples for a period of ninety (90) days before discarding. Percent ranges reported are estimates and not absolute percent range values.

Analyzed By:

Clint Mathews

Approved Signatory:

Clint Mathews



**Environmental
Analytical
Services, LLC**

13201 Northwest Freeway, Suite 520
Houston, Texas 77040
phone 713-343-4017 | fax 713-934-9942
www.easlabs.com | facebook.com/easlabs | info@easlabs.com

**Test: EPA 600/R-93/116
Polarized Light Microscopy**

Client Information:

City of Jackson
200 S President St
Jackson, MS 39201
Phone: 601-960-1054
E-Mail: rbrunson@city.jackson.ms.us

Project:

6762 Harry S. Truman Drive

CE-23-1299

EAS Job: 24041816

Attn: Robert Brunson

Date Analyzed: 04/24/2024 05:15 PM

Date Received: 04/18/2024 09:20 AM

TAT Requested: 3 Days

Microscope: Olympus-CH-40

Sample # Lab ID #	Layer	Sample Description	Asbestos Detected (Yes/No)	Asbestos Mineral Percent	Non-Asbestos Fibers	Non-Fibrous Material
6 24041816.06	A	Black/Pink Fibrous Insulation Homogeneous	NO	None Detected	Fiberglass 100%	
7 24041816.07	A	White Fibrous Sheetrock Homogeneous	NO	None Detected	Cellulose 30%	Gypsum 70%
8 24041816.08	A	Black Fibrous/Granular/Tar Roofing Shingle Non-Homogeneous	NO	None Detected	Cellulose 20% Fiberglass 20%	Asphaltic Matrix 60%
9 24041816.09	A	Black Fibrous/Granular/Tar Roofing Shingles Non-Homogeneous	NO	None Detected	Cellulose 20% Fiberglass 20%	Asphaltic Matrix 60%
10 24041816.10	A	Tan Granular Floor Tile Homogeneous	YES	Chrysotile 2%		Other Non-Fibrous 98%

NVLAP Lab Code: 200784-0

TDSHS License No. 300373

LDEQ LELAP Certificate No: 04161, Agency Interest No. 149571

Notes:

Some samples (floor tiles, surfacing, etc.) may contain fibers too small to be detectable by PLM. TEM/Charfield analysis of bulk material is recommended in this case. All asbestos percentages are based on calibrated visual estimates traceable to NIST standards for regulated asbestos types. Analysts' percentages fall within a range of acceptable percentages, depending on the actual concentration of asbestos. This test report relates only to the items tested. This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government. This report may not be reproduced except in full without permission from Environmental Analytical Services.

These results are submitted pursuant to EAS' current terms of sale, including the company's standard warranty and limitation of liability provisions and no responsibility or liability is assumed for the manner in which the results are used or interpreted. Unless notified in writing to return the samples covered by this report, EAS will store the samples for a period of ninety (90) days before discarding. Percent ranges reported are estimates and not absolute percent range values.

Analyzed By:

Clint Mathews

Approved Signatory:

Clint Mathews