
#1: 87437 Recd nard cory 04/15/25



(NUMBER TO BE ASSIGNED BY STATE)

APPLICANT IS THE: OWNER OPERATOR			
OWNER CONTACT INFORMATION			
OWNER CONTACT PERSON: Margum Formily UC			
OWNER COMPANY LEGAL NAME:			
OWNER STREET OR P. O. BOX: 216 Rochward 18d.			
OWNER CITY: Star STATE: MS ZIP: 39167			
OWNER PHONE #: (601) 590 - 59/6 OWNER EMAIL:			
OPERATOR CONTACT INFORMATION			
OPERATOR CONTACT PERSON:			
OPERATOR COMPANY LEGAL NAME: Pierce Corptantion: Contract howling			
OPERATOR STREET OR P. O. BOX: 2866 Hwy 494			
OPERATOR CITY: Union STATE: MS ZIP: 39365			
OPERATOR PHONE #: (601) 774-900 SPERATOR EMAIL: Pres & Conde Comail, com			
MINE INFORMATION			
MINE NAME: Star Pit			
MINE SITE ADDRESS (If the physical address is not available, please indicate nearest named road.)			
Street: Stor Rel City: Stor State: M3 County: Ronkin Zip: 39/67			
NE 4 OF NE 4 OF SECTION 13, TOWNSHIP 31, RANGE 26			
MINE SITE TRIBAL LAND ID (N/A If not applicable):			
ATTACH A USGS QUAD MAP, EXTENDING ½ MILE BEYOND FACILITY, OUTLINING THE MINE BOUNDARIES (Maps can be obtained from the Mississippi Office of Geology. For information call 601-961-5523).			
LATITUDE: 32 degrees 26 minutes 05 seconds LONGITUDE: 90 degrees 02 minutes 35 seconds			
LAT & LONG DATA SOURCE (GPS (Please GPS Entrance Gate) or Map Interpolation):			
TOTAL ACREAGE (Previous 25) 40 MATERIAL TO BE MINED: SAND Diet			
WILL HYDRAULIC DREDGING BE USED? WASHING OF SAND/GRAVEL? YES NO YES NO			

ESTIMATED START DATE:YYYY-MM-DD	ESTIMATED END DATE: $\frac{10/200}{\text{YYYY-MM-DD}}$
SIC CODE	NAICS CODE
RECEIVING ST	TREAM INFORMATION
NEAREST NAMED RECEIVING STREAM:	
IS RECEIVING STREAM ON MISSISSIPPI'S 303(D) LIBODIES? (The 303(d) list of impaired waters and TMDL http://www.deq.state.ms.us/MDEQ.nsf/page/TW	stream segments may be found of MDEQ's website: ' /B_Total_Maximum_Daily_Load_Section)
HAS A TMDL BEEN ESTABLISED FOR THE RECEIV	
COMPLETE IF STORM W	ATER DISCHARGE IS PROPOSED
ATTACH A STORM WATER POLLUTION PREVENT IDENTIFY THE ASSOCIATION OR GENERIC SWPPI	
	TEWATER RECIRCULATION DISCHARGE IS PROPOSED
DISTANCE BETWEEN RECIRCULATION POND(S) A (MUST BE AT LEAST 150 FEET) NUMBER OF RECIRCULATION POND(S):	_ WVA
STORAGE CAPACITY OF EACH RECIRCULATION	POND(S):(FT ³)
COMPLETE IF MINE	DEWATERING IS PROPOSED
ESTIMATED DEWATERING VOLUME:	(GAL/DAY) N/A
NAME AND ADDRESS OF THE RECIPIENT OF THE DIFFERENT FROM SIGNATORY:	DISCHARGE MONITORING REPORTS (DMRs), IF

DOCUMENTATION OF COMPLIANCE WITH OTHER REGULATIONS/REQUIREMENTS 'Coverage under this general permit will not be granted until all other required MDEQ permits and approvals are addressed.

WILL THE CONSTRUCTION OR OPERATION OF THIS MINE INVOLVE THE RE-ROUTING, FILLING OR CROSSING OF A WATER CONVEYANCE OF ANY KIND? YES NO			
If yes, contact the U.S. Army Corps of Engineers Regulatory Branch for permitting requirements. If the mine requires a Corps of Engineers Section 404 permit, provide appropriate documentation with this MNOI that:			
 The mine has been approved by individual permit, or The work will be covered by a nationwide permit and NO NOTIFICATION to the Corps is required, or The work will be covered by a nationwide or general permit and NOTIFICATION to the Corps is required. 			
LIST ANY NPDES PERMIT NO(s). MSR 32306 GEOLOGY APPLICATION/PERMIT NO.			
LIST OTHER GEOLOGY PERMIT NUMBERS THAT APPLY TO COVERAGE AREA			
IS THE MINE LESS THAN 4 ACRES AND GREATER THAN 1320 FEET FROM ANOTHER MINE?			
	empt Operations" Form must be included water to the Office of Geology.	with the MNOI or proof of prior submission,	
NO A "Notice of Int General Permit.	ent to Mine Class I or Class II Materials" F For information on Office of Geology requ	Form must be filed before coverage will be granted under the Mining uirements, call 601-961-5515.	
LIST ANY LOCAL STORM WATER ORDINANCES WITH WHICH THE OPERATIONS MUST COMPLY AND SUBMIT ANY			
ASSOCIATED APPROVAL DOCUMENTATION. NIA			
IF IMPOUNDMENTS WILL BE CONSTRUCTED ABOVE NATURAL SURFACE ELEVATIONS, INDICATE WHICH, IF ANY, OF THE FOLLOWING APPLY.			
The impoundment will be constructed with a peripheral dam or levee 8 feet or greater in height, measured from the lowest elevation of its toe.			
The impoundment will have a maximum storage volume greater than 25 acre-feet.			
The impoundment will impound a watercourse with a continuous flow.			
The impoundment has the potential to threaten downstream lives or man-made structures.			
If <u>any</u> of the impoundments meet any of the above criteria, the applicant will be required to obtain written authorization from MDEQ, Dam Safety Division before coverage will be granted under the Mining General Permit.			
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.			
Come De	·	3/25/25 Date Owny6	
Authorized Signature ¹	<u> </u>	Date	
Crance	Presce	Ow ny6	
Printed Name	•	Title	
This application shall be signed according to the General Permit, Act 15, T-4 as follows: For a corporation, by a responsible corporate officer. For a partnership, by a general partner. For a sole proprietorship, by the proprietor. For a municipal, state or other public facility, by either a principal executive officer, the mayor, or ranking elected official. Duly Authorized Representative			
Please submit this form to:	Chief, Environmental Permits Division MDEQ, Office of Pollution Control P.O. Box 2261 Jackson, Mississippi 39225		

STORMWATER POLLUTION PLAN(SWPPP)

SITE INFORMATION: The mining of dirt and associated roads will disturb approximately 25 acres. This site will be a minimal erosion hazard as we are only leveling the tops of hills, we will not be digging a hole or affecting any existing drainage. This site will drain to the East and Southeast, and the property as a whole drains North. Army Corp. of Engineers were notified and created a MVK-2025-84. They looked at this job on 3 separate occasions and determined that a section 10/404 permit is not required at this location. They also saw no problems with us mining at this location where we are working, they said there could be some concerns North of us a ways, however we are not moving North. We will only be moving West and South.

VEGETATIVE CONTROLS: A 50-foot undisturbed vegetative buffer will be maintained around the perimeter of the site. Existing trees will be preserved where possible. All diversions will be seeded within 7 days of construction. Any disturbed areas that will be left undisturbed for 30 days or more will be temporarily seeded with 7 calendar days. After final grading all disturbed areas will be permanently seeded with a mixture of Rye and Bahia seed at 50 pounds per acre immediately. We will keep a tractor and pan on site for this project for reclamation purposes, the reclamation will stay concurrent with the mining.

STRUCTURE CONTROLS: Silt fences, hay, seed, brush barriers or some combination thereof will be installed at any stormwater entrances and slopes. All topsoil stockpiles will be immediately temporary seeded and completely surrounded with silt fence. We will mine from East to West in this project so water will be forced to fall East and South East. We are leveling the tops of hills so we will not be disturbing or rerouting any waterways.

HOUSEKEEPING PRACTICES: All truck and equipment maintenance and repair will be done off site. Trash cans will be placed at accessible locations throughout the site. Toxic materials will not be stored on site. Portable sanitary facilities will be provided for construction workers. There will be no concrete, stucco, washouts construction materials, soaps, solvents, oils, wastewater from sanitary facilities on this project.

POST CONSTRUCTION/STORMWATER MANAGEMENT MEASURES: Grass, hay, rip rap, brush barriers or some combination thereof will be used at any concentrated stormwater discharge points to prevent erosion. IMPLEMENTATION SEQUENCE: 1-Build construction entrance/exit It shall be maintained in a condition which will prevent tracking or flow of mud onto public road. This will require periodic top dressing with 1.5-3.5-inch stone. Sweep paved roads daily to remove dirt and stone. See attached. 2-contur and rip rap intermittent drainage. 3-Rough grade site, construct diversions for drainage ways. 4-Install silt fences and hay 5-plant any needed temporary vegetation on disturbed areas. 6-After site is stabilized remove all temporary measures and vegetate these areas. All slopes will be no greater than 3:1

MAINTENANCE PLAN: Check all disturbed areas and erosion controls after each significant rainfall, but not less than once a week. Make all needed repairs within 24 hours of inspection. Replace all nonfunctional silt fences immediately. Maintain all vegetated areas by reseeding, fertilizing, and mulching as needed. Remove sediment from silt fences when it has reached 1/3 of capacity.





File at least 30 days prior to the commencement of mining; 15 days if a Storm Water Pollution Prevention Plan (SWPPP) is already on file and mine dewatering is <u>not</u> proposed. Lateral expansion of an existing mine that has general permit coverage requires the submittal of the Major Modification Form, not a new MNOI. However, modification of the existing SWPPP to include the expansion is required. <u>Discharge of storm water or impounded water associated with mining or the operation of a wastewater recirculation system with no discharge without written notification of coverage from MDEQ is a violation of State Law.</u>

If the company seeking coverage is a corporation, a limited liability company, a partnership, or a business trust, attach proof of its registration with the Mississippi Secretary of State and/or its Certificate of Good Standing. This registration or Certificate of Good Standing must be dated within twelve (12) months of the date of the submittal of this coverage form. Coverage will be issued in the company name as it is registered with the Mississippi Secretary of State.

RECEIVED

APR 15 2025

Dept. Reference on the period of th