

MISSISSIPPI ASBESTOS DEMOLITION/RENOVATION NOTIFICATION FORM

Mail notification to: MDEQ Asbestos and Lead Branch, 515 E. Amite Street, Jackson, MS 39201

MDEQ Use Only: <input checked="" type="checkbox"/> Email <input type="checkbox"/> Mail <input type="checkbox"/> Hand Delivery		Postmark (mail only)	Date Received 5/08/2025	AI Number
I. Type of Notification (O=Original R=Revised C=Canceled A= Annual) O				
II. TYPE OF OPERATION (D=Demo O= Ordered Demo R=Renovation E=Emer. Renovation) R				
III. FACILITY DESCRIPTION (Include building name, number and floor or room number)				
Bldg. Name: MOUND BAYOU APTS.				
Address 1707 MARTIN LUTHER KING STREET				
City: MOUND BAYOU		State: MS	Zip: 38762	County: BOLIVER
Site Location: ENTIRE FLOOR			Tel: 662-588-7350	
Building Size 780 SQ.FT.		# of Floors: 1	Age in Years: 50	
Present Use: RESIDENTIAL		Prior Use: RESIDENTIAL		
IV. FACILITY INFORMATION (Identify owner, asbestos removal contractor, and other operator)				
OWNER NAME: MISSISSIPPI HOUSING AUTHORITY				
Address: 416 MARTIN LUTHER KING STREET				
City: MOUND BAYOU		State: MS	Zip: 38762	
Contact: RHONDA HUEY			Tel: 662-588-7350	
ASBESTOS REMOVAL CONTRACTOR: GUARANTEE ENVIRONMENTAL SERVICES, LLC				
Address: 16248 PERKINS ROAD				
City: BATON ROUGE		State: LA	Zip: 70810	
Contact: SHANNON RIVETT			Tel: 225-753-8682 EXT. 227	
Certification Number: ABC-00011409			Expiration Date: 7/18/25	
OTHER OPERATOR:				
Address:				
City:		State:	Zip:	
Contact:			Tel:	
V. WAS SITE INSPECTED TO DETERMINE PRESENCE OF ASBESTOS? (Yes/No):				
WAS ASBESTOS PRESENT? (Yes/No): YES			Inspection Date: 04/14/25	
Inspector: CHRIS PEARSON		Certification Number: ABI-00002023	Expiration Date: 01/24/26	
VI. SUSPECT MATERIALS SAMPLED AND PROCEDURES USED TO DETECT THE PRESENCE OF ASBESTOS MATERIAL: TILE FLOORING AND MASTIC WAS SAMPLED AND TESTED AND RESULTS WERE POSITIVE FOR ASBESTOS See Report PLM				
VII. QUANTITY OF RACM TO BE REMOVED: 780 SQ.FT. OF VCT & MASTIC X 2 LAYERS=total 1560 sq.ft.				
Pipes (LN FT):	Surface Area (SQ FT): 1560		Volume of Facility Components (CU FT):	
VIII. QUANTITY OF NONFRIABLE ASBESTOS NOT REMOVED: N/A				
Category I:			Category II:	
IX. SCHEDULED DATES ASBESTOS REMOVAL (MM/DD/YY) Start: 5/26/25			Complete: 5/30/25	
X. SCHEDULED DATES DEMO/RENOVATION (MM/DD/YY) Start:			Complete:	

XI. DESCRIPTION OF PLANNED DEMOLITION OR RENOVATION WORK, AND METHOD(S) TO BE USED:

utilize wet removal techniques to keep materials wet so there is no airborne release

XII. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS OF ASBESTOS AT THE DEMOLITION OR RENOVATION SITE:

Double bag asbestos, wet methods, environmental controls utilizing HEPA filtered air scrubbers in containment area.

XIII. WASTE TRANSPORTER #1

Name: Republic Services

Address: 1035 Old Brandon Road

City: Flowood

State: MS

Zip: 39232

Contact Person: Scott Johnson

Tel: 601-906-4606

WASTE TRANSPORTER #2

Name:

Address:

City:

State:

Zip:

Contact Person:

Tel:

XIV. WASTE DISPOSAL SITE

Name: Big River Landfill

Address: 52 Landfill Road

City: Leland

State: MS

Zip: 38756

Contact Person: Shane Hasselhoff

Tel: 662-332-7927

XV. IF DEMOLITION ORDERED BY A GOVERNMENT AGENCY, PLEASE IDENTIFY THE AGENCY BELOW:

Name:

Title:

Authority:

Date of Order (MM/DD/YY):

Date Ordered to Begin (MM/DD/YY):

XVI. FOR EMERGENCY RENOVATIONS:

Date and Hour of Emergency (MM/DD/YY):

Description of the sudden unexpected event:

Explanation of how the event caused unsafe conditions or would cause equipment damage or an unreasonable financial burden:

XVII. DESCRIPTION OF PROCEDURES TO BE FOLLOWED IN THE EVENT THAT UNEXPECTED ASBESTOS IS FOUND OR PREVIOUSLY NONFRIABLE ASBESTOS MATERIAL BECOMES CRUMBLED, PULVERIZED, OR REDUCED TO POWDER:

Stop work, verify suspect material is RACM or not, obtain additional permits if necessary

XVIII. I CERTIFY THAT AN INDIVIDUAL TRAINED IN THE PROVISIONS OF THIS REGULATION (40 CFR PART 61, SUBPART M) WILL BE ONSITE DURING THE DEMOLITION OR RENOVATION, AND EVIDENCE THAT THE REQUIRED TRAINING HAS BEEN ACCOMPLISHED BY THIS PERSON WILL BE AVAILABLE FOR INSPECTION DURING NORMAL BUSINESS HOURS.

Shannon Rivett
Type or Print Name

Shannon Rivett
(Signature of Owner/Operator)

5/8/25
(Date)

XIX. I CERTIFY THAT THE ABOVE INFORMATION IS CORRECT:

Shannon Rivett
Type or Print Name

Shannon Rivett
(Signature of Owner/Operator)

5/8/25
(Date)



Built Environment Testing

Report for:

Chris Pearson
Pearson Environmental
130 Southpointe Dr. Ste J
Byram, MS 39272

Regarding: Eurofins Built Environment Testing Central, LLC
Project: Mound Bayou Housing Authority; ACM/LBP Survey
EML ID: 4031190

Approved by:

Dates of Analysis:
Asbestos PLM: 04-15-2025

Business Unit Manager
Scott Ward

Service SOPs: Asbestos PLM (EPA 40CFR App E to Sub E of Part 763 & EPA METHOD 600/R-93-116, SOP EM-AS-S-1267)
NVLAP Lab Code 200525-0

All samples were received in acceptable condition unless noted in the Report Comments portion in the body of the report. The results relate only to the samples as received and tested. The results include an inherent uncertainty of measurement associated with estimating percentages by polarized light microscopy. Measurement uncertainty data for sample results with >1% asbestos concentration can be provided when requested.

Eurofins Built Environment Testing Central, LLC ("the Company"), a member of the Eurofins Built Environment Testing group of companies, shall have no liability to the client or the client's customer with respect to decisions or recommendations made, actions taken or courses of conduct implemented by either the client or the client's customer as a result of or based upon the Test Results. In no event shall the Company be liable to the client with respect to the Test Results except for the Company's own willful misconduct or gross negligence nor shall the Company be liable for incidental or consequential damages or lost profits or revenues to the fullest extent such liability may be disclaimed by law, even if the Company has been advised of the possibility of such damages, lost profits or lost revenues. In no event shall the Company's liability with respect to the Test Results exceed the amount paid to the Company by the client therefor.

Client: Pearson Environmental
 C/O: Chris Pearson
 Re: Mound Bayou Housing Authority; ACM/LBP
 Survey

Date of Sampling: 04-14-2025
 Date of Receipt: 04-15-2025
 Date of Report: 04-15-2025

ASBESTOS PLM REPORT

Total Samples Submitted: 4

Total Samples Analyzed: 4

Total Samples with Layer Asbestos Content > 1%: 3

Location: 1707-01

Lab ID-Version†: 20072838-1

Sample Layers	Asbestos Content
Black Mastic	5% Chrysotile
Off-White Floor Tile	3% Chrysotile
Yellow Mastic	ND
Gray Leveling Compound	ND
Sample Composite Homogeneity: Good	

Location: 1702-02

Lab ID-Version†: 20072839-1

Sample Layers	Asbestos Content
Gray Fiberboard Siding	ND
Composite Non-Asbestos Content:	20% Cellulose
Sample Composite Homogeneity: Good	

Location: 1739-03

Lab ID-Version†: 20072840-1

Sample Layers	Asbestos Content
White Floor Tile	ND
Yellow Mastic	ND
Off-White Floor Tile	3% Chrysotile
Black Mastic	5% Chrysotile
Sample Composite Homogeneity: Good	

The test report shall not be reproduced except in full, without written approval of the laboratory. The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. The Company reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified.

All components not quantified as asbestos content and non-asbestos content are considered to be non-fibrous matrix components. Matrix components may include, but are not limited to, gypsum, paint, silicate minerals, vinyl, binder, calcium carbonate, tar, and foam.

Inhomogeneous samples are separated into homogeneous subsamples and analyzed individually. ND means no fibers were detected. When detected, the minimum detection and reporting limit is less than 1% unless point counting is performed. Floor tile samples may contain large amounts of interference material and it is recommended that the sample be analyzed by gravimetric point count analysis to lower the detection limit and to aid in asbestos identification.

† A "Version" indicated by "-x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

Eurofins Built Environment Testing Central, LLC
3113 Red Bluff Road, Pasadena, TX 77503
713-290-0223 www.eurofinsus.com/Built

Client: Pearson Environmental
C/O: Chris Pearson
Re: Mound Bayou Housing Authority; ACM/LBP
Survey

Date of Sampling: 04-14-2025
Date of Receipt: 04-15-2025
Date of Report: 04-15-2025

ASBESTOS PLM REPORT

Location: 1717-07

Lab ID-Version‡: 20072841-1

Sample Layers	Asbestos Content
White Floor Tile	4% Chrysotile
Black/Yellow Mastic	2% Chrysotile
Sample Composite Homogeneity: Good	

The test report shall not be reproduced except in full, without written approval of the laboratory. The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. The Company reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified.

All components not quantified as asbestos content and non-asbestos content are considered to be non-fibrous matrix components. Matrix components may include, but are not limited to, gypsum, paint, silicate minerals, vinyl, binder, calcium carbonate, tar, and foam.

Inhomogeneous samples are separated into homogeneous subsamples and analyzed individually. ND means no fibers were detected. When detected, the minimum detection and reporting limit is less than 1% unless point counting is performed. Floor tile samples may contain large amounts of interference material and it is recommended that the sample be analyzed by gravimetric point count analysis to lower the detection limit and to aid in asbestos identification.

‡ A "Version" indicated by "-x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

Client: Pearson Environmental
C/O: Chris Pearson
Re: Mound Bayou Housing Authority; ACM/LBP
Survey

Eurofins Built Environment Testing Central, LLC
3113 Red Bluff Road, Pasadena, TX 77503
713-290-0223 www.eurofinsus.com/Built

Date of Sampling: 04-14-2025
Date of Receipt: 04-15-2025
Date of Report: 04-15-2025

ASBESTOS PLM REPORT

PROJECT ANALYST AND SIGNATORY REPORT

Project Analyst



Analyst: Duane Salinas

The test report shall not be reproduced except in full, without written approval of the laboratory. The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. The Company reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified.

‡ A "Version" indicated by "-x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

