

**STATE OF MISSISSIPPI  
AIR POLLUTION CONTROL  
PERMIT**

**TO CONSTRUCT AIR EMISSIONS EQUIPMENT**

**THIS CERTIFIES THAT**

YU And Company Inc  
101 Townhouse Drive  
Booneville, Mississippi  
Prentiss County

has been granted permission to construct air emissions equipment to comply with the emission limitations, monitoring requirements and other conditions set forth herein. This permit is issued in accordance with the provisions of the Mississippi Air and Water Pollution Control Law (Section 49-17-1 et. seq., Mississippi Code of 1972), and the regulations and standards adopted and promulgated thereunder.

**MISSISSIPPI ENVIRONMENTAL QUALITY PERMIT BOARD**



**AUTHORIZED SIGNATURE**

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**

Issued: SEP 18 2019

Permit No.: 2340-00053

**SECTION 1**

**A. GENERAL CONDITIONS**

1. This permit is for air pollution control purposes only.  
(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.1.D.)
  
2. Any activities not identified in the application are not authorized by this permit.  
(Ref.: Miss. Code Ann. 49-17-29 1.b)
  
3. The knowing submittal of a permit application with false information may serve as the basis for the Permit Board to void the permit issued pursuant thereto or subject the applicant to penalties for operating without a valid permit pursuant to State Law.  
(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(5).)
  
4. It is the responsibility of the applicant/permittee to obtain all other approvals, permits, clearances, easements, agreements, etc., which may be required including, but not limited to, all required local government zoning approvals or permits.  
(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.1.D(6).)
  
5. The issuance of a permit does not release the permittee from liability for constructing or operating air emissions equipment in violation of any applicable statute, rule, or regulation of state or federal environmental authorities.  
(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(7).)
  
6. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit, unless halting or reducing activity would create an imminent and substantial endangerment threatening the public health and safety of the lives and property of the people of this state.  
(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(15)(a).)
  
7. The permit and/or any part thereof may be modified, revoked, reopened, and reissued, or terminated for cause. Sufficient cause for a permit to be reopened shall exist when an air emissions stationary source becomes subject to Title V. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.  
(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(15)(b).)
  
8. The permit does not convey any property rights of any sort, or any exclusive privilege.  
(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(15)(c).)

9. The permittee shall furnish to the DEQ within a reasonable time any information the DEQ may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the DEQ copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee shall furnish such records to the DEQ along with a claim of confidentiality. The permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(15)(d).)

10. Design and Construction Requirements: The stationary source shall be designed and constructed so as to operate without causing a violation of an Applicable Rules and Regulations, without interfering with the attainment and maintenance of State and National Ambient Air Quality Standards, and such that the emission of air toxics does not result in an ambient concentration sufficient to adversely affect human health and well-being or unreasonably and adversely affect plant or animal life beyond the stationary source boundaries.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.A.)

11. Solids Removal: The necessary facilities shall be constructed so that solids removed in the course of control of air emissions may be disposed of in a manner such as to prevent the solids from becoming windborne and to prevent the materials from entering State waters without the proper environmental permits.

(Ref.: Miss. Code Ann. 49-17-29)

12. Diversion and Bypass of Air Pollution Controls: The air pollution control facilities shall be constructed such that diversion from or bypass of collection and control facilities is not needed except as provided for in 11 Miss. Admin. Code Pt. 2, R. 1.10., "Air Emission Regulations for the Prevention, Abatement, and Control of Air Contaminants."

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 1.10.)

13. Fugitive Dust Emissions from Construction Activities: The construction of the stationary source shall be performed in such a manner so as to reduce fugitive dust emissions from construction activities to a minimum.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.A(4).)

14. Right of Entry: The permittee shall allow the Mississippi Department of Environmental Quality Office of Pollution Control and the Mississippi Environmental Quality Permit Board and/or their representatives upon presentation of credentials:

- a) To enter upon the permittee's premises where an air emission source is located or in which any records are required to be kept under the terms and conditions of this permit;  
and

- b) At reasonable times to have access to and copy any records required to be kept under the terms and conditions of this permit; to inspect any monitoring equipment or monitoring method required in this permit; and to sample any air emissions.

(Ref.: Miss. Code Ann. 49-17-21)

15. Permit Modification or Revocation: After notice and opportunity for a hearing, the Permit Board may modify the permit or revoke it in whole or in part for good cause shown including, but not limited to:

- a) Persistent violation of any of the terms or conditions of this permit;
- b) Obtaining this permit by misrepresentation or failure to disclose fully all relevant facts; or
- c) A change in federal, state, or local laws or regulations that require either a temporary or permanent reduction or elimination of previously authorized air emission.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.C.)

16. Public Record and Confidential Information: Except for data determined to be confidential under the Mississippi Air & Water Pollution Control Law, all reports prepared in accordance with the terms of this permit shall be available for public inspection at the offices of the Mississippi Department of Environmental Quality, Office of Pollution Control.

(Ref.: Miss. Code Ann. 49-17-39)

17. Permit Transfer: This permit shall not be transferred except upon approval of the Permit Board.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.16.B.)

18. Severability: The provisions of this permit are severable. If any provision of the permit, or the application of any provision of the permit to any circumstances, is challenged or held invalid, the validity of the remaining permit provisions and/or portions thereof or their application to other persons or sets of circumstances, shall not be affected thereby.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.1.D(7).)

19. Permit Expiration: The permit to construct will expire if construction does not begin within eighteen (18) months from the date of issuance or if construction is suspended for eighteen (18) months or more.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.C(1).)

20. Certification of Construction: A new stationary source issued a Permit to Construct cannot begin operation until certification of construction by the permittee.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.D(3).)

21. Beginning Operation: Except as prohibited in Section 1, Condition 24 of this permit, after certification of construction by the permittee, the Permit to Construct shall be deemed to satisfy the requirement for a permit to operate until the date the application for issuance or modification of the Title V Permit or the application for issuance or modification of the State Permit to Operate, whichever is applicable, is due. This provision is not applicable to a source excluded from the requirement for a permit to operate as provided by 11 Miss. Admin. Code Pt. 2, R. 2.13.G.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.D(4).)

22. Application for a Permit to Operate: Except as otherwise specified in Section 1, Condition 24 of this permit, the application for issuance or modification of the State Permit to Operate or the Title V Permit, whichever is applicable, is due twelve (12) months after beginning operation or such earlier date or time as specified in the Permit to Construct. The Permit Board may specify an earlier date or time for submittal of the application. Beginning operation will be assumed to occur upon certification of construction, unless the permittee specifies differently in writing.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.D(5).)

23. Operating Under a Permit to Construct: Except as otherwise specified in Section 1, Condition 24 of this permit, upon submittal of a timely and complete application for issuance or modification of a State Permit to Operate or a Title V Permit, whichever is applicable, the applicant may continue to operate under the terms and conditions of the Permit to Construct and in compliance with the submitted application until the Permit Board issues, modifies, or denies the Permit to Operate.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.D(6).)

24. Application Requirements for a Permit to Operate for Moderate Modifications: For moderate modifications that require contemporaneous enforceable emissions reductions from more than one emission point in order to “net” out of PSD/NSR, the applicable Title V Permit to Operate or State Permit to Operate must be modified prior to beginning operation of the modified facilities.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.D(7).)

25. General Duty: All air emission equipment shall be operated as efficiently as possible to provide the maximum reduction of air contaminants.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(10).)

26. Deviation Reporting: Except as otherwise specified herein, the permittee shall report all deviations from permit requirements, including those attributable to upsets, the probable cause of such deviations, and any corrective actions or preventive measures taken. Said report shall be made within five (5) working days of the time the deviation began.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(10).)

27. Compliance Testing: Regarding compliance testing:

- a) The results of any emissions sampling and analysis shall be expressed both in units consistent with the standards set forth in any Applicable Rules and Regulations or this permit and in units of mass per time.
- b) Compliance testing will be performed at the expense of the permittee.
- c) Each emission sampling and analysis report shall include but not be limited to the following:
  - (1) detailed description of testing procedures;
  - (2) sample calculation(s);
  - (3) results; and
  - (4) comparison of results to all Applicable Rules and Regulations and to emission limitations in the permit.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.6.B(3), (4), and (6).)

**B. GENERAL NOTIFICATION REQUIREMENTS**

1. Within fifteen (15) days of beginning actual construction, the permittee must notify DEQ in writing that construction has begun.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.C(2).)

2. The permittee must notify DEQ in writing when construction does not begin within eighteen (18) months of issuance or if construction is suspended for eighteen (18) months or more.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.C(3).)

3. Upon the completion of construction or installation of an approved stationary source or modification, and prior to commencing operation, the applicant shall notify the Permit Board that construction or installation was performed in accordance with the approved plans and specifications on file with the Permit Board.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.D(1) and (3).)

4. The Permit Board shall be promptly notified in writing of any change in construction from the previously approved plans and specifications or permit. If the Permit Board determines the changes are substantial, it may require the submission of a new application to construct with “as built” plans and specifications. Notwithstanding any provision herein to the contrary, the acceptance of an “as built” application shall not constitute a waiver of the right to seek compliance penalties pursuant to State Law.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.D(2).)

**SECTION 2**  
**EMISSION POINT DESCRIPTION**

The permittee is authorized to construct and operate, upon certification of construction, air emissions equipment, as described in the following table.

| <b>Emission Point</b> | <b>Description</b>  |
|-----------------------|---|
| AA-001                | Woodworking Operations (band saws, shapers, routers, banders, panel saws, sanders, planers, rip saws, chop saws, mortis machines and tenor machines) vent to a cyclone. |
| AA-002                | Spray Painting consisting of three (3) spray booth equipped with filters for particulate matter control   |
| AA-003                | Twenty-two (22) natural gas-fired space heaters   |

**SECTION 3  
EMISSION LIMITATIONS AND STANDARDS**

| <b>Emission Point</b> | <b>Applicable Requirement</b>   | <b>Condition Number(s)</b> | <b>Pollutant/Parameter</b> | <b>Limitation/Standard</b>   |
|-----------------------|---|----------------------------|----------------------------|--|
| Facility-wide         | 11 Miss. Admin. Code Pt. 2, R. 1.3.B.   | 3.1                        | Opacity                    | 40%  |
|                       | 11 Miss. Admin. Code Pt. 2, R. 1.3.C(1).  | 3.2                        |                            | General Nuisance   |
| AA-001                | 11 Miss. Admin. Code Pt. 2, R. 1.3.F(1).  | 3.3                        | PM                         | $E = 4.1p^{0.67}$  |
| AA-002                | 11 Miss. Admin. Code Pt. 2, R. 2.2.B(10).   | 3.4                        | VOC                        | 99.0 tpy (consecutive 12-month total)  |
| AA-002                | 11 Miss. Admin. Code Pt. 2, R. 2.2.B(10).   | 3.5                        | HAP                        | 9.0 tpy (individual HAP, consecutive 12-month total)<br><br>24.0 tpy (total combined HAPs, consecutive 12-month total)   |
| AA-003                | 11 Miss. Admin. Code Pt. 2, R. 1.3.D(1)(a).   | 3.6                        | PM                         | 0.6 lbs/MMBTU  |
| Facility-wide         | 40 CFR 63, Subpart JJ - National Emission Standards for Wood Furniture Manufacturing Operations; 40 CFR 63.800(b) and (h) | 3.7                        | HAP                        | Area Source Applicability: (1) less than 250 gallons/month or (2) less than 3000 gallons/year of coating, gluing, cleaning and washoff materials; or (3) less than 5 tons/year of individual HAP and less than 12.5 tons/year of combined HAPs |

3.1 For the entire facility, the permittee shall not cause, allow, or permit the discharge into the ambient air from any point source or emissions, any air contaminant of such opacity to obscure an observer's view to a degree in excess of 40%, as determined by EPA Reference Method 22, 40 CFR 60, Appendix A.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 1.3.B.)

3.2 No person shall cause, permit, or allow the emission of particles or any contaminants in sufficient amounts or of such duration from any process as to be injurious to humans, animals, plants, or property, or to be a public nuisance, or create a condition of air pollution. No person shall cause or permit the handling or transporting or storage of any material in a manner which allows or may allow unnecessary amounts of particulate matter to become airborne.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 1.3.C(1).)

3.3 For Emission Point AA-001, the permittee shall not allow the emission of particulate matter in total quantities in any one hour from any manufacturing process, which includes



any associated stacks, vents, outlets, or combination thereof, to exceed the amount determined by the relationship:

$$E = 4.1p^{0.67}$$

where E is the emission rate in pounds per hour and p is the process weight input rate in tons per hour. Conveyor discharge of coarse solid matter may be allowed if no nuisance is created beyond the property boundary where the discharge occurs.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 1.3.F(1).)

- 3.4 For Emission Point AA-002, the permittee shall limit the emissions of volatile organic compounds (VOCs) to no more than 99.0 tons per year as determined for each consecutive 12- month period.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(10).)

- 3.5 For Emission Point AA-002, the permittee shall limit hazardous air pollutants (HAPs) emissions from coating operations to no more than 9.0 tons per year of any single HAP and no more than 24.0 tons per year of total combined HAP as determined for each consecutive 12-month period.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(10).)

- 3.6 For Emission Point AA-003, the maximum permissible emission of ash and/or particulate matter from fossil fuel burning installations of less than 10 million BTU per hour heat input shall not exceed 0.6 pounds per million BTU per hour heat input.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 1.3.D(1)(a).)

- 3.7 A source that complies with one of the limits and criteria specified below (40 CFR 63.800(b)) is an area source for the purposes of 40 CFR 63, Subpart JJ - National Emission Standards for Wood Furniture Manufacturing Operations and is not subject to any other provision of this rule.
- (a) The permittee uses no more than 250 gallons per month, for every month, of coating, gluing, cleaning, and washoff materials;
  - (b) The permittee uses no more than 3,000 gallons per rolling 12-month period, for every 12-month period, of coating, gluing, cleaning, and washoff materials;
  - (c) The source emits no more than 4.5 Mg (5 tons) of any one HAP and no more than 11.4 Mg (12.5 tons) of any combination of HAP per rolling 12-month period, and at least 90 percent of the plantwide emissions per rolling 12-month period are associated with the manufacture of wood furniture or wood furniture components.

A source that initially relies on the limits and criteria specified above to become an area source, but subsequently exceeds the relevant limit (without first obtaining and complying with other limits that keep its potential to emit HAPs below major source levels), becomes a major source and must comply thereafter with all applicable provisions of this subpart starting immediately upon becoming a major source.

(Ref.: 40 CFR 63, Subpart JJ - National Emission Standards for Wood Furniture Manufacturing Operations; 40 CFR 63.800(b) and (h).)

**SECTION 4  
WORK PRACTICES**

*“THIS SECTION WAS INTENTIONALLY LEFT BLANK SINCE NO WORK PRACTICE STANDARDS APPLY TO THIS PERMIT ACTION.”*

**SECTION 5  
MONITORING AND RECORDKEEPING REQUIREMENTS**

| <b>Emission Point</b> | <b>Applicable Requirement</b>             | <b>Condition Number(s)</b> | <b>Pollutant/Parameter</b> | <b>Monitoring/Recordkeeping Requirement</b>                 |
|-----------------------|---|----------------------------|----------------------------|---|
| Facility-Wide         | 11 Miss. Admin. Code Pt. 2, R. 2.9.       | 5.1                        | Recordkeeping              | Maintain records for a minimum of 5 years.                  |
| AA-001                | 11 Miss. Admin. Code Pt. 2, R. 2.2.B(11). | 5.2                        | PM                         | Lumber throughput monitoring and recordkeeping              |
| AA-001<br>AA-002      | 11 Miss. Admin. Code Pt. 2, R. 2.2.B(11). | 5.3                        | PM                         | Maintenance inspections on cyclones and spray booth filters |
| AA-002                | 11 Miss. Admin. Code Pt. 2, R. 2.2.B(11). | 5.4                        | VOC<br>HAP                 | Coating VOC/HAP monitoring and recordkeeping                |

5.1 The permittee shall retain all required records, monitoring data, supporting information and reports for a period of at least five (5) years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records, all original strip-chart recordings or other data for continuous monitoring instrumentation, and copies of all reports required by this permit. Copies of such records shall be submitted to MDEQ as required by Applicable Rules and Regulations or this permit upon request.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.9.)

5.2 For Emission Point AA-001, the permittee shall determine and record the lumber throughput in tons per hour and calculate the monthly PM emissions and the total PM emissions for any 12-month consecutive period, using the process weight equation. This information shall be submitted in the certified annual monitoring report, as specified in Condition 6.7, by January 31 of each year.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(11).)

5.3 For Emission Points AA-001 and AA-002, the permittee shall perform inspections and required maintenance on a weekly basis or more often, if necessary, to maintain proper operation of the pollution control equipment. Readings from the manometer shall be used to establish a change out schedule for the filters according to the manufacturer's specifications. A written or electronic log of the date, time, and person who performed the inspection and/or maintenance/repairs shall be maintained onsite. A summary report shall be submitted by January 31 for the preceding twelve months as specified in Condition 6.7. The permittee shall maintain on hand, sufficient equipment to repair or replace the pollution control equipment.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(11).)

5.4 For Emission Point AA-002, the permittee shall determine and record the following, on a monthly basis and 12-month rolling basis, for each coating, adhesive, solvent, or other VOC or HAP containing material used:

- (a) quantity used (gal);
- (b) the percentage of VOC by weight and a description of the method used to determine the VOC content shall accompany this data;
- (c) the percentage of HAP by weight and a description of the method used to determine the HAP content shall accompany this data;
- (d) the density (lb/gal).
- (e) the total VOC emission rate, the emission rate of each individual HAP and the total HAP emission rate in tons per year based on a 12- month rolling basis.

This information shall be submitted in the certified annual monitoring report, as specified in Condition 6.7, by January 31.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(11).)

**SECTION 6  
REPORTING REQUIREMENTS**

| Emission Point | Applicable Requirement                    | Condition Number(s) | Reporting Requirement  |
|----------------|---|---------------------|--|
| Facility-Wide  | 11 Miss. Admin. Code Pt. 2, R. 2.5. D.    | 6.1                 | Submit certification of construction within 30 days of completion                      |
|                | 11 Miss. Admin. Code Pt. 2, R.2.5.C(2).   | 6.2                 | Submit notification within 15 days of beginning of construction                        |
|                | 11 Miss. Admin. Code Pt. 2, R.2.5.C(4).   | 6.3                 | Submit notification if construction does not begin within 18 months of permit issuance |
|                | 11 Miss. Admin. Code Pt. 2, R. 2.2.B(11). | 6.4                 | Report permit deviations within five (5) working days.                                 |
|                | 11 Miss. Admin. Code Pt. 2, R. 2.2.B(11). | 6.5                 | Submit certified annual monitoring report.   |
|                | 11 Miss. Admin. Code Pt. 2, R. 2.2.B(11). | 6.6                 | All documents submitted to MDEQ shall be certified by a Responsible Official.          |
|                | 11 Miss. Admin. Code Pt. 2, R. 2.2.B(11). | 6.7                 | Certified annual monitoring report requirements  |

6.1 The permittee shall submit certification of construction within thirty (30) days of completion of construction or installation of an approved stationary source or prior to startup, whichever is earlier. The notification shall certify that construction or installation was performed in accordance with the approved plans and specifications. In the event there is any change in construction from the previously approved plans and specifications or permit, the permittee shall promptly notify MDEQ in writing. If MDEQ determines the changes are substantial, MDEQ may require the submission of a new application to construct with "as built" plans and specifications. Notwithstanding any provision herein to the contrary, the acceptance of an "as built" application shall not constitute a waiver of the right to seek compliance penalties pursuant to State Law.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.D.)

6.2 Within fifteen (15) days of beginning actual construction, the permittee must notify DEQ in writing that construction has begun.

(Ref.: 11 Miss. Admin. Code Pt. 2, R.2.5.C(2).)

6.3 The permittee must notify DEQ in writing when construction does not begin within eighteen (18) months of issuance or if construction is suspended for eighteen (18) months or more.

(Ref.: 11 Miss. Admin. Code Pt. 2, R.2.5.C(4).)

6.4 Except as otherwise specified herein, the permittee shall report all deviations from permit requirements, including those attributable to upsets, the probable cause of such deviations, and any corrective actions or preventive measures taken. Said report shall be made within five (5) working days of the time the deviation began.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(11).)

6.5 Except as otherwise specified herein, the permittee shall submit a certified annual synthetic minor monitoring report postmarked no later than 31st of January for the preceding calendar year. This report shall address any required monitoring specified in the permit. All instances of deviations from permit requirements must be clearly identified in the report. Where no monitoring data is required to be reported and/or there are no deviations to report, the report shall contain the appropriate negative declaration.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(11).)

6.6 Any document required by this permit to be submitted to the MDEQ shall contain a certification signed by a responsible official stating that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate and complete.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(11).)

6.7 For the entire facility, the permittee shall submit the following information as part of the certified annual synthetic minor monitoring report, as required in Condition 6.5, for the preceding calendar year:

- (a) identification of each coating, adhesive, solvent or other VOC or HAP containing material used;
- (b) the VOC and HAP content(s) of each coating, adhesive, solvent, or other VOC or HAP containing material used; A description of the method used to determine the VOC and HAP content shall accompany this data;
- (c) the total gallons of each coating, adhesive, solvent or other VOC or HAP containing material used in any consecutive 12-month period; and
- (d) the total VOC emission rate, the emission rate of each individual HAP and the total HAP emission rate in tons per year based on a consecutive 12-month period.
- (e) The total PM emissions using the process weight equation for each consecutive 12-month period.
- (f) a summary of the inspections on the air pollution control equipment

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(11).)