

**STATE OF MISSISSIPPI
AIR POLLUTION CONTROL
TITLE V PERMIT**

TO OPERATE AIR EMISSIONS EQUIPMENT

THIS CERTIFIES THAT

Southeastern Timber Products, LLC – Ackerman Plant
240 PCA Road
Ackerman, Choctaw County, Mississippi

has been granted permission to operate air emissions equipment in accordance with emission limitations, monitoring requirements and conditions set forth herein. This permit is issued in accordance with Title V of the Federal Clean Air Act (42 U.S.C.A. § 7401 - 7671) and the provisions of the Mississippi Air and Water Pollution Control Law (Section 49-17-1 et. seq., Mississippi Code of 1972), and the regulations and standards adopted and promulgated thereunder.

Permit Issued: July 27, 2020

Effective Date: As specified herein.

MISSISSIPPI ENVIRONMENTAL QUALITY PERMIT BOARD



AUTHORIZED SIGNATURE

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

Expires: June 30, 2025

Permit No.: 0400-00005

TABLE OF CONTENTS

SECTION 1. GENERAL CONDITIONS	3
SECTION 2. EMISSION POINTS & POLLUTION CONTROL DEVICES	14
SECTION 3. EMISSION LIMITATIONS & STANDARDS	15
SECTION 4. COMPLIANCE SCHEDULE.....	20
SECTION 5. MONITORING, RECORDKEEPING & REPORTING REQUIREMENTS	21
SECTION 6. ALTERNATIVE OPERATING SCENARIOS	28
SECTION 7. TITLE VI REQUIREMENTS	29

APPENDIX A LIST OF ABBREVIATIONS USED IN THIS PERMIT

SECTION 1. GENERAL CONDITIONS

- 1.1 The permittee must comply with all conditions of this permit. Any permit non-compliance constitutes a violation of the Federal Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.A.(6)(a).)

- 1.2 It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.A(6)(b).)

- 1.3 This permit and/or any part thereof may be modified, revoked, reopened, and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.A.(6)(c).)

- 1.4 Prior to its expiration, this permit may be reopened in accordance with the provisions listed below.

- (a) This permit shall be reopened and revised under any of the following circumstances:
- (1) Additional applicable requirements under the Federal Act become applicable to a major Title V source with a remaining permit term of three (3) or more years. Such a re-opening shall be completed no later than eighteen (18) months after promulgation of the applicable requirement. No such re-opening is required if the effective date of the requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms and conditions has been extended.
 - (2) Additional requirements (including excess emissions requirements) become applicable to an affected source under the acid rain program. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit.
 - (3) The Permit Board or the EPA determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emission standards or other terms or conditions of the permit.
 - (4) The Administrator or the Permit Board determines that the permit must be

revised or revoked to assure compliance with the applicable requirements.

- (b) Proceedings to reopen and issue this permit shall follow the same procedures as apply to initial permit issuance and shall only affect those parts of the permit for which cause to reopen exists. Such reopening shall be made as expeditiously as practicable.
- (c) Re-openings shall not be initiated before a notice of such intent is provided to the Title V source by the MDEQ at least thirty (30) days in advance of the date that the permit is to be reopened, except that the Permit Board may provide a shorter time period in the case of an emergency.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.4.G.)

- 1.5 The permittee shall furnish to the MDEQ within a reasonable time any information the MDEQ may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the MDEQ copies of records required to be kept by the permittee or, for information to be confidential, the permittee shall furnish such records to MDEQ along with a claim of confidentiality. The permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.A.(6)(e).)

- 1.6 This permit does not convey any property rights of any sort, or any exclusive privilege.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.A.(6)(d).)

- 1.7 The provisions of this permit are severable. If any provision of this permit, or the application of any provision of this permit to any circumstances, is challenged or held invalid, the validity of the remaining permit provisions and/or portions thereof or their application to other persons or sets of circumstances, shall not be affected thereby.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.A.(5).)

- 1.8 The permittee shall pay to the MDEQ an annual permit fee. The amount of fee shall be determined each year based on the provisions of regulated pollutants for fee purposes and the fee schedule specified in the Commission on Environmental Quality's order which shall be issued in accordance with the procedure outlined in Mississippi Administrative Code, Title 11, Part 2, Chapter 6 – *Air Emissions Operating Permit Regulations for Purposes of Title V of the Federal Clean Air Act.*

- (a) For purposes of fee assessment and collection, the permittee shall elect for actual or allowable emissions to be used in determining the annual quantity of emissions unless the Commission determines by order that the method chosen by the

applicant for calculating actual emissions fails to reasonably represent actual emissions.

Actual emissions shall be calculated using emission monitoring data or direct emissions measurements for the pollutant(s); mass balance calculations such as the amounts of the pollutant(s) entering and leaving process equipment and where mass balance calculations can be supported by direct measurement of process parameters, such direct measurement data shall be supplied; published emission factors such as those relating release quantities to throughput or equipment type (e.g., air emission factors); or other approaches such as engineering calculations (e.g., estimating volatilization using published mathematical formulas) or best engineering judgments where such judgments are derived from process and/or emission data which supports the estimates of maximum actual emission.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.6.A.(2).)

- (b) If the Commission determines that there is not sufficient information available on a facility's emissions, the determination of the fee shall be based upon the permitted allowable emissions until such time as an adequate determination of actual emissions is made. Such determination may be made anytime within one year of the submittal of actual emissions data by the permittee.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.6.A.(2).)

- (c) If at any time within the year the Commission determines that the information submitted by the permittee on actual emissions is insufficient or incorrect, the permittee will be notified of the deficiencies and the adjusted fee schedule. Past due fees from the adjusted fee schedule will be paid on the next scheduled quarterly payment time.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.6.D.(2).)

- (d) The fee shall be due September 1st of each year. By July 1st of each year, the permittee shall submit an inventory of emissions for the previous year on which the fee is to be assessed. The permittee may elect a quarterly payment method of four (4) equal payments; notification of the election of quarterly payments must be made to the MDEQ by the first payment date of September 1st. The permittee shall be liable for penalty as prescribed by State Law for failure to pay the fee or quarterly portion thereof by the date due.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.6.D.)

- (e) If in disagreement with the calculation or applicability of the Title V permit fee, the permittee may petition the Commission in writing for a hearing in accordance with State Law. Any disputed portion of the fee for which a hearing has been requested will not incur any penalty or interest from and after the receipt by the

Commission of the hearing petition.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.6.C.)

- 1.9 No permit revision shall be required under any approved economic incentives, marketable permits, emissions trading and other similar programs or processes for changes that are provided for in this permit.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.A.(8).)

- 1.10 Any document required by this permit to be submitted to the MDEQ shall contain a certification by a responsible official that states that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.2.E.)

- 1.11 The permittee shall allow the MDEQ, or an authorized representative, upon the presentation of credentials and other documents as may be required by law, to perform the following:

- (a) Enter upon the permittee's premises where a Title V source is located or emissions-related activity is conducted, or where records must be kept under the conditions of this permit;
- (b) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- (c) Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit; and
- (d) As authorized by the Federal Act, sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.C.(2).)

- 1.12 Except as otherwise specified or limited herein, the permittee shall have necessary sampling ports and ease of accessibility for any new air pollution control equipment, obtained after May 8, 1970, and vented to the atmosphere.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 1.3.I.(1).)

- 1.13 Except as otherwise specified or limited herein, the permittee shall provide the necessary sampling ports and ease of accessibility when deemed necessary by the Permit Board for air pollution control equipment that was in existence prior to

May 8, 1970.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 1.3.I.(2).)

- 1.14 Compliance with the conditions of this permit shall be deemed compliance with any applicable requirements as of the date of permit issuance where such applicable requirements are included and are specifically identified in the permit or where the permit contains a determination, or summary thereof, by the Permit Board that requirements specifically identified previously are not applicable to the source.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.F.(1).)

- 1.15 Nothing in this permit shall alter or affect the following:

- (a) The provisions of Section 303 of the Federal Act (emergency orders), including the authority of the Administrator under that section;
- (b) The liability of an owner or operator of a source for any violation of applicable requirements prior to or at the time of permit issuance;
- (c) The applicable requirements of the acid rain program, consistent with Section 408(a) of the Federal Act.
- (d) The ability of EPA to obtain information from a source pursuant to Section 114 of the Federal Act.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.F.(2).)

- 1.16 The permittee shall comply with the requirement to register a Risk Management Plan (RMP) if permittee's facility is required pursuant to Section 112(r) of the Act to register such a plan.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.H.)

- 1.17 Expiration of this permit terminates the permittee's right to operate unless a timely and complete renewal application has been submitted. A timely application is one in which is submitted at least six (6) months prior to expiration of the Title V Operating Permit (TVOP). If the permittee submits a timely and complete application, the failure to have a TVOP is not a violation of regulations until the Permit Board takes final action on the permit application. This protection shall cease to apply if, subsequent to the completeness determination, the permittee fails to submit by the deadline specified in writing by the MDEQ any additional information identified as being needed to process the application.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.4.C.(2)., R. 6.4.B., and R. 6.2.A.(1)(c).)

- 1.18 The permittee is authorized to make changes within their facility without requiring a permit revision (ref: Section 502(b)(10) of the Act) if:
- (a) The changes are not modifications under any provision of Title I of the Act;
 - (b) The changes do not exceed the emissions allowable under this permit;
 - (c) The permittee provides the Administrator and the Department with written notification in advance of the proposed changes (at least seven (7) days, or such other time frame as provided in other regulations for emergencies) and the notification includes:
 - (1) A brief description of the change(s);
 - (2) The date on which the change will occur;
 - (3) Any change in emissions; and
 - (4) Any permit term or condition that is no longer applicable as a result of the change.
 - (d) The permit shield shall not apply to any Section 502(b)(10) change.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.4.F.(1).)

- 1.19 Should the Executive Director of the MDEQ declare an Air Pollution Emergency Episode, the permittee will be required to operate in accordance with the permittee's previously approved Emissions Reduction Schedule or, in the absence of an approved schedule, with the appropriate requirements specified in Mississippi Administrative Code, Title 11, Part 2, Chapter 3 (*Regulations for the Prevention of Air Pollution Emergency Episodes*) for the level of emergency declared.

(Ref.: 11 Miss. Admin. Code Pt. 2, Ch. 3.)

- 1.20 Except as otherwise provided herein, a modification of the facility may require a Permit to Construct in accordance with the provisions of Mississippi Administrative Code, Title 11, Part 2, Chapter 2 (*Permit Regulations for the Construction and/or Operation of Air Emissions Equipment*), and may require modification of this permit in accordance with Mississippi Administrative Code, Title 11, Part 2, Chapter 6 – *Air Emissions Operating Permit Regulations for the Purposes of Title V of the Federal Clean Air Act*.

Modification is defined as “*any physical change in or change in the method of operation of a facility which increases the actual emissions or the potential uncontrolled emissions of any air pollutant subject to regulation under the Federal Act emitted into the atmosphere by that facility or which results in the emission of any air pollutant subject to regulation under the Federal Act into the atmosphere not previously*”

emitted". A physical change or change in the method of operation shall not include:

- (a) Routine maintenance, repair, and replacement;
- (b) Use of an alternative fuel or raw material by reason of an order under Sections 2 (a) and (b) of the Federal Energy Supply and Environmental Coordination Act of 1974 (or any superseding legislation) or by reason of a natural gas curtailment plan pursuant to the Federal Power Act;
- (c) Use of an alternative fuel by reason of an order or rule under Section 125 of the Federal Act;
- (d) Use of an alternative fuel or raw material by a stationary source which:
 - (1) The source was capable of accommodating before January 6, 1975, unless such change would be prohibited under any federally enforceable permit condition which was established after January 6, 1975, pursuant to 40 CFR 52.21 or under regulations approved pursuant to 40 CFR 51, Subpart I, or 40 CFR 51.166; or
 - (2) The source is approved to use under any permit issued under 40 CFR 52.21 or under regulations approved pursuant to 40 CFR Part 51, Subpart I, or 40 CFR 51.166;
- (e) An increase in the hours of operation or in the production rate unless such change would be prohibited under any federally enforceable permit condition which was established after January 6, 1975, pursuant to 40 CFR 52.21 or under regulations approved pursuant to 40 CFR Subpart I or 40 CFR 51.166; or
- (f) Any change in ownership of the stationary source.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.1.C.(15).)

1.21 Any change in ownership or operational control must be approved by the Permit Board.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.4.D.(4).)

1.22 This permit is a Federally approved operating permit under Title V of the Federal Clean Air Act as amended in 1990. All terms and conditions, including any designed to limit the source's potential to emit, are enforceable by the Administrator and citizens under the Federal Act as well as the Commission.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.B.(1).)

1.23 Except as otherwise specified or limited herein, the open burning of residential, commercial, institutional, or industrial solid waste, is prohibited. This prohibition does not apply to infrequent burning of agricultural wastes in the field, silvi-cultural wastes

for forest management purposes, land-clearing debris, debris from emergency clean-up operations, and ordnance.

Open burning of land-clearing debris must not use starter or auxiliary fuels which cause excessive smoke (rubber tires, plastics, etc.); must not be performed if prohibited by local ordinances; must not cause a traffic hazard; must not take place where there is a High Fire Danger Alert declared by the Mississippi Forestry Commission or Emergency Air Pollution Episode Alert imposed by the Executive Director of the MDEQ and must meet the following buffer zones.

- (a) Open burning without a forced-draft air system must not occur within five hundred (500) yards of an occupied dwelling.
- (b) Open burning utilizing a forced-draft air system on all fires to improve the combustion rate and reduce smoke may be done within 500 yards of but not within fifty (50) yards of an occupied dwelling.
- (c) Burning must not occur within 500 yards of commercial airport property, private airfields, or marked off-runway aircraft approach corridors unless written approval to conduct burning is secured from the proper airport authority, owner or operator.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 1.3.G.)

1.24 Except as otherwise specified herein, the permittee shall be subject to the following provision with respect to emergencies:

- (a) Except as otherwise specified herein, an “*emergency*” means any situation arising from sudden and reasonably unforeseeable events beyond the control of the source, including acts of God, which situation requires immediate corrective action to restore normal operation, and that causes the source to exceed a technology-based emission limitation under the permit, due to unavoidable increases in emissions attributable to the emergency. An emergency shall not include noncompliance to the extent caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error.
- (b) An emergency constitutes an affirmative defense to an action brought for noncompliance with such technology-based emission limitations if the conditions specified in Part (c) following are met.
- (c) The affirmative defense of emergency shall be demonstrated through properly signed contemporaneous operating logs, or other relevant evidence that include information as follows:
 - (1) An emergency occurred and that the permittee can identify the cause(s) of

the emergency;

- (2) The permitted facility was at the time being properly operated;
 - (3) During the period of the emergency the permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and
 - (4) The permittee submitted notice of the emergency to the MDEQ within two (2) working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.
- (d) In any enforcement proceeding, the permittee seeking to establish the occurrence of an emergency has the burden of proof.
- (e) This provision is in addition to any emergency or upset provision contained in any applicable requirement specified elsewhere herein.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.G.)

1.25 Except as otherwise specified herein, the permittee shall be subject to the following provisions with respect to upsets, start-ups, and shutdowns.

- (a) Upsets (as defined in 11 Miss. Admin. Code Pt. 2, R. 1.2.)
- (1) For an upset, the Commission may pursue an enforcement action for noncompliance with an emission standard or other requirement of an applicable rule, regulation, or permit. In determining whether to pursue enforcement action, and/or the appropriate enforcement action to take, the Commission may consider whether the source has demonstrated through properly signed contemporaneous operating logs or other relevant evidence the following:
 - (i) An upset occurred and that the source can identify the cause(s) of the upset;
 - (ii) The source was at the time being properly operated;
 - (iii) During the upset the source took all reasonable steps to minimize levels of emissions that exceeded the emission standard or other requirement of an applicable rule, regulation, or permit;
 - (iv) That within five (5) working days of the time the upset began, the source submitted a written report to the Department describing the upset, the steps taken to mitigate excess emissions or any other non-

compliance, and the corrective actions taken and;

- (v) That as soon as practicable but no later than twenty-four (24) hours of becoming aware of an upset that caused an immediate adverse impact to human health or the environment beyond the source boundary or caused a general nuisance to the public, the source provided notification to the Department.
 - (2) In any enforcement proceeding by the Commission, the source seeking to establish the occurrence of an upset has the burden of proof.
 - (3) This provision is in addition to any upset provision contained in any applicable requirement.
 - (4) These upset provisions apply only to enforcement actions by the Commission and are not intended to prohibit EPA or third party enforcement actions.
- (b) Start-ups and Shutdowns (as defined in 11 Miss. Admin. Code Pt. 2, R. 1.2.)
- (1) Start-ups and shutdowns are part of normal source operation. Emission limitations apply during start-ups and shutdowns unless source specific emission limitations or work practice standards for start-ups and shutdowns are defined by an applicable rule, regulation, or permit.
 - (2) Where the source is unable to comply with existing emission limitations established under the State Implementation Plan (SIP) and defined in this Mississippi Administrative Code, Title 11, Part 2, Chapter 1, the Department will consider establishing source specific emission limitations or work practice standards for start-ups and shutdowns. Source specific emission limitations or work practice standards established for start-ups and shutdowns are subject to the requirements prescribed in Mississippi Administrative Code, Title 11, Part 2, Chapter 1, Rule 1.10.B.(2)(a) through (e).
 - (3) Where an upset as defined in Rule 1.2 occurs during start-up or shutdown, see the upset requirements above.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 1.10.)

- 1.26 The permittee shall comply with all applicable standards for demolition and renovation activities pursuant to the requirements of 40 CFR Part 61, Subpart M, as adopted by reference in Mississippi Administrative Code, Title 11, Part 2, Chapter 1, Rule 1.8.

The permittee shall not be required to obtain a modification of this permit in order to perform the referenced activities.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 1.8.)

1.27 Regarding compliance testing (if applicable):

- (a) The results of any emissions sampling and analysis shall be expressed both in units consistent with the standards set forth in any Applicable Rules and Regulations or this permit and in units of mass per time.
- (b) Compliance testing will be performed at the expense of the permittee.
- (c) Each emission sampling and analysis report shall include (but not be limited to) the following:
 - (1) Detailed description of testing procedures;
 - (2) Sample calculation(s);
 - (3) Results; and
 - (4) Comparison of results to all Applicable Rules and Regulations and to emission limitations in the permit.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.6.B.(3), (4), and (6).)

SECTION 2. EMISSION POINTS & POLLUTION CONTROL DEVICES

EMISSION POINT	DESCRIPTION
AA-100	Facility-Wide (Southeastern Timber Products, LLC – Ackerman Plant)
AA-001	No. 3 Continuous Direct-Fired Lumber Drying Kiln [equipped with 30 MMBTU / hour wood waste-fired, sloped-grate burner]
AA-002	Dry Shavings Bin Storage Cyclone [conveys shaving emissions from the peerless bin to the fuel storage bin for the No. 1 and No. 2 Batch Direct-Fired Lumber Drying Kilns]
AA-003	No. 1 Batch Direct-Fired Lumber Drying Kiln [equipped with two (2) 11 MMBTU / hour cyclonic wood waste-fired burners and two (2) natural gas-fired pilot lights]
AA-004	No. 2 Batch Direct-Fired Lumber Drying Kiln [equipped with two (2) 11 MMBTU / hour cyclonic wood waste-fired burners and two (2) natural gas-fired pilot lights]
AA-005	Planer Mill Hog Cyclone [conveys chipped dry wood trim from the planer mill hog to the Peerless Bin Cyclone / Baghouse]
AA-006	Peerless Bin Cyclone / Baghouse [includes one (1) high-efficiency cyclone and one (1) high-efficiency baghouse in series; serves as the control device for the peerless bin; receives dried wood shavings from the planer mill and chipped dry wood trim from the Planer Mill Hog Cyclone]
AA-007	Planer Mill Storage Bin Overflow Cyclone [conveys dry shavings to an auxiliary storage bin if the main fuel storage bin for the No. 1 and No. 2 Batch Direct-Fired Lumber Drying Kilns cannot accept dry shavings]
AA-008	Truck Load-Out Operations [includes the receiving, conveyance, and loading of material collected in the peerless bin for off-site shipment]
AA-009	Green Sawdust Storage Bin Cyclone [conveys green sawdust generated in the sawmill to a fuel storage bin for the No. 3 Continuous Direct-Fired Lumber Drying Kiln]
AA-010	Planer Mill Feed Table Exhaust Vent [a vacuum draft above the planer mill feed table routes generated dust to the atmosphere; emissions from the vent are uncontrolled]

SECTION 3. EMISSION LIMITATIONS & STANDARDS

A. FACILITY-WIDE EMISSION LIMITATIONS & STANDARDS

3.A.1 Except as otherwise specified or limited herein, the permittee shall not cause or allow the emission of smoke from a point source into the open air from any manufacturing or industrial process, which exceeds forty percent (40%) opacity subject to the exceptions provided in Parts (a) and (b) below:

- (a) Start-up operations may produce emissions, which exceed 40% opacity for up to fifteen (15) minutes per start-up in any one (1) hour and not to exceed three (3) start-ups per stack in any twenty-four (24) hour period.
- (b) Emissions resulting from soot blowing operations (i.e. ash removal) shall be permitted provided such emissions do not exceed sixty percent (60%) opacity and provided that the aggregate duration of such emissions during any 24-hour period does not exceed ten (10) minutes per billion BTU gross heating value of fuel in any 1 hour.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 1.3.A.)

3.A.2 Except as otherwise specified or limited herein, the permittee shall not cause or allow the discharge into the ambient air from any point source any air contaminant of such opacity as to obscure an observer's view to a degree in excess of forty percent (40%) opacity, equivalent to that provided in Condition 3.A.1. This shall not apply to vision obscuration caused by uncombined water droplets.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 1.3.B.)

B. EMISSION POINT SPECIFIC EMISSION LIMITATIONS & STANDARDS

Emission Point(s)	Applicable Requirement(s)	Condition Number	Pollutant(s) / Parameter(s)	Limit(s) / Standard(s)
AA-100	11 Miss. Admin. Code Pt. 2, R. 1.3.F.(1).	3.B.1	PM (filterable only)	$E = 4.1(p^{0.67})$
AA-001 AA-003 AA-004	40 CFR Part 63, Subpart DDDD – National Emission Standards for Hazardous Air Pollutants: Plywood and Composite Wood Products 40 CFR 63.2231(a) and (b); Subpart DDDD	3.B.2	HAPs	Applicability
	Federally Enforceable Permit to Construct Issued on April 4, 2011	3.B.3	VOCs	4.74 Pounds / MBF
	11 Miss. Admin. Code Pt. 2, R. 2.2.B.(10), as established in Title V Operating Permit Issued on July 30, 1997	3.B.4	Fuel Source	Combust Uncontaminated Wood Waste
AA-001	Federally Enforceable Permit to Construct Issued on April 23, 1996; Modified on April 4, 2011 and March 25, 2014 (PSD Avoidance Limits)	3.B.5	Lumber Throughput	105,443,038 Board Feet / Year (Rolling 12-Month Total)
			VOCs	249.9 tpy (Rolling 12-Month Total)
AA-003 AA-004	Federally Enforceable Permit to Construct Issued on April 23, 1996; Modified on April 4, 2011 and March 25, 2014	3.B.6	Lumber Throughput	64,556,962 Board Feet / Year (For Combined Kilns; Rolling 12-Month Total)
			VOCs	153 tpy (For Combined Kilns; Rolling 12-Month Total)

3.B.1 For Emission Point AA-100 (Facility-Wide), except as specified herein, the permittee shall not cause or allow the emission of particulate matter (PM) in total quantities in any one (1) hour from any manufacturing process (which includes any associated stacks, vents, outlets, or combination thereof) to exceed the amount determined by the following relationship:

$$E = 4.1(p^{0.67})$$

Where “E” is the emission rate in pounds per hour and “p” is the process weight input rate in tons per hour.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 1.3.F.(1).)

3.B.2 Emission Points AA-001, AA-003, and AA-004 (Direct-Fired Lumber Drying Kilns) are subject to and shall comply with the applicable requirements found in 40 CFR Part 63, Subpart DDDD – National Emission Standards for Hazardous Air Pollutants: Plywood and Composite Wood Products. However, based on the applicable process equipment, the permittee is only subject to an initial notification requirement.

(Ref.: 40 CFR 63.2231(a) and (b); Subpart DDDD)

3.B.3 For Emission Points AA-001, AA-003, and AA-004 (Direct-Fired Lumber Drying Kilns), the permittee shall limit the emission of volatile organic compounds (VOCs) from each kiln to no more than 4.74 pounds per one thousand board feet (MBF) dried.

(Ref.: Federally Enforceable Permit to Construct Issued on April 4, 2011)

3.B.4 For Emission Points AA-001, AA-003, and AA-004 (Direct-Fired Lumber Drying Kilns), the permittee shall limit the fuel combusted within the kilns to uncontaminated (raw) wood waste, such as that derived from the planer mill and the sawmill.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B.(10), as Established in Title V Operating Permit Issued on July 30, 1997)

3.B.5 For Emission Point AA-001 (Continuous Direct-Fired Lumber Drying Kiln), the permittee shall limit the emission of volatile organic compounds (VOCs) to no more than 249.9 tons per year (tpy) (based on a rolling 12-month total) by limiting the total throughput of lumber dried in the kiln to no more than 105,443,038 board feet per year based on a rolling 12-month total.

(Ref.: Federally Enforceable Permit to Construct Issued on April 23, 1996; Modified on April 4, 2011 and March 25, 2014 – PSD Avoidance Limit)

3.B.6 For Emission Points AA-003 and AA-004 (Batch Direct-Fired Lumber Drying Kilns), the permittee shall limit the emission of volatile organic compounds (VOCs) to no more than 153 tons per year (tpy) (based on a rolling 12-month total) by limiting the total throughput of lumber dried in the combined kilns to no more than 64,556,962 board feet per year based on a rolling 12-month total.

(Ref.: Federally Enforceable Permit to Construct Issued on April 23, 1996; Modified on April 4, 2011 and March 25, 2014)

C. INSIGNIFICANT AND TRIVIAL ACTIVITY EMISSION LIMITATIONS & STANDARDS

Applicable Requirement(s)	Condition Number(s)	Pollutant(s) / Parameter(s)	Limit(s) / Standard(s)
11 Miss. Admin. Code Pt. 2, R. 1.3.D.(1)(a).	3.C.1	PM	0.6 Pounds / MMBTU
11 Miss. Admin. Code Pt. 2, R. 1.4.A.(1).	3.C.2	SO ₂	4.8 Pounds / MMBTU

3.C.1 The maximum permissible emission of ash and/or particulate matter (PM) from fossil fuel burning emission sources of less than ten (10) million BTU (MMBTU) per hour heat input shall not exceed 0.6 pounds per MMBTU per hour heat input.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 1.3.D.(1)(a).)

3.C.2 The maximum discharge of sulfur oxides (SO_x) from any fuel burning emission source in which the fuel is burned primarily to produce heat or power by indirect heat transfer shall not exceed 4.8 pounds (measured as sulfur dioxide or SO₂) per million BTU (MMBTU) heat input.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 1.4.A.(1).)

D. WORK PRACTICE STANDARDS

THIS SECTION WAS INTENTIONALLY LEFT BLANK BECAUSE NO WORK PRACTICE STANDARDS APPLY TO THIS PERMIT ACTION.

SECTION 4. COMPLIANCE SCHEDULE

- 4.1 Unless otherwise specified herein, the permittee shall be in compliance with all requirements contained herein upon issuance of this permit.
- 4.2 Except as otherwise specified herein, the permittee shall submit to the Permit Board and to the Administrator of the EPA Region IV a certification of compliance with permit terms and conditions, including emission limitations, standards, or work practices, by January 31st for the preceding calendar year. Each compliance certification shall include the following:
- (a) The identification of each term or condition of the permit that is the basis of the certification;
 - (b) The compliance status;
 - (c) Whether compliance was continuous or intermittent;
 - (d) The method(s) used for determining the compliance status of the source, currently and over the applicable reporting period; and
 - (e) Such other facts as may be specified as pertinent in specific conditions elsewhere in this permit.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.C.(5)(a), (c), and (d).)

- 4.3 The following construction permit has been issued prior to the issuance and/or modification of this permit and contain applicable requirements for new and existing equipment at this facility. These requirements will become effective as outlined in the relevant construction permit. Additionally, these applicable requirements will be fully incorporated into this permit using the appropriate modification procedures as required in 11 Miss. Admin. Code Pt. 2, R. 6.4.E. following submittal of the application as required in 11 Miss. Admin. Code Pt. 2, R. 2.D.(5).:
- Prevention of Significant Deterioration (PSD) Permit to Construct Air Emissions Equipment Issued on December 11, 2019

SECTION 5. MONITORING, RECORDKEEPING & REPORTING REQUIREMENTS

A. GENERAL MONITORING, RECORDKEEPING AND REPORTING REQUIREMENTS

5.A.1 The permittee shall install, maintain, and operate equipment and/or institute procedures as necessary to perform the monitoring and recordkeeping specified below.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.A.(3).)

5.A.2 In addition to the recordkeeping specified below, the permittee shall include with all records of required monitoring information the following:

- (a) The date, place as defined in the permit, and time of sampling or measurements;
- (b) The date(s) analyses were performed;
- (c) The company or entity that performed the analyses;
- (d) The analytical techniques or methods used;
- (e) The results of such analyses; and
- (f) The operating conditions existing at the time of sampling or measurement.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.A.(3)(b)(1).)

5.A.3 Except where a longer duration is specified in an applicable requirement, the permittee shall retain records of all required monitoring data and support information for a period of at least five (5) years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records, all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.A.(3)(b)(2).)

5.A.4 Except as otherwise specified herein, the permittee shall submit reports of any required monitoring by July 31st and January 31st for the preceding six-month period. All instances of deviations from permit requirements must be clearly identified in such reports and all required reports must be certified by a responsible official consistent with Mississippi Administrative Code, Title 11, Part 2, Chapter 6, Rule 6.2.E.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.A.(3)(c)(1).)

5.A.5 Except as otherwise specified herein, the permittee shall report all deviations from permit requirements, including those attributable to upsets, the probable cause of such

deviations, and any corrective actions or preventive measures taken. Said report shall be made within five (5) days of the time the deviation began.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.A.(3)(c)(2).)

- 5.A.6 Except as otherwise specified herein, the permittee shall perform emissions sampling and analysis in accordance with EPA Test Methods and with any continuous emission monitoring requirements, if applicable. All test methods shall be those versions or their equivalents approved by the MDEQ and the EPA.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.A.(3).)

- 5.A.7 The permittee shall maintain records of any alterations, additions, or changes in equipment or operation.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.A.(3).)

B. SPECIFIC MONITORING AND RECORDKEEPING REQUIREMENTS

Emission Point(s)	Applicable Requirement(s)	Condition Number	Pollutant(s) / Parameter(s)	Monitoring / Recordkeeping Requirement(s)
AA-001	11 Miss. Admin. Code Pt. 2, R. 6.3.A.(3)(a)(2).	5.B.1	Lumber Throughput VOCs	Monitor and Maintain the Throughput of Dried Lumber (Monthly; Rolling 12-Month Total)
	11 Miss. Admin. Code Pt. 2, R. 2.2.B.(11).	5.B.2	VOCs	Conduct Performance Test (One-Time, As Applicable)
AA-002 AA-005 AA-006 AA-007 AA-009 AA-010	11 Miss. Admin. Code Pt. 2, R. 6.3.A.(3)(a)(2).	5.B.3	Opacity	Perform and Record Visible Emission Observations (Weekly or Monthly, As Applicable)
AA-002 AA-005 AA-006 AA-007 AA-009	11 Miss. Admin. Code Pt. 2, R. 2.2.B.(11).	5.B.4	PM	Perform and Record Inspections / Maintenance Actions (Monthly)
AA-003 AA-004	11 Miss. Admin. Code Pt. 2, R. 6.3.A.(3)(a)(2).	5.B.5	Lumber Throughput VOCs	Monitor and Maintain the Throughput of Dried Lumber from Combined Kilns (Monthly; Rolling 12-Month Total)
AA-006	11 Miss. Admin. Code Pt. 2, R. 6.3.A.(3)(a)(2).	5.B.6	PM	Monitor and Record the Differential Pressure Drop (Daily)

5.B.1 For Emission Point AA-001 (Continuous Direct-Fired Lumber Drying Kiln), the permittee shall monitor and record the throughput of lumber dried in the kiln in board feet both monthly and on a 12-month rolling total basis.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.A.(3)(a)(2).)

5.B.2 For Emission Point AA-001 (Continuous Direct-Fired Lumber Drying Kiln), if the dried lumber throughput exceeds 90,000,000 board feet in a rolling 12-month period, the permittee shall demonstrate compliance with the volatile organic compound (VOC) emission limitation outlined in Condition 3.B.3 by conducting a one-time performance test no later than two hundred seventy (270) days after exceeding the noted dried lumber throughput.

The testing shall be conducted in accordance with either the provisions outlined in Other Test Method (OTM) 26 or an alternative test method approved by the MDEQ and/or the EPA prior to the testing event. Additionally, unless otherwise approved in writing the MDEQ, testing shall be performed at no less than eighty percent (80%) of

the kiln's capacity.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B.(11).)

5.B.3 For Emission Points AA-002, AA-005, AA-006, AA-007 (Transfer Cyclones), AA-009 (Peerless Bin Cyclone / Baghouse), and AA-010 (Planer Mill Feed Table Exhaust Vent), the permittee shall perform and record visible emissions observations in accordance with EPA Test Method 22 on the exhausts of the applicable equipment during daylight hours and during representative operating conditions in accordance with the following frequencies:

- (a) Emission Points AA-002, AA-005, AA-007, AA-009, and AA-010: Monthly;
- (b) Emission Points AA-006: Weekly.

If visible emissions are detected during an observation, a visible emission evaluation (VEE) in accordance with EPA Test Method 9 shall then be performed and recorded by certified personnel. The overall observation period for a VEE shall consist of (at a minimum) eighteen (18) consecutive minutes. However, if visible emissions observed after an initial period of six (6) consecutive minutes are determined to be no more than twenty percent (20%) opacity, the certified individual may discontinue the VEE. In the event that a VEE is required but cannot be conducted, the permittee shall record a written explanation as to why it was not possible to perform the VEE.

The permittee shall maintain documentation pertaining to all visual observations, the nature and cause of any visible emissions, any corrective action(s) taken to prevent or minimize emissions, and the date / time when visual emission observations were conducted.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.A.(3)(a)(2).)

5.B.4 For Emission Points AA-002, AA-005, AA-006, AA-007, and AA-009 (Transfer Cyclones and Peerless Bin Cyclone / Baghouse), the permittee shall perform and record an inspection of the applicable equipment monthly and note any required maintenance.

If a problem is noted with any equipment during an inspection, the permittee shall perform the necessary maintenance on the applicable unit to ensure operation as originally designed. Additionally, the permittee shall maintain sufficient components as is necessary to repair the applicable equipment on-site.

In the event the baghouse fails and/or malfunctions, the permittee shall cease operations at the associated process equipment until such time as repairs are made to return the baghouse to its normal operational state.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B.(11).)

5.B.5 For Emission Points AA-003 and AA-004 (Batch Direct-Fired Lumber Drying Kilns), the permittee shall monitor and record the throughput of lumber dried in the combined kilns in board feet both monthly and on a 12-month rolling total basis.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.A.(3)(a)(2).)

5.B.6 For Emission Point AA-006 (Peerless Bin Cyclone / Baghouse), the permittee shall monitor and record the differential pressure drop on the baghouse daily to demonstrate that the pressure drop does not exceed 2.5 inches of water.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.A.(3)(a)(2).)

C. SPECIFIC REPORTING REQUIREMENTS

Emission Point(s)	Applicable Requirement(s)	Condition Number	Pollutant(s) / Parameter(s) Monitored	Reporting Requirement(s)
AA-001	11 Miss. Admin. Code Pt. 2, R. 6.3.A.(3)(c)(1).	5.C.1	VOCs	Submit Dried Lumber Throughput in the Semi-Annual Monitoring Report (SMR)
	11 Miss. Admin. Code Pt. 2, R. 2.6.B.(5).	5.C.2		Submit Performance Testing Protocol Submit 10-Day Notification of Performance Testing
	11 Miss. Admin. Code Pt. 2, R. 2.2.B.(11).	5.C.3		Submit Performance Testing Results
AA-002 AA-005 AA-006 AA-007 AA-009	11 Miss. Admin. Code Pt. 2, R. 6.3.A.(3)(c)(1).	5.C.4	PM	Submit Maintenance Action in the Semi-Annual Monitoring Report (SMR)
AA-003 AA-004	11 Miss. Admin. Code Pt. 2, R. 6.3.A.(3)(c)(1).	5.C.5	VOCs	Submit the Combined Dried Lumber Throughput Semi-Annual Monitoring Report (SMR)

5.C.1 For Emission Points AA-001 (Continuous Direct-Fired Lumber Drying Kiln), the permittee shall submit a semi-annual report in accordance with Condition 5.A.4 that details the total dried lumber throughput in board feet both monthly and on a rolling 12-month total.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.A.(3)(c)(1).)

5.C.2 For Emission Points AA-001 (Continuous Direct-Fired Lumber Drying Kiln), if a performance test is required as outlined in Condition 5.B.2, the permittee shall submit a written protocol that details the procedures and test methods to be implemented during the performance test no later than thirty (30) days prior to the intended date.

The permittee shall notify the MDEQ in writing at least ten (10) days prior to the intended testing date so that a representative from the MDEQ may be afforded the opportunity to observe the stack test.

If deemed necessary by the MDEQ, a conference may be required prior to the intended test date to discuss the proposed test methods and procedures outlined in the written protocol.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.6.B.(5).)

- 5.C.3 For Emission Points AA-001 (Continuous Direct-Fired Lumber Drying Kiln), if a performance test is required as outlined in Condition 5.B.2, the permittee shall submit a report in accordance with Condition 1.27 that details the results of any performance test to the MDEQ no later than sixty (60) days after the test date.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B.(11).)

- 5.C.4 For Emission Points AA-002, AA-005, AA-006, AA-007, and AA-009 (Transfer Cyclones and Peerless Bin Cyclone / Baghouse), the permittee shall submit a semi-annual report in accordance with Condition 5.A.4 that summarizes the following information:

- (a) Any maintenance actions performed on the applicable equipment;
- (b) The date and total duration (in hours) in which each applicable equipment was non-operational; and
- (c) A negative declaration that states the results of all visible emission evaluations (VEEs) conducted did not exceed the opacity limitations outlined in Conditions 3.A.1 and 3.A.2 (as applicable).

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.A.(3)(c)(1).)

- 5.C.5 For Emission Points AA-003 and AA-004 (Batch Direct-Fired Lumber Drying Kilns), the permittee shall submit a semi-annual report in accordance with Condition 5.A.4 that details the total dried lumber throughput in board feet from the combined kilns monthly and on a 12-month rolling total basis.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 6.3.A.(3)(c)(1).)

SECTION 6. ALTERNATIVE OPERATING SCENARIOS

6.1 NONE PERMITTED

SECTION 7. TITLE VI REQUIREMENTS

The following are applicable or potentially applicable requirements originating from Title VI of the Clean Air Act – Stratospheric Ozone Protection. The full text of the referenced regulations may be found on-line at <http://www.ecfr.gov/> under Title 40, or DEQ shall provide a copy upon request from the permittee.

- 7.1 If the permittee produces, transforms, destroys, imports or exports a controlled substance or imports or exports a controlled product, the permittee shall comply with the applicable requirements of 40 CFR Part 82, Subpart A – Production and Consumption Controls.
- 7.2 If the permittee performs service on a motor vehicle for consideration when this service involves the refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the applicable requirements of 40 CFR Part 82, Subpart B – Servicing of Motor Vehicle Air Conditioners.
- 7.3 The permittee shall comply with the applicable requirements of 40 CFR Part 82, Subpart E – The Labeling of Products Using Ozone-Depleting Substances, for the following containers and products:
- (a) All containers in which a class I or class II substance is stored or transported;
 - (b) All products containing a class I substance; and
 - (c) All products directly manufactured with a process that uses a class I substance, unless otherwise exempted by this subpart or, unless EPA determines for a particular product that there are no substitute products or manufacturing processes for such product that do not rely on the use of a class I substance, that reduce overall risk to human health and the environment, and that are currently or potentially available. If the EPA makes such a determination for a particular product, then the requirements of this subpart are effective for such product no later than January 1, 2015.
- 7.4 If the permittee performs any of the following activities, the permittee shall comply with the applicable requirements of 40 CFR Part 82, Subpart F – Recycling and Emissions Reduction:
- (a) Servicing, maintaining, or repairing appliances;
 - (b) Disposing of appliances, including small appliances and motor vehicle air conditioners; or
 - (c) Refrigerant reclaimers, technician certifying programs, appliance owners and operators, manufacturers of appliances, manufacturers of recycling and recovery equipment, approved recycling and recovery equipment testing organizations, as

well as persons selling, offering for sale, and/or purchasing class I, class II, or non-exempt substitute refrigerants.

- 7.5 The permittee shall be allowed to switch from any ozone-depleting substance to any acceptable alternative that is listed in the Significant New Alternatives Policy (SNAP) program promulgated pursuant to 40 CFR Part 82, Subpart G – Significant New Alternatives Policy Program. The permittee shall also comply with any use conditions for the acceptable alternative substance.
- 7.6 If the permittee performs any of the following activities, the permittee shall comply with the applicable requirements of 40 CFR Part 82, Subpart H – Halon Emissions Reduction:
- (a) Any person testing, servicing, maintaining, repairing, or disposing of equipment that contains halons or using such equipment during technician training;
 - (b) Any person disposing of halons;
 - (c) Manufacturers of halon blends; or
 - (d) Organizations that employ technicians who service halon-containing equipment.

APPENDIX A

List of Abbreviations Used In this Permit

11 Miss. Admin. Code Pt. 2, Ch. 1.	Air Emission Regulations for the Prevention, Abatement, and Control of Air Contaminants
11 Miss. Admin. Code Pt. 2, Ch. 2.	Permit Regulations for the Construction and/or Operation of Air Emissions Equipment
11 Miss. Admin. Code Pt. 2, Ch. 3.	Regulations for the Prevention of Air Pollution Emergency Episodes
11 Miss. Admin. Code Pt. 2, Ch. 4.	Ambient Air Quality Standards
11 Miss. Admin. Code Pt. 2, Ch. 5.	Regulations for the Prevention of Significant Deterioration of Air Quality
11 Miss. Admin. Code Pt. 2, Ch. 6.	Air Emissions Operating Permit Regulations for the Purposes of Title V of the Federal Clean Air Act
11 Miss. Admin. Code Pt. 2, Ch. 7.	Acid Rain Program Permit Regulations for Purposes of Title IV of the Federal Clean Air Act
BACT	Best Available Control Technology
CEM	Continuous Emission Monitor
CEMS	Continuous Emission Monitoring System
CFR	Code of Federal Regulations
CO	Carbon Monoxide
COM	Continuous Opacity Monitor
COMS	Continuous Opacity Monitoring System
DEQ	Mississippi Department of Environmental Quality
EPA	United States Environmental Protection Agency
gr/dscf	Grains Per Dry Standard Cubic Foot
HP	Horsepower
HAP	Hazardous Air Pollutant
lbs/hr	Pounds per Hour
M or K	Thousand
MACT	Maximum Achievable Control Technology
MM	Million
MMBTUH	Million British Thermal Units per Hour
NA	Not Applicable
NAAQS	National Ambient Air Quality Standards
NESHAP	National Emissions Standards for Hazardous Air Pollutants, 40 CFR 61 or National Emission Standards for Hazardous Air Pollutants for Source Categories, 40 CFR 63
NMVOG	Non-Methane Volatile Organic Compounds
NO _x	Nitrogen Oxides
NSPS	New Source Performance Standards, 40 CFR 60
O&M	Operation and Maintenance
PM	Particulate Matter
PM ₁₀	Particulate Matter less than 10 µm in diameter
ppm	Parts per Million
PSD	Prevention of Significant Deterioration, 40 CFR 52
SIP	State Implementation Plan
SO ₂	Sulfur Dioxide
TPY	Tons per Year
TRS	Total Reduced Sulfur
VEE	Visible Emissions Evaluation
VHAP	Volatile Hazardous Air Pollutant
VOC	Volatile Organic Compound