



State of Mississippi



WATER POLLUTION CONTROL PERMIT

To Operate a Wastewater Disposal System with No Discharge

THIS CERTIFIES

APAC Mississippi Inc, Columbus

462 Lake Norris Road

Columbus, MS

Lowndes County

has been granted permission to operate a wastewater disposal system in accordance with the limitations and conditions set forth in this permit. This permit is issued in accordance with the provisions of the Mississippi Water Pollution Control Law (Section 49-17-1 et seq., Mississippi Code of 1972), and the regulations and standards adopted and promulgated thereunder.

Mississippi Environmental Quality Permit Board

Becky Simonson

Mississippi Department of Environmental Quality

Issued/Modified: September 17, 2025

Expires: August 31, 2030

Permit No. MSU092053

Agency Interest # 10272

To Operate a Wastewater Disposal System with No Discharge

APAC Mississippi Inc, Columbus

Subject Item Inventory

Permit Number: MSU092053

Activity ID No.: PER20250001

Subject Item Inventory:

ID	Designation	Description
AI10272	AI 10272	Road Construction
RPNT1	MSU092053	No discharge, closed loop recycle system for process wastewater .

KEY

ACT = Activity

AREA = Area

CONT = Control Device

IA = Insignificant Activity

MAFO = Animal Feeding Operation

RPNT = Release Point

WDPT = Withdrawal Point

AI = Agency Interest

CAFO = Concentrated Animal Feeding Operation

EQPT = Equipment

IMPD = Impoundment

PCS = PCS

TRMT = Treatment

To Operate a Wastewater Disposal System with No Discharge

APAC Mississippi Inc, Columbus

Facility Requirements

Permit Number: MSU092053

Activity ID No.:PER20250001

Page 1 of 14

AI0000010272 (AI 10272) Road Construction:

Record-Keeping Requirements:

Condition No.	Condition
R-1	Recording of Results
	For each measurement or sample taken pursuant to the requirements of this permit, the permittee shall maintain records of all information obtained from such monitoring including: (1) The exact place, date, and time of sampling; (2) The dates the analyses were performed; (3) The person(s) who performed the analyses; (4) The analytical techniques, procedures or methods used; and (5) The results of all required analyses. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(29)(a).]

Submittal/Action Requirements:

Condition No.	Condition
S-1	Reporting Requirements - Planned Changes
	The permittee shall give notice to the Permit Board as soon as possible of any planned physical alterations or additions, including but not limited to, a change of operation to the permitted facility. Notice is required in the circumstances that follow: (1) The alteration or addition to a permitted facility may meet one of the criteria for determining whether the facility is a new source in 40 CFR 122.29(b); or (2) The alteration or addition could significantly change the nature or increase the quantity of pollutants discharged. This notification applies to pollutants which are not subject to either effluent limitations in the permit or notification requirements under 40 CFR 122.42(a)(1). (3) The alteration or addition results in a significant change in the permittee's sludge use or disposal practices, and such alteration, addition, or change may justify the application of permit conditions that are different from or absent in the existing permit, including notification of additional use or disposal sites not reported during the permit application process or not reported pursuant to an approved land application plan. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(15)(a).]

To Operate a Wastewater Disposal System with No Discharge

APAC Mississippi Inc, Columbus

Facility Requirements

Permit Number: MSU092053

Activity ID No.:PER20250001

Page 2 of 14

AI0000010272 (AI 10272) Road Construction:

Submittal/Action Requirements:

Condition No.	Condition
S-2	Reporting Requirements - Anticipated Noncompliance The permittee shall give advance notice to the Permit Board of any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(15)(b).]
S-3	Noncompliance Notification - Twenty-Four Hour Reporting (1) The permittee shall report any noncompliance which may endanger health or the environment. Any information shall be provided orally within 24 hours from the time the permittee becomes aware of the circumstances. A written submission shall also be provided within 5 days of the time the permittee becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and/or prevent recurrence of the noncompliance. The Executive Director may waive the written report on a case-by-case basis for reports under this section if the oral report has been received within 24 hours. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(29)(e).]
S-4	Noncompliance Notification - Other Noncompliance The permittee shall report all instances of noncompliance not reported under the twenty-four hour reporting requirements, at the time monitoring reports are submitted or within 30 days from the end of the month in which the noncompliance occurs. The reports shall contain the same information as is required under the twenty-four hour reporting requirements contained in this permit. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(29)(f).]
S-5	Noncompliance Notification - Other Information Where the permittee becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application or in any report to the Permit Board, it shall promptly submit such facts or information. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(29)(g).]
S-6	Expiration of Permit At least 180 days prior to the expiration date of this permit pursuant to the State law and regulation, the permittee who wishes to continue to operate under this permit shall submit an application to the Permit Board for reissuance. The Permit Board may grant permission to submit an application later than this, but no later than the expiration date of the permit. [11 Miss. Admin. Code Pt. 6, R. 1.1.5.B(1).]

To Operate a Wastewater Disposal System with No Discharge

APAC Mississippi Inc, Columbus

Facility Requirements

Permit Number: MSU092053

Activity ID No.:PER20250001

Page 3 of 14

AI0000010272 (AI 10272) Road Construction:

Narrative Requirements:

Definitions:

Condition No.	Condition
T-1	Definitions: General The permittee shall refer to 11 Miss. Admin. Code Pt. 6, R. 1.1.1.A. for definitions of any permit term not specified in this permit. [11 Miss. Admin. Code Pt. 6, R. 1.1.1.A.]
Condition No.	Condition
T-2	Other Requirements (1) When a Mining activity is adjacent to a stream, a buffer zone shall be maintained between the edge of the mining activity and the highest point of the top bank of the stream. The buffer zone shall not be disturbed by any of the facility's activities. The buffer zone widths, as established by Chapter Three, Section IV.C.3 of the Wastewater Regulations, shall be as follows: (i) For mining operations adjacent to intermittent streams, as identified by a broken blue line on the United States Department of Interior Geological Survey Quadrangle Map, a 50 foot buffer zone shall be maintained. (ii) For mining operations adjacent to perennial streams, as identified by a solid blue line on the United States Department of Interior Geological Survey Quadrangle Map, a 150 foot buffer zone shall be maintained. (iii) For mining operations adjacent to navigable waterways, as defined and designated by the U. S. Army Corps of Engineers pursuant to Section 10 of the Rivers and Harbors Act, a 300 foot buffer zone shall be maintained. [11 Miss. Admin. Code Pt. 6. Ch. 1.]

To Operate a Wastewater Disposal System with No Discharge

APAC Mississippi Inc, Columbus

Facility Requirements

Permit Number: MSU092053

Activity ID No.:PER20250001

Page 4 of 14

AI0000010272 (AI 10272) Road Construction:

Narrative Requirements:

Condition No.	Condition
T-3	Structural Integrity (1) Any lagoon, sedimentation pond, or dredge pit must have an emergency discharge structure installed at least 24 inches above the normal operating fluid level, said discharge structure being at least 24 inches below the lowest point on the top of the containment dike. (2) Dikes and any other appurtenant structures must be constructed utilizing good engineering designs, standards, methodologies and materials. (3) Dikes shall be maintained in good working order at all times. There shall be no leaks through dikes, any damaged dike shall be replaced or repaired immediately upon discovering any deficiency, and all earthen dikes shall be maintained with adequate cover, such that the effects of erosion are minimized. (4) The permittee shall develop and maintain a daily inspection log for this facility. This log should include but not be limited to the following; condition of all dikes, observance of the area around the dike to indicate any water pollution problems and the volume wastewater accumulating within the dike. The date, time and person making the inspection should be included in this log. [11 Miss. Admin. Code Pt. 6. Ch. 1.]
T-4	No Discharge of Wastewater to Surface Water The discharge of any wastewater from this facility to the waters of the State of Mississippi shall constitute a violation of this permit, except as provided in the Bypassing conditions of this permit, or as authorized under separate permit pursuant to Section 402 of the Federal Water Pollution Control Act. [11 Miss. Admin. Code Pt. 6, R. 1.1.1.B.]
T-5	Representative Sampling Samples and measurements taken as required herein shall be representative of the volume and nature of the monitored wastewater. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(28)(e).]
T-6	Test Procedures Test procedures for the analysis of pollutants shall include those set forth in 40 CFR 136 or alternative procedures approved and/or promulgated by EPA. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(30).]

To Operate a Wastewater Disposal System with No Discharge

APAC Mississippi Inc, Columbus

Facility Requirements

Permit Number: MSU092053

Activity ID No.:PER20250001

Page 5 of 14

AI0000010272 (AI 10272) Road Construction:

Narrative Requirements:

Condition No.	Condition
T-7	Records Retention All records and results of monitoring activities required by this permit, including calibration and maintenance records, shall be retained by the permittee for a minimum of three (3) years, unless otherwise required or extended by the Permit Board, copies of which shall be furnished to the Department upon request. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(29)(a).]
T-8	Falsifying Reports Any permittee who falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required by the Permit Board to be maintained as a condition in a permit, or who alters or falsifies the results obtained by such devices or methods and/or any written report required by or in response to a permit condition, shall be deemed to have violated a permit condition and shall be subject to the penalties provided for a violation of a permit condition pursuant to Section 49-17-43 of the Code. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(29)(d).]
T-9	Facility Expansion and/or Modification Any facility expansion, production increases, process modifications, changes in discharge volume or location or other changes in operations or conditions of the permittee which may result in a new or increased discharge of waste, shall be reported to the Permit Board by submission of a new application for a permit pursuant to 11 Miss. Admin. Code Pt. 6, R. 1.1.2.A. of the Mississippi Wastewater Regulations, or if the discharge does not violate effluent limitations specified in the permit, by submitting to the Permit Board a notice of a new or increased discharge. [11 Miss. Admin. Code Pt. 6, R. 1.1.2.A.]
T-10	Duty to Comply The permittee must comply with all conditions of this permit. Any permit noncompliance constitutes a violation of the Clean Water Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or denial of a permit renewal application. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(2).]

To Operate a Wastewater Disposal System with No Discharge

APAC Mississippi Inc, Columbus

Facility Requirements

Permit Number: MSU092053

Activity ID No.:PER20250001

Page 6 of 14

AI0000010272 (AI 10272) Road Construction:

Narrative Requirements:

Condition No.	Condition
T-11	Proper Operation, Maintenance and Replacement The permittee shall at all times properly operate, maintain, and when necessary, promptly replace all facilities and systems of collection, treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the conditions of this permit. Proper operation and maintenance includes adequate laboratory controls and appropriate quality assurance procedures. Proper replacement includes maintaining an adequate inventory of replacement equipment and parts for prompt replacement when necessary to maintain continuous collection and treatment of wastewater. This provision requires the operation of back-up or auxiliary facilities or similar systems that are installed by a permittee only when the operation is necessary to achieve compliance with the conditions of the permit. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(18).]
T-12	Duty to Mitigate The permittee shall take all reasonable steps to minimize or prevent any discharge or sludge use or disposal in violation of the permit that has a reasonable likelihood of adversely affecting human health or the environment. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(19).]
T-13	Bypassing - Definitions "Bypass" means the intentional diversion of waste streams from any portion of a treatment facility. "Severe property damage" means substantial physical damage to property, damage to the treatment facilities which causes them to become inoperable, or substantial and permanent loss of natural resources which can reasonably be expected to occur in the absence of a bypass. Severe property damage does not mean economic loss caused by delays in production. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(20).]

To Operate a Wastewater Disposal System with No Discharge

APAC Mississippi Inc, Columbus

Facility Requirements

Permit Number: MSU092053

Activity ID No.:PER20250001

Page 7 of 14

AI0000010272 (AI 10272) Road Construction:

Narrative Requirements:

Condition No.	Condition
T-14	Bypassing -Notice Anticipated bypass- If the permittee knows in advance of the need for a bypass, it shall submit prior notice, if possible at least ten days before the date of the bypass. Unanticipated bypass- The permittee shall submit notice of an unanticipated bypass as required by the twenty-four hour reporting requirements set forth in this permit. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(20).]
T-15	Bypassing- Prohibition of Bypass (1) Bypass is prohibited, and the Commission may take enforcement action against a permittee unless: (i) Bypass was unavoidable to prevent loss of life, personal injury, or sever property damage. (ii) There was no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime. This condition is not satisfied if adequate back-up equipment should have been installed in the exercise of reasonable engineering judgement to prevent a bypass which occurred during normal periods of equipment downtime or preventative maintenance; and (iii) The permittee submitted notices as required under the Twenty-Four Hour reporting requirements set forth in this permit. (2) The Commission may approve an anticipated bypass, after considering its adverse affects, if the Commission determines that it will meet the three conditions listed above in paragraph (1) of this permit condition. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(20).]
T-16	Removed Substances Solids, sludges, filter backwash, or other residuals removed in the course of treatment or control of wastewater shall be disposed of in a manner such as to prevent such materials from entering State waters and in a manner consistent with the Mississippi Solid Waste Disposal Act, the Federal Resource Conservation and Recovery Act, and the Mississippi Water Pollution Control Act. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(21).]

To Operate a Wastewater Disposal System with No Discharge

APAC Mississippi Inc, Columbus

Facility Requirements

Permit Number: MSU092053

Activity ID No.:PER20250001

Page 8 of 14

AI0000010272 (AI 10272) Road Construction:

Narrative Requirements:

Condition No.	Condition
T-17	Power Failures If electric power is required, in order to maintain compliance with the conditions and prohibitions of the permit, the permittee shall either: (1) Provide an alternative power source to operate the wastewater control facilities; or, if such alternative power source is not in existence, and no date for its implementation appears in the permit, (2) Halt, reduce, or otherwise control production and/or all wastewater flows upon reduction, loss, or failure of the primary source of power to the wastewater control facilities. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(22).]
T-18	Inspection and Entry The permittee shall allow any authorized Commission representative to enter the permittee's premises at any reasonable time, to have access to and copy any applicable records, to inspect process facilities, treatment works, monitoring methods or equipment or to take samples, as authorized by Section 49-17-21 of the Code. In the event of investigation during an emergency response action, a reasonable time shall be any time of the day or night. Follow-up investigations subsequent to the conclusion of the emergency event shall be conducted at reasonable times. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(17).]
T-19	Transfer of Ownership or Control This permit is not transferable to any person without proper modification of this permit following procedures found in 11 Miss. Admin. Code Pt. 6, R.1.1.5.C. [11 Miss. Admin. Code Pt. 6, R. 1.1.5.C.]
T-20	Signatory Requirements All applications, reports, or information submitted to the Permit Board shall be signed and certified. [11 Miss. Admin. Code Pt. 6, R. 1.1.2.C.]

To Operate a Wastewater Disposal System with No Discharge

APAC Mississippi Inc, Columbus

Facility Requirements

Permit Number: MSU092053

Activity ID No.:PER20250001

Page 9 of 14

AI0000010272 (AI 10272) Road Construction:

Narrative Requirements:

Condition No.	Condition
T-21	Signatory Requirements - Application Signatures All permit applications shall be signed as follows: (1) For a corporation: by a responsible corporate officer. For the purpose of this Section, a responsible corporate officer means: (i) a president, secretary, treasurer or vice president of the corporation in charge of a principal business function, or any other person who performs similar policy - or decision-making function for the corporation, or (ii) the manager of one or more manufacturing, production, or operating facilities provided the manager is authorized to make management decisions which govern the operation of the regarded facility including having the explicit or implicit duty of making major capital investment recommendations and initiating and directing other comprehensive measures to assure the long term environmental compliance with environmental laws and regulations; the manager can ensure that necessary systems are established or actions taken to gather complete and accurate information for permit application requirements; and where authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures. (2) For a partnership or sole proprietorship: by a general partner or the proprietor, respectively; or (3) For a municipality, State, Federal, or other public agency: by either a principal executive officer or ranking elected official. [11 Miss. Admin. Code Pt. 6, R. 1.1.2.C.]
T-22	Signatory Requirements -Reports and Other Information All reports required by the permit and other information requested by the Permit Board shall be signed by a person described by the application signature requirements in this permit or by a duly authorized representative of that person. A person is a duly authorized representative only if: (1) The authorization is made in writing by a person described by the application signature requirements; (2) The authorization specifies either an individual or a position having responsibility for the overall operation of the regulated facility or activity, such as the position of plant manager, operator of a well or a well field, superintendent, position having overall responsibility for environmental matters for the company. (A duly authorized representative may thus be either a named individual or any individual occupying a named position.); and (3) The written authorization is submitted to the Permit Board. [11 Miss. Admin. Code Pt. 6, R. 1.1.2.C.]

To Operate a Wastewater Disposal System with No Discharge

APAC Mississippi Inc, Columbus

Facility Requirements

Permit Number: MSU092053

Activity ID No.:PER20250001

Page 10 of 14

AI0000010272 (AI 10272) Road Construction:

Narrative Requirements:

Condition No.	Condition
T-23	Signatory Requirements - Changes to Authorization If an authorization under the signatory requirements of this permit is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, a new authorization satisfying the signatory requirements of this permit must be submitted to the Permit Board prior to or together with any reports, information, or applications. [11 Miss. Admin. Code Pt. 6, R. 1.1.2.C.]
T-24	Signatory Requirements - Certification Any person signing a document under the signatory requirements stated in this permit shall make the following certification: "I certify under penalty of law that this document and all attachments were prepared under the direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations." [11 Miss. Admin. Code Pt. 6, R. 1.1.2.C.]
T-25	Availability of Records Except for information deemed to be confidential under the Mississippi Code Ann. 49-17-39 and 40 CFR 123.41, file information relating to this permit shall be made available for public inspection and copying during normal business hours at the office of the Department of Environmental Quality in Jackson, Mississippi. Written request must be provided in accordance with policies developed by the Commission and must state, specifically, records proposed for review, date proposed for review and copying requirements. [11 Miss. Admin. Code Pt. 6, R. 1.1.3.E.]
T-26	Duty to Provide Information The permittee shall furnish to the Permit Board within a reasonable time any relevant information which the Permit Board may request to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit, or to determine compliance with the permit. The permittee shall also furnish to the Permit Board upon request, copies of records required to be kept by the permit. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(16).]

To Operate a Wastewater Disposal System with No Discharge

APAC Mississippi Inc, Columbus

Facility Requirements

Permit Number: MSU092053

Activity ID No.:PER20250001

Page 11 of 14

AI0000010272 (AI 10272) Road Construction:

Narrative Requirements:

Condition No.	Condition
T-27	Civil and Criminal Liability (1) Any person who violates a term, condition or schedule of compliance contained within this permit or the Mississippi Water Pollution Control Law is subject to the actions defined by law. (2) Except as provided in permit conditions on "Bypassing" and "Upsets", nothing in this permit shall be construed to relieve the permittee from civil or criminal penalties for noncompliance. (3) It shall not be the defense of the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit. [11 Miss. Admin. Code Pt. 6, R.1.1.4.A(24).]
T-28	Oil and Hazardous Substance Liability Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities, or penalties to which the permittee is or may be subject to under Section 311 of the Federal Water Pollution Control Act and applicable provisions under Mississippi Law pertaining to transportation, storage, treatment, or spillage of oil or hazardous substances. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(23).]
T-29	Property Rights The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Federal, State, or local laws or regulations. [11 Miss. Admin. Code Pt. 6, R. 1.1.5.E.]
T-30	Severability The provisions of this permit are severable. If any provision of this permit, or the application of any provision of this permit to any circumstances, is challenged or held invalid, the validity of the remaining permit provisions and/or portions thereof or their application to other persons or sets of circumstances, shall not be affected thereby. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(25).]

To Operate a Wastewater Disposal System with No Discharge

APAC Mississippi Inc, Columbus

Facility Requirements

Permit Number: MSU092053

Activity ID No.:PER20250001

Page 12 of 14

AI0000010272 (AI 10272) Road Construction:

Narrative Requirements:

Condition No.	Condition
T-31	Protection of Confidential Information (1) Pursuant to Miss. Code Ann. ' 49-17-39 and 40 CFR 123.41, the Permit Board shall make available to the public all information contained on any form and all public comments on such information. Effluent data and information concerning air or water quality shall also be made available to the public. Information that is determined by the Commission to be trade secrets shall not be disclosed to the public without prior consent of the source of such information. When a claim of confidentiality is made by a person in accordance with the provisions of Miss. Code Ann. ' 49-17-39, a recommendation on the questions of confidentiality shall be made by the Commission and forwarded to the Regional Administrator (or his/her designee) of EPA for his concurrence in such determination of confidentiality. [11 Miss. Admin. Code Pt. 6, R. 1.1.3.F.]
T-32	Protection of Confidential Information (continued) (2) A copy of a State, UIC, or NPDES permit application, public notice, fact sheet, draft permit and other forms relating thereto, including written public comment and other reports, files and information relating to the application not classified as confidential information by the Commission pursuant to Part II. B.13.a), shall be available for public inspection and copying during normal business hours at the office of the Department in Jackson, Mississippi. [11 Miss. Admin. Code Pt. 6, R. 1.1.3.F.]
T-33	Protection of Confidential Information (continued) (3) Upon determination by the Commission that information submitted by a permit applicant is entitled to protection against disclosure as trade secrets, the information shall be so labeled and otherwise handled as confidential. Copies of the information and a notice of the Commission's action shall be forwarded to the Regional Administrator (or his/her designee). In making its determination of entitlement to protection as a trade secret, the Commission shall follow the procedure set forth in Miss. Code Ann. ' 49-17-39. In the event the Commission denies the claim of confidentiality, the applicant shall have, upon notification thereof, the right to appeal the Commission's determination in the same manner provided for other orders of the Commission. No disclosure, except to EPA, shall be allowed until any appeal from the determination of the Commission is completed. [11 Miss. Admin. Code Pt. 6, R. 1.1.3.F.]

To Operate a Wastewater Disposal System with No Discharge

APAC Mississippi Inc, Columbus

Facility Requirements

Permit Number: MSU092053

Activity ID No.:PER20250001

Page 13 of 14

AI0000010272 (AI 10272) Road Construction:

Narrative Requirements:

Condition No.	Condition
T-34	Spill Prevention and Best Management Plans Any permittee which has above ground bulk storage capacity, of more than 1320 gallons or any single container with a capacity greater than 660 gallons, of materials and/or liquids (including but not limited to, all raw, finished and/or waste material) with chronic or acute potential for pollution impact on waters of the State and not subject to Mississippi Hazardous Waste Management Regulations or 40 CFR 112 (Oil Pollution Prevention) regulations shall provide secondary containment as found in 40 CFR 112 or equivalent protective measures such as trenches or waterways which would conduct any tank releases to a permitted treatment system or sufficient equalization or treatment capacity needed to prevent chronic/acute pollution impact. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(12)(a).]
T-35	Reopener Clause This permit shall be modified, or alternately, revoked and reissued, to comply with any applicable effluent standard, limitation or storm water regulation issued or approved under Section 301(b)(2)(C), and (D), 304(b)(2), 307(a)(2) and 402(p) of the Federal Water Pollution Control Act if the effluent standard, limitation or regulation so issued or approved: 1. Contains different conditions or is otherwise more stringent than any effluent limitation in the permit; or 2. Controls any pollutant not limited in the permit. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.F(1).]
T-36	Closure Requirements Should the permittee decide to permanently close and abandon the premises upon which it operates, it shall provide a Closure Plan to the Permit Board no later than 90 days prior to doing so. This Closure Plan shall address how and when all manufactured products, by-products, raw materials, stored chemicals, and solid and liquid waste and residues will be removed from the premises or permanently disposed of on site such that no potential environmental hazard to the waters of the State will be presented. Closure plan(s) submitted to and approved by Mississippi Department of Environmental Quality for compliance with other environmental regulations will satisfy the closure requirements for those items specifically addressed in the closure plan(s) as long as the closure does not present a potential for environmental hazard to waters of the State. [11 Miss. Admin. Code Pt. 6, R. 1.1.4.A(11).]

To Operate a Wastewater Disposal System with No Discharge

APAC Mississippi Inc, Columbus

Facility Requirements

Permit Number: MSU092053

Activity ID No.:PER20250001

Page 14 of 14

AI0000010272 (AI 10272) Road Construction:

Narrative Requirements:

Condition No.	Condition
T-37	Permit Actions
The permit may be modified, revoked and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a modification of planned changes or anticipated noncompliance, does not stay any permit condition. [11 Miss. Admin. Code Pt. 6, R. 1.1.5.C(5).]	

GENERAL INFORMATION

APAC Mississippi Inc, Columbus
462 Lake Norris Road
Columbus, MS
Lowndes County

Alternate/Historic Identifiers

GENERAL INFORMATION

ID	Alternate/Historic Name	User Group	Start Date	End Date
10272	APAC-Mississippi, Inc.	Official Site Name	11/22/1988	
2808700021	APAC Mississippi Inc, Columbus	Air-AIRS AFS	10/12/2000	
MSD982769879	APAC Mississippi Inc, Columbus Asphalt Plant	Hazardous Waste-EPA ID	10/12/2000	
168000021	APAC Mississippi Inc, Columbus Asphalt Plant	Air-Construction	02/11/1992	
168000021	APAC Mississippi Inc, Columbus Asphalt Plant	Air-State Operating	12/13/1996	12/13/1996
168000021	APAC Mississippi Inc, Columbus Asphalt Plant	Air-State Operating	02/11/1992	05/01/1997
168000028	APAC Mississippi Inc, Columbus Asphalt Plant	Air-State Operating	11/22/1988	12/01/1991
168000027	APAC Mississippi Inc, Columbus Asphalt Plant	Air-State Operating	10/09/1990	10/01/1993
MSR700007	APAC Mississippi Inc, Columbus Asphalt Plant	GP-Asphalt	07/18/2000	09/21/2004
MSR700007	APAC Mississippi Inc, Columbus Asphalt Plant	GP-Asphalt	09/21/2004	07/31/2009
10274	APAC-Mississippi, Inc.	Official Site Name	01/23/1998	01/23/1998
MSU092053	APAC Mississippi Inc, Columbus Equipment Washing	Water - SOP	01/23/1998	04/22/2002
MSU092053	APAC Mississippi Inc, Columbus Equipment Washing	Water - SOP	04/22/2002	03/31/2007
10273	APAC-Mississippi, Inc.	Official Site Name	11/10/1992	11/10/1992
MSR320042	APAC Mississippi Inc, Columbus Palmer Pit	GP-Mining	11/10/1992	07/24/2007
MSU090080	APAC Mississippi Inc, Columbus Palmer Pit	Water - SOP	02/28/1995	02/27/2000
MSU090080	APAC Mississippi Inc, Columbus Palmer Pit	Water - SOP	07/30/2002	04/05/2005
12895	APAC Mississippi Inc.	Official Site Name	10/10/1995	10/10/1995
10275	APAC Mississippi, Inc, Columbus Bowlin Pit	Official Site Name	10/12/2000	10/12/2000
168000031	APAC Mississippi Inc, Columbus Bowlin Pit	Air-Synthetic Minor Operating	12/19/1995	01/01/2001
MSU092053	APAC Mississippi Inc, Columbus	Water - SOP	04/23/2007	01/18/2012
MSR700007	APAC-Mississippi, Inc., APAC Mississippi Inc, Columbus	GP-Asphalt	12/22/2009	04/16/2015
MSU092053	APAC Mississippi Inc, Columbus	Water - SOP	01/18/2012	06/29/2016
MSR700007	APAC-Mississippi, Inc., APAC Mississippi Inc, Columbus	GP-Asphalt	04/16/2015	02/29/2020
MSU092053	APAC Mississippi Inc, Columbus	Water - SOP	06/29/2016	11/18/2020
	Branch	Branches Group - Air	07/18/2017	
	Branch	Branches Group - Water	07/18/2017	
	Branch	Branches Group - Stormwater-401	07/18/2017	
	Branch	Branches Group - Hazardous Waste	08/04/2017	
MSU092053	APAC Mississippi Inc, Columbus	Water - SOP	11/18/2020	10/31/2025
MSR700007	APAC-Mississippi, Inc., APAC Mississippi Inc, Columbus	GP-Asphalt	06/01/2023	09/30/2027

GENERAL INFORMATION

Basin: Tombigbee River Basin

Location Description: PG- Plant Entrance (General). Data collected by Chris Lee on 11/15/2005.