

AI #878

Ivzina



MISSISSIPPI DEPARTMENT OF
ENVIRONMENTAL QUALITY

RECEIVED

OCT 27 2016

Dept. of Environmental Quality

BASELINE STORM WATER GENERAL PERMIT RE-COVERAGE FORM

FOR COVERAGE UNDER MISSISSIPPI'S REISSUED
BASELINE GENERAL PERMIT MSR00
GENERAL NPDES COVERAGE NO. MSR00 0 4 5 7

INSTRUCTIONS

The submittal of this form is required to receive coverage under the reissued Baseline General Permit. This form must be completed and returned to the address printed at the bottom of page 2 within 45 days of the date of the Letter of Instruction for Re-Coverage.

The signatory of this form must be the owner or operator who is the current coverage recipient (i.e., not the environmental consultant). The coverage recipient is responsible for permit compliance.

Re-submittal of the Storm Water Pollution Prevention Plan (SWPPP) is not required, even if amendments must be added to meet new permit conditions. However, amendments to the SWPPP must be submitted with the "Re-Coverage Form" if there has been a change in design, construction, operation, or maintenance of the facility, which may increase the discharge of pollutants to waters of the State or the SWPPP proves to be ineffective in controlling storm water pollutants.

If the facility is out of business or no longer a regulated facility, please request termination of coverage by completing the Request for Termination (RFT) Form found in the Baseline Forms Package. Facilities that continue to discharge wastewater without applicable permit coverage are in violation of state law.

Do not submit this form if submitting a "Request for Termination" (RFT).

Do not submit this form if submitting a "No Exposure Certification."

ALL FORM BLANKS MUST BE COMPLETED (enter "NA" if not applicable).

The Certificate of Coverage should be mailed to: ☐ owner/operator ☒ facility (please check one)

COVERAGE RECIPIENT INFORMATION

CONTACT NAME & POSITION: Jason Wharton

COMPANY NAME: International Converter

STREET OR P.O. BOX: 1309 Paul Edmondson Drive

CITY: Iuka

STATE: MS

ZIP: 38852

PHONE NUMBER (662) 424-4000

EMAIL: jason.wharton@novolex.com

FACILITY INFORMATION

FACILITY NAME: International Converter

CONTACT NAME & POSITION: Jason Wharton - Operations Manager

CONTACT PHONE NUMBER (662) 424-4000 EMAIL: jason.wharton@novolex.com

PRIMARY STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE & DESCRIPTION OF INDUSTRIAL ACTIVITY:

PHYSICAL SITE ADDRESS: STREET: 1309 Paul Edmondson Drive

CITY: Iuka COUNTY: Tishomingo ZIP: 38852

PROVIDE THE COORDINATES OF THE PLANT ENTRANCE:

LATITUDE: 34 degrees 48 minutes 54 seconds LONGITUDE: -88 degrees 11 minutes 58 seconds

NEAREST NAMED RECEIVING STREAM FOR STORM WATER LEAVING THE SITE: Indian Creek

IS RECEIVING STREAM ON MDEQ's 303(d) LIST?

☐ YES ☒ NO

HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT?

☐ YES ☒ NO

STORM WATER POLLUTION PREVENTION PLAN (SWPPP)

1. IS A COPY OF THE SWPPP AT THE PERMITTED SITE?

☒ YES ☐ NO

2. IS THE SWPPP UP-TO-DATE AND EFFECTIVE IN CONTROLLING STORM WATER POLLUTANTS?
IF NO, PLEASE ATTACH REQUIRED SWPPP AMENDMENTS (see Instructions on front page).

☒ YES ☐ NO

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I understand when coverage is terminated the facility is no longer authorized to discharge storm water associated with industrial activity under this general permit. I understand that discharging pollutants in storm water associated with industrial activity to waters of the state without NPDES coverage is in violation of state law.

Signature¹

Date

Printed Name¹

Title

¹This form shall be signed according to ACT14, T-9 of the General Permit, as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official.

After signing please mail to:

Chief, Environmental Permits Division,
MS Department of Environmental Quality, Office of Pollution Control
P.O. Box 2261
Jackson, Mississippi 39225



October 26, 2016

Mr. Scott Hodges, P.E., Chief
Timber Branch - Environmental Permits Division,
MS Department of Environmental Quality,
Office of Pollution Control
P.O. Box 2261
Jackson, Mississippi 39225

RE: Baseline Stormwater Re-Coverage
International Convertor
Coverage No. MSR000457
Iuka, Tishomingo County, Mississippi

Dear Mr. Hodges:

Please find enclosed the completed Baseline Re-Coverage form for the referenced facility. This form is notice that the facility wishes to be covered under the recently reissued Baseline General Permit. Our current Storm Water Pollution Prevention Plan (SWPPP) was evaluated, and no significant modifications are necessary.

Please contact me at (662) 424-4000, or Mr. Chad Winter of FC&E Engineering, LLC, at (601) 540-3966 should you have any questions or need any further information.

Sincerely,

Jason Wharton,

RECEIVED

OCT 27 2016

Dept. of Environmental Quality

Attachment

cc: Mr. Chad Winter, P.E., FC&E Engineering, LLC (w/o attachments)

Novolex Holdings, Inc., 101 East Carolina Avenue, Hartsville, South Carolina 29550

OUR
BRANDS:

