

AI #5109
GTP20200001



RECEIVED
MAR 06 2020

BASELINE NOTICE OF INTENT (BNOI)
FOR COVERAGE UNDER THE BASELINE STORM WATER
GENERAL NPDES PERMIT MSR00 2411
(NUMBER TO BE ASSIGNED BY STATE)

INSTRUCTIONS

Applicant must be the owner or operator (i.e., legal entity that controls the facility's operation, or the plant/site manager, not the environmental consultant). The owner or operator that receives coverage is responsible for permit compliance. File at least 60 days prior to the commencement of the regulated industrial activity.

Submittals with this BNOI must include a Storm Water Pollution Prevention Plan (SWPPP) with the minimum components found in ACTs 5 and 6 of the Baseline Storm Water General Permit. In addition, a United States Geological Survey (USGS) quadrangle map (or a copy) showing site location and extending at least 1/2 mile beyond the site's property boundary is required. If a copy is submitted, provide the name of the quadrangle map that is found in the upper right hand corner. Maps can be obtained from the MDEQ, Office of Geology at 601-961-5523.

ALL FORM BLANKS MUST BE COMPLETED (enter "NA" if not applicable)

THE APPLICANT IS: ☒ OWNER ☒ OPERATOR (PLEASE CHECK ONE OR BOTH)

OWNER INFORMATION

Owner Contact Name: Richie Moore Position: General Manager
Owner Company Name: Yazoo City Public Service Commission
Owner Street (P.O. Box): PO Box 660
Owner City: Yazoo City State: MS Zip: 39194
Owner Phone Number: (662) 746-3741 x103 Owner Email: richiemoore@cableone.net

OPERATOR INFORMATION (if different than owner)

Operator Contact Name: _____ Position: _____
Operator Company Name: _____
Operator Street (P.O. Box): _____
Operator City: _____ State: _____ Zip: _____
Operator Phone Number: (____) _____ Operator Email: _____

89

FACILITY INFORMATION

Facility Name: Yazoo City Public Service Commission

Nature of Business (Include 4-digit Standard Industrial Classification Code (SIC) and description):

SIC Code: 4 9 1 1 Steam Electric Generating Facilities

Receiving Stream: Old Yazoo River (Lake Yazoo)

Is receiving stream on MDEQ's 303(d) List?

☐ Yes ☒ No

Has a TMDL been established for the receiving stream segment?

☐ Yes ☒ No

Physical Site Address:

Street: 501 Bridge Street

City: Yazoo City

County: Yazoo

Zip: 39194

Latitude: 32 degrees 50 minutes 45 seconds

Longitude: 90 degrees 25 minutes 11 seconds

Method Used to Determine Lat & Long (GPS of plant entrance) or Map Interpolation): Google Earth

Attach a copy of any existing laboratory data for each storm water outfall. If multiple sampling has been performed, provide a summary for each parameter, including sampling dates and the minimum, average and maximum values.

Is this a SARA Title III, Section 313 facility utilizing water priority chemicals at threshold amounts? ☐ Yes ☒ No
If yes, please attach a list of water priority chemicals present at the facility.

**DOCUMENTATION OF COMPLIANCE WITH OTHER
REGULATIONS/REQUIREMENTS**

Is this notice for a facility that will require other permits? ☒ Yes ☐ No

If yes, check which one(s): ☒ Air, ☐ Hazardous Waste, ☒ Pretreatment, ☐ Water State Operating,
☐ Individual NPDES, or list Other(s):

How will sanitary sewage be collected and treated? Discharged to Yazoo City POTW

Indicate any local storm water ordinance with which the facility must comply and submit any documentation of approval.

None

Is treatment of storm water provided at any outfall? ☐ Yes ☒ No

If yes, please describe: _____

CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Richie Moore

Signature¹ (Must be signed by operator when different than owner)

2/27/2020

Date Signed

Richie Moore

Printed Name¹

General Manager

Title

¹This application shall be signed according to the General Permit, ACT 14, T-9, as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by principal executive officer, the mayor, or ranking elected official.

After signing please mail to:

Chief, Environmental Permits Division
MS Department of Environmental Quality, Office of Pollution Control
P.O. Box 2261
Jackson, MS 39225