AI#1725 CMP20200001

THE APPLICANT IS:

Operator Phone Number: ()



BASELINE NOTICE OF INTENT (BNOI)

FOR COVERAGE UNDER THE BASELINE STORM WATER GENERAL NPDES PERMIT MSR00 2418

INSTRUCTIONS

Applicant must be the owner or operator (i.e., legal entity that controls the facility's operation, or the plant/site manager, not the environmental consultant). The owner or operator that receives coverage is responsible for permit compliance. File at least 60 days prior to the commencement of the regulated industrial activity.

Submittals with this BNOI must include a Storm Water Pollution Prevention Plan (SWPPP) with the minimum components found in ACTs 5 and 6 of the Baseline Storm Water General Permit. In addition, a United States Geological Survey (USGS) quadrangle map (or a copy) showing site location and extending at least 1/2 mile beyond the site's property boundary is required. If a copy is submitted, provide the name of the quadrangle map that is found in the upper right hand corner. Maps can be obtained from the MDEQ, Office of Geology at 601-961-5523.

ALL FORM BLANKS MUST BE COMPLETED (enter "NA" if not applicable)

✓ OWNER

✓ OPERATOR (PLEASE CHECK ONE OR BOTH)

OWNER INFORMATION	N	
Owner Contact Name: Clayton Reid	Position: Envr. Coord.	
Owner Company Name: TransMontaigne Operating Company L.P.		
Owner Street (P.O. Box): 1670 Broadway Suite 3100		
Owner City: Denver	State: CO Zip: 80202-4824	
Owner Phone Number: (303) 626-8200 Owner Email: creid@transmontaigne.com		
OPERATOR INFORMATION (if different than owner)		
Operator Contact Name:	Position:	
Operator Company Name:		
Operator Street (P.O. Box):		
Operator City: State:	Zip:	

Operator Email:

Page 1 of 3

FACILITY INFORMATION

Facility Name: TransMontaigne Collins #2 (Storage) Terminal	
Nature of Business (Include 4-digit Standard Industrial Classification Code	(SIC) and description):
SIC Code: 4 2 2 6 Bulk Storage / Warehousing	
Receiving Stream: Unnamed ditch to Okatoma Creek	
Is receiving stream on MDEQ's 303(d) List?	☑ Yes ☐ No
Has a TMDL been established for the receiving stream segment?	☐ Yes ☑ No
Physical Site Address:	
Street: 135 Highway 588 City: Col	lins
County: Covington	Zip: 39428
Latitude: 31 degrees 38 minutes 45 seconds Longitude: 89 degrees	grees 32 minutes 06 seconds
Method Used to Determine Lat & Long (GPS of plant entrance) or Map Interpolation):	GPS
Attach a copy of any existing laboratory data for each storm water outfall. If multiple sampling has been performed, provide a summary for each parameter, including sampling dates and the minimum, average and maximum values.	
Is this a SARA Title III, Section 313 facility utilizing water priority chemicals at If yes, please attach a list of water priority chemicals present at the facility.	threshold amounts? □Yes ☑No

DOCUMENTATION OF COMPLIANCE WITH OTHER REGULATIONS/REQUIREMENTS