

INDUSTRIAL STORMWATER NOTICE OF INTENT (ISNOI)

FOR COVERAGE UNDER THE INDUSTRIAL STORMWATER GENERAL NPDES PERMIT MSR00 17 42

INSTRUCTIONS

Applicant must be the owner or operator (i.e., legal entity that controls the facility's operation, or the plant/site manager, not the environmental consultant). The owner or operator that receives coverage is responsible for permit compliance. File at least 60 days prior to the commencement of the regulated industrial activity.

Submittals with this ISNOI must include a Storm Water Pollution Prevention Plan (SWPPP) with the minimum components found in ACTs 5-8 of the Industrial Stormwater General Permit. In addition, a United States Geological Survey (USGS) quadrangle map (or a copy) showing site location and extending at least 1/2 mile beyond the site's property boundary is required. If a copy is submitted, provide the name of the quadrangle map that is found in the upper right hand corner. Maps can be obtained from the MDEQ, Office of Geology at 601-961-5523.

ALL FORM BLANKS MUST BE COMPLETED (enter "NA" if not applicable)

THE APPLICANT IS: OWNER OPERATOR (PLEA	ASE CHECK ONE OR BOTH)	
OWNER INFORMATION		
Owner Contact Name:	Position:	
Owner Company Name:		
Owner Street (P.O. Box):		
Owner City: State:		
OPERATOR INFORMATION (if different the	an owner)	
1	Position: Plant Manager	
Operator Company Name: Kasai NA, Inc.		
Operator Street (P.O. Box): 435 Church Road		
Operator City: Madison State: MS	Zip: 39110	
Operator Phone Number: (601) 407-5000 Operator Email: powers(

FACILITY INFORMATION

Facility Name: Kasai NA, Inc., - Mississippi Division		
Nature of Business (Include 4-digit Standard Industrial Classification Code (SIC) and description): SIC Code: 3714 Motor Vehicle Parts and Accessories		
Receiving Stream: Unnamed tributary to Bear Creek		
Is receiving stream on MDEQ's 303(d) List?	Yes No	
Has a TMDL been established for the receiving stream segment?	☐ Yes 🛗 No	
Physical Site Address:		
Street: 435 Church Road City: Madison		
County: Madison zip: 3911	zip: 39110	
Latitude: 32 degrees 31 minutes 54.3 seconds Longitude: 90 degrees 05 minutes		
Method Used to Determine Lat & Long (GPS of plant entrance) or Map Interpolation):		
Attach a copy of any existing laboratory data for each storm water outfall. If multiple sampling has been performed, provide a summary for each parameter, including sampling dates and the minimum, average and maximum values.		
Is this a SARA Title III, Section 313 facility utilizing water priority chemicals at threshold amounts? Yes No If yes, please attach a list of water priority chemicals present at the facility.		

DOCUMENTATION OF COMPLIANCE WITH OTHER DECIII ATIONS/DECLIIDEMENTS

REGULATIONS/REQUIREMENTS	
Is this notice for a facility that will require other permits?	av. on
is this notice for a facility that will require other permits?	Yes No
If yes, check which one(s): Air, Hazardous Waste, Pret Individual NPDES, or list Other(s):	reatment, Water State Operating,
N/A	
How will sanitary sewage be collected and treated? N/A	
Indicate any local storm water ordinance with which the facility rapproval.	must comply and submit any documentation of
N/A	
Is treatment of storm water provided at any outfall?	Yes 🖪 No
If yes, please describe: N/A	
CERTIFICATIO)N
I certify under penalty of law that this document and all attachments were accordance with a system designed to assure that qualified personnel prop submitted. Based on my inquiry of the person or persons who manage the gathering the information, the information submitted is to the best of my lam aware that there are significant penalties for submitting false information personment for knowing violations.	erly gathered and evaluated the information system, or those persons directly responsible for knowledge and belief, true, accurate and complete. I
Signature (Must be signed by operator when different than owner)	3/10/2/ Date Signed
LARRY POWERS Printed Name!	Plant Manager Title
¹ This application shall be signed according to the General Permit, ACT 16 - For a corporation, by a responsible corporate officer For a partnership, by a general partner For a sole proprietorship, by the proprietor.	5, T-9, as follows:

For a municipal, state or other public facility, by principal executive officer, the mayor, or ranking elected official.

After signing please mail to:

Chief, Environmental Permits Division
MS Department of Environmental Quality, Office of Poliution Control

P.O. Box 2261 Jackson, MS 39225