AI: 218 MSR002547



Rec'd via email: 09/27/2024

# INDUSTRIAL STORMWATER NOTICE OF INTENT (ISNOI)

### FOR COVERAGE UNDER THE INDUSTRIAL STORMWATER GENERAL NPDES PERMIT MSR00 2547

(NUMBER TO BE ASSIGNED BY STATE)

#### **INSTRUCTIONS**

Applicant must be the owner or operator (i.e., legal entity that controls the facility's operation, or the plant/site manager, not the environmental consultant). The owner or operator that receives coverage is responsible for permit compliance. File at least 60 days prior to the commencement of the regulated industrial activity.

Submittals with this ISNOI must include a Storm Water Pollution Prevention Plan (SWPPP) with the minimum components found in ACTs 5-8 of the Industrial Stormwater General Permit. In addition, a United States Geological Survey (USGS) quadrangle map (or a copy) showing site location and extending at least 1/2 mile beyond the site's property boundary is required. If a copy is submitted, provide the name of the quadrangle map that is found in the upper right hand corner. Maps can be obtained from the MDEQ, Office of Geology at 601-961-5523.

ALL FORM BLANKS MUST BE COMPLETED (enter "NA" if not applicable)

THE APPLICANT IS: OWNER OPERATOR (PLEASE CHECK ONE OR BOTH)			
OWNER INFORMATION			
Owner Contact Name: Kevin Wilson Position: President			
Owner Company Name: Adams County Board of Superii sers			
Owner Street (P.O. Box): 314 State St.			
Owner City: Natchez State: M5 zip: 39120			
Owner Phone Number: (601) 446.6684 Owner Email: pdean adams county ms. gov Choose option No. 2			
OPERATOR INFORMATION (if different than owner)			
Operator Contact Name: Michael Stewart Position: Wanager			
Operator Company Name: Waste Water Treatment Plant			
Operator Street (P.O. Box): 190 River Terminal Rd.			
Operator City: Natchez State: MS zip: 39120			
Operator Phone Number: (601) 443-1023 Operator Email: MStewarta natchezwaler. com			

## DOCUMENTATION OF COMPLIANCE WITH OTHER REGULATIONS/REQUIREMENTS

	1	
Is this notice for a facility that will require other permits?	Yes No	)
If yes, check which one(s): ☐ Air, ☐ Hazardous Waste, ☐ Individual NPDES, or list Other(s):		
Permit No. MS 0000213		
How will sanitary sewage be collected and treated?	JA	
Indicate any local storm water ordinance with which the facilitapproval.	ty must comply and s	submit any documentation of
N/A		
Is treatment of storm water provided at any outfall?	☐ Yes ☐ No	0
If yes, please describe:		_
CERTIFICAT	ION	
I certify under penalty of law that this document and all attachments of accordance with a system designed to assure that qualified personnel publishments. Based on my inquiry of the person or persons who manage gathering the information, the information submitted is to the best of a maware that there are significant penalties for submitting false information imprisonment for knowing violations.	oroperly gathered and e the system, or those pe ny knowledge and belie	evaluated the information ersons directly responsible for ef, true, accurate and complete. I
No whole	9/	23/24
Signature (Must be signed by operator when different than owner)	Date <b>≸</b> igi	ned /
Joy W. MS ADJUE TON IT	Vice	President
Frinted Name	Title	
<sup>1</sup> This application shall be signed according to the General Permit, AC  For a corporation, by a responsible corporate officer.	16, T-9, as follows:	

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by principal executive officer, the mayor, or ranking elected official.

After signing please mail to:

Chief, Environmental Permits Division

MS Department of Environmental Quality, Office of Pollution Control

P.O. Box 2261 Jackson, MS 39225

#### **FACILITY INFORMATION**

Facility Name: Adams County WWTF			
Nature of Business (Include 4-digit Standard Industrial Classification Code (SIC) and description):  SIC Code: 2869 Haz Waste Municipal Stormwater			
Receiving Stream: St. Catherine Creek			
Is receiving stream on MDEQ's 303(d) List?   ✓ Yes □ No			
Has a TMDL been established for the receiving stream segment?			
Physical Site Address:			
Street: 61 Carthage Point Rd. City: Natchcz			
County: Adams zip: 39120			
Latitude: 31 degrees 30 minutes 53 seconds Longitude: 91 degrees 25 minutes 28 seconds			
Method Used to Determine Lat & Long (GPS of plant entrance) or Map Interpolation): CLPS Code			
Attach a copy of any existing laboratory data for each storm water outfall. If multiple sampling has been performed, provide a summary for each parameter, including sampling dates and the minimum, average and maximum values.			
Is this a SARA Title III, Section 313 facility utilizing water priority chemicals at threshold amounts?   Yes No If yes, please attach a list of water priority chemicals present at the facility.			