

AI: 105

Recd via email: 04/08/2025

MSR10 9462

(NUMBER TO BE ASSIGNED BY STATE)

APPLICANT IS THE: ☒ OWNER ☐ PRIME CONTRACTOR

OWNER CONTACT INFORMATION

OWNER CONTACT PERSON: Matt Reedy
 OWNER COMPANY LEGAL NAME: Ashley Furniture Industries, LLC
 OWNER STREET OR P.O. BOX: 1 Ashley Way
 OWNER CITY: Arcadia STATE: WI ZIP: 54612
 OWNER PHONE #: (608) 498-3500 OWNER EMAIL: mreedy@ashleyfurniture.com

PREPARER CONTACT INFORMATION

IF NOI WAS PREPARED BY SOMEONE OTHER THAN THE APPLICANT

CONTACT PERSON: Robert Bingham
 COMPANY LEGAL NAME: McCarty Granberry Engineering
 STREET OR P.O. BOX: 198 Progress Road
 CITY: Collierville STATE: TN ZIP: 38017
 PHONE # () (601) 842-2039 EMAIL: rbingham@mccartygranberry.com

PRIME CONTRACTOR CONTACT INFORMATION

PRIME CONTRACTOR CONTACT PERSON: _____
 PRIME CONTRACTOR COMPANY LEGAL NAME: _____
 PRIME CONTRACTOR STREET OR P.O. BOX: _____
 PRIME CONTRACTOR CITY: _____ STATE: _____ ZIP: _____
 PRIME CONTRACTOR PHONE #: () _____ PRIME CONTRACTOR EMAIL: _____

FACILITY SITE INFORMATION

FACILITY SITE NAME: Ashley Furniture Verona Plant 03, Phase 01
 FACILITY SITE ADDRESS (If the physical address is not available, please indicate the nearest named road. For linear projects indicate the beginning of the project and identify all counties the project traverses.)
 STREET: 5380 Hwy 145 S
 CITY: Verona STATE: MS COUNTY: Lee ZIP: 38801
 FACILITY SITE TRIBAL LAND ID (N/A If not applicable): _____
 LATITUDE: 34 degrees 10 minutes 07 seconds LONGITUDE: -88 degrees 42 minutes 57 seconds
 LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): Google Earth
 TOTAL ACREAGE THAT WILL BE DISTURBED ¹: 29.22

IS THIS PART OF A LARGER COMMON PLAN OF DEVELOPMENT?

YES

☐

NO

☒

IF YES, NAME OF LARGER COMMON PLAN OF DEVELOPMENT:
AND PERMIT COVERAGE NUMBER: MSR10 _____

ESTIMATED CONSTRUCTION PROJECT START DATE:

YYYY-MM-DD

ESTIMATED CONSTRUCTION PROJECT END DATE:

YYYY-MM-DD

DESCRIPTION OF CONSTRUCTION ACTIVITY: Construction of 287,440 SF warehouse, parking lot and access roads, underground storm sewer, utilities, and stormwater detention pond

PROPOSED DESCRIPTION OF PROPERTY USE AFTER CONSTRUCTION HAS BEEN COMPLETED:

Ashley Furniture commercial warehouse

SIC Code: _____ NAICS Code _____

NEAREST NAMED RECEIVING STREAM: Louisa Creek

IS RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.deq.state.ms.us/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Load_Section)

YES

☐

NO

☒

HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT?

YES

☒

NO

☐

FOR WHICH POLLUTANT: Coonewah Creek: Biological Impairment (Aquatic Life Use Support)
Town Creek: Impairment due to Fecal Coliform, DDT and Toxaphene, Impairment due to Sediment, and Total Nitrogen and Total Phosphorus

ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN 1/2 MILE DOWNSTREAM OF PROJECT BOUNDARY THAT MAY BE IMPACTED BY THE CONSTRUCTION ACTIVITY?

YES

☐

NO

☒

EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPP):

WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER?

YES

☐

NO

☒

IF YES, INDICATE THE TYPE OF FLOCCULANT.

☐

ANIONIC POLYACRYLAMIDE (PAM)

OTHER _____

IF YES, DOES THE SWPPP DESCRIBE THE METHOD OF INTRODUCTION, THE LOCATION OF INTRODUCTION AND THE LOCATION OF WHERE FLOCCULATED MATERIAL WILL SETTLE?

IS A SDS SHEET INCLUDED FOR THE FLOCCULATE?

YES

☐

NO

☐

WILL THERE BE A 50 FT BUFFER BETWEEN THE PROJECT DISTURBANCE AND THE WATERS OF THE STATE?

YES

☐

NO

☒

IF NOT, PROVIDE EQUIVALENT CONTROL MEASURES IN THE SWPPP.

¹ Acreage for subdivision development includes areas disturbed by construction of roads, utilities and drainage. Additionally, a housesite of at least 10,000 ft² per lot (entire lot, if smaller) shall be included in calculating acreage disturbed.

DOCUMENTATION OF COMPLIANCE WITH OTHER REGULATIONS/REQUIREMENTS

COVERAGE UNDER THIS PERMIT WILL NOT BE GRANTED UNTIL ALL OTHER REQUIRED
MDEQ PERMITS AND APPROVALS ARE SATISFACTORILY ADDRESSED

IS LCNOI FOR A FACILITY THAT WILL REQUIRE OTHER PERMITS?

YES ☒

NO ☐

IF YES, CHECK ALL THAT APPLY:

☐ AIR

☐ HAZARDOUS WASTE

☐ PRETREATMENT

☐ WATER STATE OPERATING

☐ INDIVIDUAL NPDES

☒ OTHER: MDEQ Sewer, USACE Nationwide

IS THE PROJECT REROUTING, FILLING OR CROSSING A WATER CONVEYANCE
OF ANY KIND? (If yes, contact the U.S. Army Corps of Engineers' Regulatory Branch for permitting requirements.)

YES ☐

NO ☐

IF THE PROJECT REQUIRES A CORPS OF ENGINEER SECTION 404 PERMIT, PROVIDE APPROPRIATE
DOCUMENTATION THAT:

- The project has been approved by individual permit, or
- The work will be covered by a nationwide permit and NO NOTIFICATION to the Corps is required, or
- The work will be covered by a nationwide or general permit and NOTIFICATION to the Corps is required

IS THE PROJECT REROUTING, FILLING OR CROSSING A STATE WATER CONVEYANCE
OF ANY KIND? (If yes, please provide an antidegradation report.)

YES ☒

NO ☐

IS A LAKE REQUIRING THE CONSTRUCTION OF A DAM BEING PROPOSED?

YES ☐

NO ☒

(If yes, provide appropriate approval documentation from MDEQ Office of Land and Water, Dam Safety.)

IF THE PROJECT IS A SUBDIVISION OR A COMMERCIAL DEVELOPMENT, HOW WILL SANITARY SEWAGE
BE DISPOSED? Check one of the following and attach the pertinent documents.

☒ Existing Municipal or Commercial System. Please attach plans and specifications for the collection system and the associated "Information Regarding Proposed Wastewater Projects" form or approval from County Utility Authority in Hancock, Harrison, Jackson, Pearl River and Stone Counties. If the plans and specifications can not be provided at the time of LCNOI submittal, MDEQ will accept written acknowledgement from official(s) responsible for wastewater collection and treatment that the flows generated from the proposed project can and will be transported and treated properly. The letter must include the estimated flow.

☐ Collection and Treatment System will be Constructed. Please attach a copy of the cover of the NPDES discharge permit from MDEQ or indicate the date the application was submitted to MDEQ (Date: _____.)

☐ Individual Onsite Wastewater Disposal Systems for Subdivisions Less than 35 Lots. Please attach a copy of the Letter of General Acceptance from the Mississippi State Department of Health or certification from a registered professional engineer that the platted lots should support individual onsite wastewater disposal systems.

☐ Individual Onsite Wastewater Disposal Systems for Subdivisions Greater than 35 Lots. A determination of the feasibility of installing a central sewage collection and treatment system must be made by MDEQ. A copy of the response from MDEQ concerning the feasibility study must be attached. If a central collection and wastewater system is not feasible, then please attach a copy of the Letter of General Acceptance from the State Department of Health or certification from a registered professional engineer that the platted lots should support individual onsite wastewater disposal systems.

INDICATE ANY LOCAL STORM WATER ORDINANCE (I.E. MS4) WITH WHICH THE PROJECT MUST COMPLY:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Matt Reedy

Digitally signed by Matt Reedy
DN: C=US, E=mreedy@ashleyfurniture.com,
O=Ashley Furniture, OU=Plant Engineering,
CN=Matt Reedy
Date: 2025.04.08 16:55:11-05'00'

Signature of Applicant¹ (owner or prime contractor)

Matt Reedy

Printed Name¹

4/8/2025

Date Signed

Plant Engineer

Title

¹This application shall be signed as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.

For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official

Please submit the LCNOI form to:

Chief, Environmental Permits Division
MS Department of Environmental Quality, Office of Pollution Control
P.O. Box 2261
Jackson, Mississippi 39225

Electronically:

<https://www.mdeq.ms.gov/construction-stormwater/>

Revised 3/23/22



MISSISSIPPI DEPARTMENT OF
ENVIRONMENTAL QUALITY

**LARGE CONSTRUCTION NOTICE OF INTENT (LCNOI)
FOR COVERAGE UNDER THE LARGE CONSTRUCTION
STORM WATER GENERAL NPDES PERMIT**

INSTRUCTIONS

The Large Construction Notice of Intent (LCNOI) is for coverage under the Large Construction General Permit for land disturbing activities of five (5) acres or greater; or for land disturbing activities, which are part of a larger common plan of development or sale that are initially less than five (5) acres but will ultimately disturb five (5) or more acres. Applicant must be the owner or operator. For construction activities, the operator is typically the prime contractor. The owner(s) of the property and the prime contractor associated with regulated construction activity on the property have joint and severable responsibility for compliance with the Large Construction Storm Water General Permit MSR10.

If the company seeking coverage is a corporation, a limited liability company, a partnership, or a business trust, attach proof of its registration with the Mississippi Secretary of State and/or its Certificate of Good Standing. This registration or Certificate of Good Standing must be dated within twelve (12) months of the date of the submittal of this coverage form. Coverage will be issued in the company name as it is registered with the Mississippi Secretary of State.

Completed LCNOIs should be filed at least thirty (30) days prior to the commencement of construction. Discharge of storm water from large construction activities without written notification of coverage is a violation of state law.

Submittals with this LCNOI must include:

- A site-specific Storm Water Pollution Prevention Plan (SWPPP) developed in accordance with ACT5 of the General Permit
- A detailed site-specific scaled drawing showing the property layout and the features outlined in ACT5 of the General Permit
- A United States Geological Survey (USGS) quadrangle map or photocopy, extending at least one-half mile beyond the facility property boundaries with the site location and outfalls outlined or highlighted. The name of the quadrangle map must be shown on all copies. Quadrangle maps can be obtained from the MDEQ, Office of Geology at 601-961-5523.

Additional submittals may include the following, if applicable:

- Appropriate Section 404 documentation from U.S. Army Corps of Engineers
- Appropriate documentation concerning future disposal of sanitary sewage and sewage collection system construction
- Appropriate documentation from the MDEQ Office of Land & Water concerning dam construction and low flow requirements
- Approval from County Utility Authority in Hancock, Harrison, Jackson, Pearl River and Stone Counties
- Antidegradation report for disturbance within Waters of the State

ALL QUESTIONS MUST BE ANSWERED (Answer "NA" if the question is not applicable)

Orlincia Cooper

From: Matt Reedy <mdeqweb@mdeq.ms.gov>
Sent: Tuesday, April 8, 2025 8:24 PM
To: NOIs; MDEQ Web
Subject: Construction Stormwater - Ashley Furniture Verona Plant 03, Phase 01
Attachments: VER0301-Application-MDEQ-250408-LCNOI-Permit-App.pdf

From: Matt Reedy <mreedy@ashleyfurniture.com> Applicant Number: 608-498-3500

Preparer Name: Robert Bingham

Preparer Number: rbingham@mccartygranberry.com Preparer Email: 601-842-2039

Facility Name: Ashley Furniture Verona Plant 03, Phase 01 Permit Number: MSR109462

AI#:

Application Type: Construction Stormwater Permit Action: Modification

Comments: We are submitting a modification to the Permit Coverage No. MSR109462 (Ashley Furniture Verona Plant 03, Phase 01).

The construction plans and SWPPP were modified to include the following:

1. A borrow pit area and stormwater detention pond have been added north of the original project area. The proposed borrow pit area was added to build up the Plant 3 site since the proposed grades are significantly higher than the existing grades.
2. There are now two stormwater detention ponds associated with this project. The original stormwater detention pond located on the south side of the project has been slightly modified to avoid an existing sanitary sewer force main that will remain in place. The modified south stormwater detention pond has the same storage volume as its original design; therefore, the discharge rates from the south stormwater detention pond have not changed.
3. The size of the proposed Plant 3 building and parking lot have not changed.
4. The only changes to the project were to the south stormwater detention pond, the addition of the borrow pit area north of the proposed Plant 3 project area, and the addition of a second stormwater detention pond located within the borrow pit area.

--

This e-mail was sent from a contact form on EPD Applications (<http://mdeq.ms.gov>)