

MISSISSIPPI DEPARTMENT OF
ENVIRONMENTAL QUALITY**BASELINE STORM WATER GENERAL PERMIT
RE-COVERAGE FORM****FOR COVERAGE UNDER MISSISSIPPI'S REISSUED
BASELINE GENERAL PERMIT MSR00
GENERAL NPDES COVERAGE NO. MSR00 0696****INSTRUCTIONS**

The submittal of this form is required to receive coverage under the reissued Baseline General Permit. This form must be completed and returned to the address printed at the bottom of page 2 within 30 days of the date of the Letter of Instruction for Re-Coverage.

The signatory of this form must be the owner or operator who is the current coverage recipient (rather than the plant/site manager or environmental consultant). The coverage recipient is responsible for permit compliance.

Amendments to the Storm Water Pollution Prevention Plan (SWPPP) are required to be attached if the plan is not current or is ineffective in controlling storm water pollutants. The visual assessment and training sections of your SWPPP will probably need to be updated to adhere to permit requirements (see ACT8, S-1 and ACT12, S-1 and S-2). These updates do NOT need to be submitted to MDEQ.

If the facility is out of business or no longer a regulated facility, please request termination of coverage by completing the Request for Termination (RFT) Form found in the Baseline Forms Package. Facilities that continue to discharge wastewater without applicable permit coverage are in violation of state law.

Do not submit this form if submitting a "Request for Termination" (RFT).

Do not submit this form if submitting a "No Exposure Certification."

ALL INFORMATION MUST BE COMPLETED (Enter "NA" if not applicable).

The Certificate of Coverage should be mailed to: ☒ owner/operator ☐ facility (please check one)

COVERAGE RECIPIENT INFORMATION

CONTACT NAME & POSITION: Cody Arnold Environmental Manager
COMPANY NAME: Weyerhaeuser NR Company - Philadelphia Facility
STREET OR P.O. BOX: 1016 Weyerhaeuser Road
CITY: Philadelphia STATE: MS ZIP: 39350
PHONE NUMBER (INCLUDE AREA CODE): 601-650-7201

RECEIVED

MAR 17 2011

Dept of Environmental Quality

FACILITY INFORMATION

FACILITY NAME: Weyerhaeuser NR Company, Philadelphia Facility
 CONTACT NAME & POSITION: Cody Arnold, Environmental Manager
 CONTACT PHONE NUMBER (INCLUDE AREA CODE): 601-650-7204
 PRIMARY STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE & DESCRIPTION OF INDUSTRIAL ACTIVITY:
2421 Sawmill & Planing Mills
 PHYSICAL SITE ADDRESS: STREET: 1016 Weyerhaeuser Rd
 CITY: Philadelphia COUNTY: Neshoba ZIP: 39350
 PROVIDE THE COORDINATES OF THE PLANT ENTRANCE:
 LATITUDE: 32 degrees 45 minutes 37.51 seconds N LONGITUDE: 89 degrees 7 minutes 9.13 seconds W
 NEAREST NAMED RECEIVING STREAM FOR STORM WATER LEAVING THE SITE: Town Creek
 IS RECEIVING STREAM ON MDEQ's 303(d) LIST? ☐ YES ☒ NO
 IF YES, HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? ☐ YES ☐ NO

STORM WATER POLLUTION PREVENTION PLAN (SWPPP)

1. IS A COPY OF THE SWPPP AT THE PERMITTED SITE? ☒ YES ☐ NO
 2. IS THE SWPPP UP-TO-DATE AND EFFECTIVE IN CONTROLLING STORM WATER POLLUTANTS? ☒ YES ☐ NO
 IF NO, PLEASE ATTACH REQUIRED SWPPP AMENDMENTS (see Instructions on front page).

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

I further certify that I understand when coverage is terminated the facility is no longer authorized to discharge storm water associated with industrial activity under this general permit. I understand that discharging pollutants in storm water associated with industrial activity to waters of the state without NPDES coverage is in violation of state law.

Stan Webb
 Signature¹

Stan Webb
 Printed Name¹

3/7/11
 Date

Unit Manager
 Title

¹This form shall be signed according to ACT14, T-9 of the General Permit, as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official.

After signing please mail to: Chief, Environmental Permits Division,
 MS Department of Environmental Quality, Office of Pollution Control
 P.O. Box 2261
 Jackson, Mississippi 39225



1016 Weyerhaeuser Road
Philadelphia, MS 39350

March 7, 2011

Chief, Environmental Permits Division
Mississippi Department of Environmental Quality
Office of Pollution Control
515 East Amite St.
Jackson, MS 39201

Re: Weyerhaeuser NR Company, Philadelphia Facility
Baseline Storm Water General Permit Re-Coverage Form
Permit #: MSR000696
Neshoba County
AI: 5197

Please find enclosed (2) Copies of the Baseline Storm Water General Permit Re-Coverage Form.

Should you have questions or need additional information, please contact Cody Arnold, Site Environmental Manager, at 601-650-7204 or randall.arnold@weyerhaeuser.com

Sincerely,

A handwritten signature in blue ink, appearing to read "Stan Webb".

Stan Webb
Philadelphia Facility Manager

RECEIVED

MAR 17 2011

Dept of Environmental Quality